

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1093768

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R 🗌 East 🗌 West				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name: Producing Formation:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:				
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cm				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #:	Dewatering method used:				
Dual Completion Permit #:					
SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:	Operator Name:				
GSW Permit #:	Lease Name: License #:				
	Quarter Sec TwpS. R				
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
☐ Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used	Type and Percent Additives			
Perforate Protect Casing	Top Dottom								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No (If No, fill out Page Three of the ACO-1)					of the ACO-1)				
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL: Vented Sold Lised on Lease Open Hole Perf. Dually Comp. Commingled									
Vented Solo	Used on Lease		Other (Specify)		(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 16, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25514-00-00 Simons Bros. Farms 6-T NW/4 Sec.27-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.


Respectfully, Chris Martin

TICKET NUMBER	39604
LOCATION DIFFA	
FOREMAN / 194	Mader

FIELD TICKET & TREATMENT REPORT

	or 800-467-8676			CEMEN	IT			
DATE	CUSTOMER#	WELL	NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
B-3D-12	7806	SIMON	Bro.	6-1	NW 27	20	20	AN
CUSTOMER					TRUCK #	DRIVER	TOUCK #	经 有
MAILING ADDRE	ss			-	57/-	Ala Mal	TRUCK#	DRIVER
(4 2 /	4 1	3.a =			21.3	A -/ Mal	ALM	Mest
CITY	Avale	STATE	ZIP CODE		369	De Nos	Dira	
Oklahou	$\rho \hookrightarrow 1$	OK	73116		543	Mikhas	MN	
			55/8	_ _ HOLE DEPTI	н 858	CASING SIZE & W	VEIGHT 2	>13
CASING DEPTH	- ///	DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH		SLURRY VOL_		WATER gal/s	sk	CEMENT LEFT in		'85
DISPLACEMENT		DISPLACEMENT	PSI 800		200	RATE 4 6	en	
REMARKS: 1	teld or		ept	Esta	61:54es	vate.	Mix	20 X
0.000	ED 100	# 90)	Foll	owed	6411	7 3 K 3		
Lewe	int pla		19 SE	2), (Circui	ated	Lewe.	ut,
Flust	7 7 4	ing,	Puml	red 1	1 lus to	005	1 215	TD,
11/0)/	held	800	PSI.	امک	X X104	x Clo	sed	is)ve
			•					
Evans	Eners	y Tro	14:5					
		//					11 des	
						Alm	vi cae	
						70/5	T	
ACCOUNT CODE	QUANITY	or UNITS	D	ESCRIPTION o	of SERVICES or PR	DDUCT	UNIT PRICE	TOTAL
5401		1	PUMP CHAR	GE				1030.0
54012			MILEAGE					7000 100
54/22	8	48	C-016	1 14.6	footese			
54/27	1/2	11 11	404	Miles				1750
5302C		7	8/2	12/2/2				18200
33500		<u> </u>	<i>V.D.</i>					100 20
								·
11 24	117		512/9	77 00	ment		 	1281.15
11/8/3		97	i	1	JULE DIT			
	<u> </u>	1 1	90	/	<u> </u>			6237
41402			1.12	plus				20.00
, ,						· · - · · · ·		
	-						 	ļ . <u></u>
							La contract production	F - F
		*			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
	 						387 D	e e e e Special
								
	 							
							CALEGIAN	101 00
Ravin 3737	l <u> </u>		L			· · · · · · · · · · · · · · · · · · ·	SALES TAX ESTIMATED	2863,4
		l	>				TOTAL	2863,4
AUTHORIZTION	W			TITLE			DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this fo



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Tailwater, Inc. Simons Bros. Farms #6-T API#15-003-25,514 August 29 - August 30, 2012

Thickness of Strata	Formation	<u>Total</u>
16	soil & clay	16
3	clay & gravel	19
60	shale	79
26	lime	105
60	shale	165
10	lime	175
6	shale	181
34	lime	215
8	shale	223
24	lime	247
3	shale	250
23	lime	273 base of the Kansas City
180	shale	453
3	lime	456
7	shale	463
8	lime	471 oil show
4	shale	475
8	oil sand	483 green, good bleeding
4	shale	487
1	coal	488
40	shale	528
9	lime	537
10	shale	547
4	lime	551
18	shale	569
10	lime	579
48	shale	627
6	broken sand	633 brown, green, ok bleeding
35	shale	668
1	lime & shells	669
6	oil sand	675 brown, good bleeding
184	shale	859 with a few sandy seams 859 TD

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 859'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 848.8' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.