

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

1093882

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			SecTwpS. R				
Address 2:			Feet from North / South Line of Section				
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section		
Contact Person:			Footages Calculated from Nearest Outside Section Corner:				
Phone: ()			□NE □NW □SE □SW				
CONTRACTOR: License #			GPS Location: Lat:, Long:				
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name: Well #:				
	e-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground: Kelly Bushing:				
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:		
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet		
Cathodic Other (Core, Expl., etc.):			Multiple Stage Cementing	Collar Used? Yes	No		
If Workover/Re-entry: Old Well I			If yes, show depth set:				
Operator:			If Alternate II completion, cement circulated from:				
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:							
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan			
Plug Back	Conv. to G		(Data must be collected from to				
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls		
Dual Completion			Dewatering method used:_				
SWD			Location of fluid disposal if	hauled offsite:			
ENHR	Permit #:						
GSW Permit #:		Operator Name:					
			Lease Name:				
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West		
Recompletion Date		Recompletion Date	County:	Permit #:			

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taken Yes No (Attach Additional Sheets)			es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken         ☐ Yes         ☐ No           Electric Log Run         ☐ Yes         ☐ No			=						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used	Type and Percent Additives			
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth					
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[	Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS:  Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 17, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25523-00-00 Simons Bros. Farms 14-T NW/4 Sec.27-20S-20E Anderson County, Kansas

### **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin



TICKET NUM	BER	39609		
LOCATION_	orta	WG		
FOREMAN	Ala	n Madia		

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

# FIELD TICKET & TREATMENT REPORT CEMENT

				<b></b>	• •			
DATE	CUSTOMER#		NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
831.6	7806	5 mon	Bros	14-1	NW 2	7 20	20	AN
CUSTOMER Ta: U	icte-				TRUCK#	DRIVER	TDI YOU #	
MAILING ADDRE				1	51/a	A) A) A	TRUCK#	DRIVER
1.42/	Avonda	10		]	3/28	A.M.	1111	Ne
CITY	1100100		ZIP CODE	1	34.0	DerMas	18m	
OKlahon	ne (4x	OK	73116		558	Brath	BOO	
			55/8	_ _ HOLE DEPTI	1 867	CASING SIZE & V	VEIGHT_	1/8
CASING DEPTH_	1/2	DRILL PIPE	<u> </u>	TUBING	1. 100	_ CASING SIZE & F	OTHER	
SLURRY WEIGHT		SLURRY VOL_		WATER gal/s	sk	CEMENT LEFT, in		25
DISPLACEMENT		DISPLACEMENT	PSI 80/2			RATE_46	7	
REMARKS:		MA	J. F	stab	lished	vate. N	lixed 1	Duns
100 # G	7	awer!	6.11	3 s K	-	cement	Dlus	100
00.3	Ciccia	latell	cen	out.	Flush		1.	in Pos
John K	2 0051	(C)	1/1/0	11 h	· ld 8	OD PST	Set	1001 - 40
Mast	rosed	1	10				<u> </u>	
7 1001	CIDSEIX	<del></del>						
17	Trau	, ' S		-		1/	Jed)	
	,		· · ·	· ·		Alun M	OUT -	
						1000		
ACCOUNT	QUANITY	or UNITS	DE	SCRIPTION o	f SERVICES or F	PRODUCT	UNIT PRICE	TOTAL
CODE		·		<del></del>		31.0		(1) Z.) 1
3701			PUMP CHARC	<u> </u>		368		1000.00
1700	<del>- 3</del> -	) ~	C C.C.1		0.28	3/0		100.00
5702	0 5		-1	5	10195 B	558		257
370/	71/		700	1/1/1	<u> </u>	216		1622 (1)
350dC			00	16L	<del> </del>	067		180,00
				<del></del>				
-, -, -	1.0	<del></del>	1757 16	<u> </u>	. <u>.</u>			40.23
1/24			50/5	DCer	neut			(231.05
11180	29	0	501	<del></del>				60.91
4402			521/2	Pla	9			28.00
					<u> </u>			
		·		<u></u> .	<del></del>			<u> </u>
							ļ	
							/	
					<del></del>	7		
				-		<u> </u>		
								<u> </u>
		<u>-</u> .					<del> </del>	11.
							SALES TAX	10344
Ravin 3737 .:	il.	1					ESTIMATED TOTAL	3089.6
	1 1	er `					IVIAL	: ~ <i>i</i> ~ U

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

252590



## Oil & Gas Well Drilling **Water Wells Geo-Loop Installation**

Phone: 913-557-9083

Paola, KS 66071 Fax: 913-557-9084

#### **WELL LOG**

Tailwater, Inc. Simons Bros. Farms #14-T API#15-003-25,523 August 30 - August 31, 2012

Thickness of Strata	<b>Formation</b>	<u>Total</u>
13	soil & clay	13
3	clay & gravel	16
57	shale	73
30	lime	103
60	shale	163
10	lime	173
7	shale	180
35	lime	215
8	shale	223
24	lime	247
3	shale	250
22	lime	272 base of the Kansas City
171	shale	443
3	lime	446
14	shale	460
7	lime	467 oil show
8	shale	475
10	oil sand	485 green, good bleeding
36	shale	521
8	lime	529
14	shale	543
5	lime	548
18	shale	566
10	lime	576
14	shale	590
4	lime	594 °
30	shale	624
4	broken sand	628 brown, green, ok bleeding
36	silty shale	664
1	lime & shells	665
5	oil sand	670 brown, good bleeding
123	shale	793
. 12	sand	805 green, no oil
62	shale	867 TD

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 867'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 857.4' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.