

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1093886

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			SecTwpS. R				
Address 2:			F6	eet from North /	South Line of Section		
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section		
Contact Person:			Footages Calculated from Nearest Outside Section Corner:				
Phone: ()			□NE □NW □SE □SW				
CONTRACTOR: License #			GPS Location: Lat:, Long:				
Name:			(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name: Well #:				
	e-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW			Elevation: Ground: Kelly Bushing:				
∐ Gas	☐ ENHR	☐ SIGW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	dow	Terrip. Abd.	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):			Multiple Stage Cementing	Collar Used? Yes	No		
If Workover/Re-entry: Old Well Info as follows:			If yes, show depth set:		Feet		
Operator:			If Alternate II completion, c	cement circulated from:			
Well Name:			feet depth to:w/sx cmt				
Original Comp. Date:							
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Dlan			
☐ Plug Back	Conv. to G		(Data must be collected from to				
Commingled	Pormit #:		Chloride content:	ppm Fluid volume	: bbls		
Dual Completion			Dewatering method used: _				
SWD			Location of fluid disposal if	f hauled offsite:			
☐ ENHR	Permit #:						
GSW Permit #:		Operator Name:					
_ _			Lease Name:	License #:_			
Spud Date or Date R	eached TD	Completion Date or	QuarterSec	TwpS. R	East West		
Recompletion Date		Recompletion Date	County:	Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Page Two



Operator Name:				Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whet vith final c	ther shut-in pre hart(s). Attach	essure reac extra shee	hed stati t if more	c level, hydrosta space is neede	tic pressures, bod.	ottom hole temp	erature, fluid re	ecovery,
Final Radioactivity Lo files must be submitte						gs must be ema	liled to kcc-well-	ogs@kcc.ks.go	v. Digital electi	ronic log
Drill Stem Tests Taker (Attach Additional		Ye	es No			J	on (Top), Depth		Samp	
Samples Sent to Geo	logical Survey	Ye	es No		Nam	e		Тор	Datum	1
Cores Taken Electric Log Run		☐ Ye								
List All E. Logs Run:										
				RECORD	Ne					
	0: 11.1					ermediate, product		" 0 1	T 15	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive	
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives		
Perforate Protect Casing	Top Detterm									
Plug Back TD Plug Off Zone										
1 lug 0 li 20 lio										
Did you perform a hydrau	ulic fracturing treatment of	on this well?	•			Yes	No (If No, s	kip questions 2 a	nd 3)	
Does the volume of the t			_		-		= ` `	kip question 3)		
Was the hydraulic fractur	ing treatment information	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, f	ill out Page Three	of the ACO-1)	
Shots Per Foot			D - Bridge Plug Each Interval Perf				cture, Shot, Ceme			Depth
						(_	
TUBING RECORD:	Size:	Set At:		Packer A		Liner Run:				
		0017111		. dono. 7		[Yes N	0		
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gra	avity
DIODOCITI	01.05.040			4ETUOD 05	001451	TION		DDODUCT	ONLINITED (A)	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF ☐ Perf.			nmingled	PRODUCTION	ON INTERVAL:	
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 17, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25528-00-00 Simons Bros. Farms 19-T NW/4 Sec.27-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin

4	CONSOLIDATED OH Well Services, LLC
	Oil Wall Services, LLC

TICKET NUMBER_	37504
LOCATION Office	
FOREMAN Cases	Kenned

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

AUTHORIZTION

FIELD TICKET & TREATMENT REPORT

20-431-3210	31 800-407-0070	,		CEMEN	* *			
DATE	CUSTOMER#	WELL	NAME & NUMI	BER	SECTION	TOWNSHIP	RANGE	COUNTY
8/28/12	7806	Simon Br	thers #	19 T	NW 27	20	20	AN
CUSTOMER .	A 1					A THE SHAPE OF	新 在李色度的中	
	notes Inc	<u> </u>		1	TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE			1. 2.2		487	Casken	ck	
	vardale I		16 919	1	368	Ar/MeD	AM	
CITY		STATE	ZIP CODE		248	MikHaa	MH	
Oklahowa		OK	73116	J	437	Jin Mea	JH	
JOB TYPE	25/cha	HOLE SIZE	5/21	HOLE DEPTI	н <u> б(е! </u>	CASING SIZE & V	иеібнт <u> 276</u> "	EUE
CASING DEPTH	852	DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH		SLURRY VOL	<u> </u>	WATER gal/s	sk	CEMENT LEFT In		
DISPLACEMENT	4,95 Les	DISPLACEMENT	T PSI	MIX PSI		RATE 4 Gos		
REMARKS: he	ld saldy	nedira c	atablishe	d Circula	ation . Mi	red town	read 160	# Premix
and tollow				er. Mix		4 . 6 / 1	5 50/50 Pd	Zun'x
convent	w/ 2/70				surface ,	flushed our	no dean	ownord
245" rub		casina		4,95 661		ter prossu	1	
eleased p	N 653 218. 3		casing.			71		
THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM	, , ,		ープ			Λ		
						71	4	
	·					11 6		
			•			1		
			***			\ 		
ACCOUNT	QUANITY	or UNITS	DE	SCRIPTION o	f SERVICES or Pf	RODUCT	UNIT PRICE	TOTAL
5401	1		PUMP CHARG	E				1030,00
5406	20 m	√	MILEAGE					80.00
5402	829,	<u> </u>	casine	tootaa	2			
C4.1		MUM	1 /	à legge				(75°0
CEACA		-	_	SC				270.00
5502c	<u> </u>	V.S	00.0					
								10,10
1124	114	Sks	50/50	HEMIX	cement	-		1248.30
11188	292	#	Premi	van Be	<u> </u>			(al. 3-
	1		21/2"	rubber	plus			28.00
4402								
	 	<u> </u>						
								
	 							
	 						7	= 1
			 				- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
	 							
			 			7.8%	SALES TAX	104.33
0707						7,0/0	ESTIMATED	7
Ravin 3737		1	-				TOTAL	2996.95

l acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TITLE_

252451

DATE_



Oil & Gas Well Drilling **Water Wells Geo-Loop Installation**

Phone: 913-557-9083

Fax: 913-557-9084

WELL LOG

Paola, KS 66071

Tailwater, Inc. Simons Bros. Farms #19-T API#15-003-25,528 August 27 - August 28, 2012

Thickness of Strata	<u>Formation</u>	<u>Total</u>
14	soil & clay	14
4	clay & gravel	18
55	shale 	73
32	lime	105
61	shale	166
10	lime	176
6	shale	182
36	lime	218
6	shale	224
25	lime	249
3	shale	252
23	lime	275 base of the Kansas City
176	shale	451
5	lime	456
3	shale	459
10	lime	469 oil show
10	shale	479
7	oil sand	486 green, good bleeding
30	shale	516
1	coal	517
6	shale	523
5	lime	528
12	shale	540
9	lime	549
20	shale	569
3	lime	572
24	shale	596
4	lime	600
20	shale	620
6	broken sand	626 brown & green, good bleeding
35	shale	661
1	lime & shells	662
5	oil sand	667 brown, good bleeding
36	shale	703
88	silty shale	791
4.5	oil sand	795.5 brown, good bleeding
3.5	limey sand	799 brown & white, light bleeding

Simon Bros. Farms #19-T

Page 2

5	oil sand	804 brown, good bleeding
57	shale	861 TD

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 861'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 851.4' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.