

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1094397

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15			
Name:			Spot Description:			
Address 1:			SecTwpS. R			
Address 2:			Feet from North / South Line of Section			
City:	State: Z	ip:+	Feet from East / West Line of Section			
Contact Person:			Footages Calculated from Nearest Outside Section Corner:			
Phone: ()			□ NE □ NW	V □SE □SW		
CONTRACTOR: License #			GPS Location: Lat:	, Long:		
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)	
Wellsite Geologist:			Datum: NAD27 NAD83 WGS84			
Purchaser:			County:			
Designate Type of Completion:			Lease Name: Well #:			
	e-Entry	Workover	Field Name:			
	_		Producing Formation:			
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground: Kelly Bushing:			
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:	
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet	
Cathodic Other (Core, Expl., etc.):			Multiple Stage Cementing	Collar Used? Yes	No	
If Workover/Re-entry: Old Well I			If yes, show depth set:			
Operator:			If Alternate II completion, cement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.	
Original Comp. Date:						
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan		
Plug Back	Conv. to G		(Data must be collected from to			
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls	
Dual Completion			Dewatering method used:_			
SWD			Location of fluid disposal if	hauled offsite:		
ENHR	Permit #:					
GSW Permit #:			Operator Name:			
			Lease Name:			
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West	
Recompletion Date		Recompletion Date	County:	Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taken Yes No (Attach Additional Sheets)						J	on (Top), Depth		Sample
Samples Sent to Geological Survey					Nam	е		Тор	Datum
Cores Taken ☐ Yes ☐ No Electric Log Run ☐ Yes ☐ No			=						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used	Type and Percent Additives			
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
Yes No									
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 22, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25535-00-00 Simons Bros. Farms 26-T NW/4 Sec.27-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin



CUSTOMER#

TICKET NUMBER LOCATION Oxta FOREMAN Fred Made

TOWNSHIP

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

DATE

FIELD TICKET & TREATMENT REPORT **CEMENT**

SECTION

WELL NAME & NUMBER

DATE	CUSTOMER#	WEL	L NAME & NUME	BER	SECTION	TOWNSHIP	RANGE	COUNTY
8/7//Z	7806	Simon	Brosfar	n # 26-7	NW 27	20	20	AN
MAILING ADDRESS			1 1	TRUCK#	DRIVER	TRUCK#	DRIVER	
ľ	SS			1	506	FreMad	Safed	
6421	Avonda	le Dr.		Į.	495	1001Bec	HB 6	P VVCH
CITY		STATE	ZIP CODE	1	370	Ki Det	KD	
Oklahon	va City	016	73116		548	MikHaa	m #	
JOB TYPE NO		HOLE SIZE	578	HOLE DEPTH	- 4	CASING SIZE & W		FUE
CASING DEPTH	885	DRILL PIPE		TUBING			OTHER	
SLURRY WEIGH	т	SLURRY VOL_		WATER gal/sl	<u></u>	CEMENT LEFT in	CASING 7 1/2	"Plue
DISPLACEMENT 5.13 BB COISPLACEMENT PSI MIX PSI RATE 58 PM								
REMARKS:	stablish	pumar	ato. Mi	x + Pum	0 100 # G.	& Flush.	Mixx Pu	m
/14	5/45 50	1/50 / Pa	z m > 0	eneux	2% Cal	· Comen	to Su	IF CO
Flu	sh pum	o + 1h	es clea	u. Dis	Alace >	15" Rubb	er Aluc	17tm
Cas	ing Th). Pres	SSUVE	to fo	6 * AS1.		10	- V - U
	<i>F</i>							
				· · · · · · · · · · · · · · · · · · ·				
	P. P		2					
Evan	is Every	y Dav. I	ne Mit	chall		ful)	Made	
ACCOUNT CODE	QUANITY	or UNITS	DES	SCRIPTION of	SERVICES or PRO	ODUCT	UNIT PRICE	TOTAL
5401		1	PUMP CHARGE	E		495		103000
5406		25 mi	MILEAGE			495		10000
5402	8	382	Cas Mg	fuo too	0			N/C
5407	& Missi	mon	Ton Of	Miles		548		17500
55020		hr	80 B	BL Vae	Truck	370		13500
1124		145KJ	50/50	Por Mis	Cemen	1		13,1830
11188	સ	92#		um a				6132
4402		1		ubber				2000
					7			~X
	,							
				-				
								# *
							in the second	
						कुर्	4 1 3	4
			<u> </u>					
						7.49	SALES TAX	10433
Ravin 3737						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ESTIMATED	288195
AUTHORIZTION_	Hude	E		TITLE			TOTAL	<u> </u>
TO THORIZING	// - '						DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

251888



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Tailwater, Inc.

Simons Bros. Farms #26-T API#15-003-25,535

August 3 - August 6, 2012

Thickness of Strata	<u>Formation</u>	<u>Total</u>
14	soil & clay	14
66	shale	80
29	lime	109
18	shale	127
3	lime	130
40	shale	170
9	lime	179
8	shale	187
33	lime	220
12	shale	232
18	lime	250
3	shale	253
22	lime	275 base of the Kansas City
178	shale	453
19	lime	472 oil show
16	shale	488
4	oil sand	492 green sand, light oil show
26	shale	518
1	coal	519
10	shale	529
4	lime	533
17	shale	550
3	lime	553
22	shale	575
5	lime	580
23	shale	603
3	lime	606
21	shale	627
2	broken sand	629 brown sand & shale, ok bleeding
2	oil sand	631 brown, ok bleeding
1	broken sand	632 brown sand & shale, ok bleeding
37	shale	669
1	lime & shells	670
4	oil sand	674 brown & grey, ok bleeding
24	silty shale	698
1	coal	699
95	shale	794
2	silty shale	796

Simons Bros. Farms #26-T

Page 2

oil sand 809 brown, good bleeding shale 891 TD

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 891'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 881.5' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.