

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1094402

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 -			
Name:	Spot Description:			
Address 1:	SecTwpS. R 🔲 East 🗌 West			
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from _ East / _ West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)			
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84			
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:			
☐ Oil ☐ WSW ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.): ☐ If Workover/Re-entry: Old Well Info as follows: Operator: ☐ Well Name: ☐ Well Name:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt.			
Original Comp. Date: Original Total Depth:				
□ Deepening □ Re-perf. □ Conv. to ENHR □ Conv. to SWD □ Plug Back □ Conv. to GSW □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)			
Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Chloride content:ppm Fluid volume:bbls Dewatering method used: Location of fluid disposal if hauled offsite:			
☐ ENHR Permit #: ☐ GSW Permit #:	Operator Name: Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or Recompletion Date	QuarterSec. TwpS. REastWest County:Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottom								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 22, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25539-00-00 Simons Bros. Farms 30-T NW/4 Sec.27-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin



ticket number 36929 LOCATION 0 + + 4 wg FOREMAN Dlan Made

PO	Box	884,	Cha	nute,	KS	6672	
620	-431	-9210	or	800-	467-	8676	

FIELD TICKET & TREATMENT REPORT CEMENT

DATE	CUSTOMER#	WELL	NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
8-10-12	7806	Simon	Bros	30-T	NW 27	20	20	AN
CUSTOMER		1 (),-1101				GHR itae (2011) M		
Jail	vater			_	TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE		1		ł	516	Manad	Sytoxy	Meet
6421	Avonda	le .	r	_	368	AN MaD	BM	-
CITY	ā.	STATE	ZIP CODE		625	Kei Det	<u> </u>	
OKlahom	a Liky	DIC	73116]	310	Dun Det	DD	
		HOLE SIZE	5578	_ HOLE DEPT	н <u> 855 </u>	CASING SIZE & W	/EIGHT	8
CASING DEPTH	0845	DRILL PIPE		TUBING			OTHER	
SLURRY WEIGH	IT	SLURRY VOL		WATER gal/s		CEMENT LEFT in	CASING	25
DISPLACEMENT	r5	DISPLACEMENT			LDD	RATE 4	on	
REMARKS:	told cr	ew Me	et. E	stabl:	shed va	te. Mi	Ked + p	unfa)
100 #	1ch 195	1 owed	by	104	514 5013	Drem	ent p	145
700	101. (1 rcula	ted 1	CAMPU	X F/4	ished p	unp	
Du w	Deil 1	Olyc A	i) Cas	las T	D. We	11 held	800	PSI.
150 ±	flect	21056	2/0	alve				
EVA	us Ene	Exal. T.	ravis.				.10	
						Alund	Muse	
						17 June	,	
ACCOUNT	QUANITY	or UNITS	D	ESCRIPTION of	of SERVICES or PR	ODUCT	UNIT PRICE	TOTAL
CODE	<u> </u>	1	PUMP CHAR	:GF				10.2011
7706		1	MILEAGE					10000
2400	80	75	Casi	Fr Fr	opton			
57//	0-	<u> </u>	<i></i>	10 11	05	- · · · · · · · · · · · · · · · · · · ·		350.00
570	M	1	700	MI	<u>. </u>			
53020	27	2	00	140				225.00
			<u> </u>				<u> </u>	
			200 11	~~				11 29 5
1124	104	<u> </u>	50/	ou ce	n ent			1138.80
111833	27	5#	901				1	5 1.75
WWD2		1	12/2	Dlus				2800
1100								
-								
								€.
							₩	
			1				3 De 27 8	
		·				2.00-	L Tark	
							SALES TAX	T95,51.7
Ravin 3737			•				ESTIMATED	3 025 N
	11 1						TOTAL	1 025.W
AUTHORIZTION	1 1926			TITLE			DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

252002



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG

Paola, KS 66071

Tailwater, Inc.
Simons Bros. Farms #30-T
API#15-003-25,539
August 9 - August 10, 2012

Thickness of Strata	<u>Formation</u>	<u>Total</u>
15	soil & clay	15
3	gravel	18
50	shale	68
25	lime	93
65	shale	158
10	lime	168
5	shale	173
36	lime	209
10	shale	219
24	lime	243
3	shale	246
20	lime	266 base of the Kansas City
179	shale	445
3	lime	448
7	shale	455
8	lime	463 oil show
13	shale	476 with a few sandy seams
1	coal	477
13	shale	490
7	broken sand	497 grey & brown sand, light bleeding
9	sand	506 grey, no oil
1	coal	507
6	shale	513
4	lime	517
19	shale	536
3	lime	539
83	shale	622
3	broken sand	625 brown & grey, light bleeding
24	broken sand	649 brown & grey sand, no bleeding
3	broken sand	652 brown & grey sand, ok bleeding
3	oil sand	655 brown, ok bleeding
3	shale	658
9	oil sand	667 brown, good bleeding
2	sand	669 black, no show
114	shale	783 with a few sandy seams
6	sand	789 green, no oil
6	oil sand	795 brown, good bleeding

Simons Bros. Farms #30-T

Page 2

8	oil sand	803 black & white, light show
52	shale	855 TD

Drilled a 9 7/8" hole to 21.4' Drilled a 5 5/8" hole to 855'

Set 21.4' of 7" surface casing cemented with 6 sacks of cement.

Set 845' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.