



Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION 1095085  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Plug Back       Conv. to GSW       Conv. to Producer
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

|                                   |                 |   |
|-----------------------------------|-----------------|---|
| Spud Date or<br>Recompletion Date | Date Reached TD | Completion Date or<br>Recompletion Date |
|-----------------------------------|-----------------|---|

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx)      (e.g. -xxx.xxxxx)

Datum:  NAD27       NAD83       WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

*(Data must be collected from the Reserve Pit)*

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



1095085

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to [kcc-well-logs@kcc.ks.gov](mailto:kcc-well-logs@kcc.ks.gov). Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

|  |   |
|--|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Attach Additional Sheets)</i><br><br>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No<br><br>Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No<br><br>List All E. Logs Run: _____ | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample<br><br>Name Top Datum |
|--|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used  |                   |                           |                   |               |                |              |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. |                   |                           |                   |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |

| ADDITIONAL CEMENTING / SQUEEZE RECORD  |                  |                |              |                            |
|--|------------------|----------------|--------------|----------------------------|
| Purpose:   | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate<br><input type="checkbox"/> Protect Casing<br><input type="checkbox"/> Plug Back TD<br><input type="checkbox"/> Plug Off Zone |                  |                |              |                            |
|  |                  |                |              |                            |

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br><i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR: \_\_\_\_\_ Producing Method:  
 Flowing  Pumping  Gas Lift  Other *(Explain)* \_\_\_\_\_

| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
|                                   |           |         |             |               |         |

|  |   |   |
|--|---|---|
| <b>DISPOSITION OF GAS:</b><br><input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease<br><i>(If vented, Submit ACO-18.)</i> | <b>METHOD OF COMPLETION:</b><br><input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled<br><i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____<br><input type="checkbox"/> Other <i>(Specify)</i> _____ | <b>PRODUCTION INTERVAL:</b><br>_____<br>_____ |
|--|---|---|

Conservation Division  
Finney State Office Building  
130 S. Market, Rm. 2078  
Wichita, KS 67202-3802



Phone: 316-337-6200  
Fax: 316-337-6211  
<http://kcc.ks.gov/>

Mark Sievers, Chairman  
Thomas E. Wright, Commissioner  
Shari Feist Albrecht, Commissioner

Sam Brownback, Governor

September 27, 2012

Chris Martin  
Tailwater, Inc.  
6421 AVONDALE DR STE 212  
OKLAHOMA CITY, OK 73116-6428

Re: ACO1  
API 15-003-25515-00-00  
Simons Bros. Farms 7-T  
NW/4 Sec.27-20S-20E  
Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,  
Chris Martin



**CONSOLIDATED**  
Oil Well Services, LLC

TICKET NUMBER 39647  
LOCATION Ottawa KS  
FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

| DATE                                       | CUSTOMER # | WELL NAME & NUMBER    | SECTION | TOWNSHIP | RANGE   | COUNTY |
|--|------------|-----------------------|---------|----------|---------|--------|
| 9/11/12                                    | 7806       | Simon Bros Farms #7-T | NW 27   | 20       | 20      | AN     |
| CUSTOMER<br><u>Tailwater Inc.</u>          |            |                       | TRUCK # | DRIVER   | TRUCK # | DRIVER |
| MAILING ADDRESS<br><u>6421 Avondale Dr</u> |            |                       | 506     | Fred Mad | Safety  | MTG    |
| CITY<br><u>Oklahoma City</u>               |            |                       | 495     | Har Ber  | 14B     |        |
| STATE<br><u>OK</u>                         |            |                       | 675     | Kei Det  | KD      |        |
| ZIP CODE<br><u>73116</u>                   |            |                       | 510     | Set Tuc  | ST      |        |

JOB TYPE Longstring HOLE SIZE 5 7/8 HOLE DEPTH 825' CASING SIZE & WEIGHT 2 7/8 - EUE  
CASING DEPTH 815' DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT In CASING 2 1/2" Plug  
DISPLACEMENT 4.7428 DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 53BPM

REMARKS: Establish pump rate. Mix + Pump 100' Gel Flush. Mix + Pump  
118 SKS 50/50 Por Mix Cement 2 7/8 Vel. Cement to Surface.  
Flush pump + lines clean. Displace 2 1/2" Rubber plug to casing TD.  
Pressure to 800 \* PSI. Release pressure to Set flood Valve.  
Shut in casing.

*Fred Mader*

Evans Energy Dev. Inc. Travis

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TOTAL              |
|--------------|-------------------|------------------------------------|------------|--------------------|
| 5401         | 1                 | PUMP CHARGE                        | 495        | 1030 <sup>00</sup> |
| 5406         | 25 mi             | MILEAGE                            | 495        | 100 <sup>00</sup>  |
| 5402         | 815'              | Casing footage                     |            | N/C                |
| 5407         | 1/2 minimum       | Ton Miles                          | 510        | 175 <sup>00</sup>  |
| 5502C        | 2 hrs             | 80 BBL Vac Truck                   | 675        | 180 <sup>00</sup>  |
| 1124         | 118 SKS           | 50/50 Por Mix Cement               |            | 1292 <sup>10</sup> |
| 118B         | 299 #             | Premium Gel                        |            | 62 <sup>77</sup>   |
| 4402         | 1                 | 2 1/2" Rubber Plug                 |            | 28 <sup>00</sup>   |
|              |                   |                                    | 7.8%       | SALES TAX          |
|              |                   |                                    |            | ESTIMATED          |
|              |                   |                                    |            | TOTAL              |
|              |                   |                                    |            | 107 <sup>86</sup>  |
|              |                   |                                    |            | 2975 <sup>75</sup> |

Ravin 3737

*[Signature]*


AUTHORIZATION \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

252829



11 Lewis Drive

Paola, KS 66071

**Oil & Gas Well Drilling**  
**Water Wells**  
**Geo-Loop Installation**

Phone: 913-557-9083

Fax: 913-557-9084

**WELL LOG**

Tailwater, Inc.

Simons Bros. Farms #7-T

API#15-003-25,515

September 07 - September 10, 2012

| <u>Thickness of Strata</u> | <u>Formation</u> | <u>Total</u>                           |
|----------------------------|------------------|--|
| 16                         | soil & clay      | 16                                     |
| 57                         | shale            | 73                                     |
| 26                         | lime             | 99                                     |
| 60                         | shale            | 159                                    |
| 10                         | lime             | 169                                    |
| 4                          | shale            | 173                                    |
| 38                         | lime             | 211                                    |
| 8                          | shale            | 219                                    |
| 24                         | lime             | 243                                    |
| 3                          | shale            | 246                                    |
| 22                         | lime             | 268 base of the Kansas City            |
| 175                        | shale            | 443                                    |
| 3                          | lime             | 446                                    |
| 6                          | shale            | 452                                    |
| 7                          | lime             | 459 oil show                           |
| 9                          | shale            | 468                                    |
| 10                         | oil sand         | 478 green, light bleeding              |
| 1                          | coal             | 479                                    |
| 34                         | shale            | 513                                    |
| 7                          | lime             | 520                                    |
| 8                          | shale            | 528                                    |
| 6                          | lime             | 534                                    |
| 3                          | shale            | 537                                    |
| 5                          | lime             | 542                                    |
| 18                         | shale            | 560                                    |
| 8                          | lime             | 568                                    |
| 12                         | shale            | 580                                    |
| 8                          | lime             | 588                                    |
| 36                         | shale            | 624                                    |
| 4                          | broken sand      | 628 brown & green sand, light oil show |
| 33                         | shale            | 661                                    |
| 1                          | lime & shells    | 662                                    |
| 5                          | oil sand         | 667 brown, good bleeding               |
| 28                         | shale            | 695                                    |
| 8                          | sand             | 703 grey, no oil                       |
| 63                         | shale            | 766                                    |
| 7                          | sand             | 773 grey, no oil                       |
| 14                         | shale            | 787                                    |

2  
36

sand  
shale

789 green, no oil  
825 TD

Drilled a 9 7/8" hole to 21.1'

Drilled a 5 5/8" hole to 825'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 815' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.