

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1095092

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15			
Name:		Spot Description:			
Address 1:		SecTwpS. R East West			
Address 2:		Feet from North / South Line of Section			
City: State: Zip):+	Feet from _ East / _ West Line of Section			
Contact Person:		Footages Calculated from Nearest Outside Section Corner:			
Phone: ()		□NE □NW □SE □SW			
CONTRACTOR: License #		GPS Location: Lat:, Long:			
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxxx)			
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84			
Purchaser:		County:			
		Lease Name: Well #:			
Designate Type of Completion:	¬ ,,,	Field Name:			
New Well Re-Entry	Workover	Producing Formation:			
☐ Oil ☐ WSW ☐ SWD	SIOW	Elevation: Ground: Kelly Bushing:			
Gas D&A ENHR	SIGW	Total Vertical Depth: Plug Back Total Depth:			
☐ OG ☐ GSW	Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet			
CM (Coal Bed Methane)					
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used?			
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet			
Operator:		If Alternate II completion, cement circulated from:			
Well Name:		feet depth to:w/sx cmt.			
Original Comp. Date: Original To	tal Depth:				
☐ Deepening ☐ Re-perf. ☐ Conv. to EN	IHR Conv. to SWD	Drilling Fluid Management Plan			
☐ Plug Back ☐ Conv. to GS	SW Conv. to Producer	(Data must be collected from the Reserve Pit)			
		Chloride content:ppm Fluid volume:bbls			
		Dewatering method used:			
		Leading of fletal diseased to be desired at the			
		Location of fluid disposal if hauled offsite:			
		Operator Name:			
		Lease Name: License #:			
Spud Date or Date Reached TD	Completion Date or	Quarter Sec TwpS. R			
Recompletion Date	Recompletion Date	County: Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken ☐ Yes ☐ No Electric Log Run ☐ Yes ☐ No									
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 27, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25533-00-00 Simons Bros. Farms 24-T NW/4 Sec.27-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin



TICKET NUMBER 39686

LOCATION OHROW KS FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676


FIELD TICKET & TREATMENT REPORT CEMENT

		·		CEMEN	1			
DATE	CUSTOMER#	WE	LL NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
9/12/12	7805	Sman	Bras Farm	INC# 2	PB W4	20	2	
CUSTOMER		حنييب			MATERIAL STREET, WITCH STREET, WITCH STREET, S		<i>3</i> 0	LAN
Tan	1 water	Luc		_i i	TRUCK#	DRIVER	TRUCK#	
MAILING ADDRE					506			DRIVER
643	1 Avond	a. 1. Dr		1		FreMad	Safet	mx
CITY	- 1 5/0	STATE	ZIP CODE	┩ ,	495	Har Bec	HB V	0
Oklaha	00 CH	OK	731/6		370	MikHaa	MH_	
IOP TYPE	is of in		5 %		503	Danbex	DD	
JOB TYPE	וני יוו	HOLE SIZE	2 8	_ HOLE DEPTH	627	CASING SIZE & W	EIGHT_27	EUF
CASING DEPTH		DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH		SLURRY VOL		WATER gal/sl	k	CEMENT LEFT In	T- 17 T	D/
	4.75BBL			MIX PSI		RATE SADI	и ——	1
REMARKS:	Establis	h Circu	lation.	MILLA	UMA IDA	Cul Flush	100)	2
	5115 50/5	SU POZ N	1.x Com	unx 29	C C	CALL FILES	C - N// 1X + 1	Pump
Flo	sh aum	· v I Mas	class	Diral	2 × 1	ement to But p	SUVTACE.	
	77	0		(A	(10 212	Kubber f	olug, to	
<u> </u>	MC 10.	Fress	ove to	REG TO P	SI. Kele	are press	ure to s	ex
	of value	<u> </u>	- or cas	نكبح				
				0				
				-		I 0 00	0	
Eva	ns Energ	n Aan	Tue			1-40/10	ackin.	
	7	0	8.40.5					
40000	· · · · · · · · · · · · · · · · · · ·	<u> </u>	 					

	10			
ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401		PUMP CHARGE 495	 	40 30 50
5406		MILEAGE		103000
5402	817	Casing Footage	 	NIC
5407	1/2 Minimora	Ton Miles.	 	NIC
55020	12hr	80 BBL Vac Truck		175°°
				733 -
1124	110 sks	50/50 Poz Mix Coment		45.450
1116B	285#	Promium (1.0		120450
4402		Premium Gel 2½° Rubber Plug		28°
		<i>A</i>		28-
				<u> </u>
in 3737		7.8%	SALES TAX	/00, ⁸⁰
			ESTIMATED TOTAL	273315
JTHORIZTION_	The w	TITLE	DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

DATE_



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Tailwater, Inc. Simons Bros. Farms #24-T API#15-003-25,533

September 11 - September 12, 2012

16 soil & clay 16 19 19 19 19 19 19 19 19 19 19 19 19 19	Thickness of Strata	<u>Formation</u>	<u>Total</u>
40 shale 59 28 lime 87 67 shale 154 10 lime 164 6 shale 170 37 lime 207 6 shale 213 26 lime 239 3 shale 242 22 lime 264 base of the Kansas City 177 shale 441 6 shale 450 7 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 17 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 5 oil sand 634 brown & grey, light show 5 oil sand 634 brown & grey, light show 5 oil sand 634 brown & grey, light show 5 oil sand 634 brown & grey, light show 5 oil sand 648 brown & grey, light show 5 oil sand 648 brown & grey, light show 5 oil sand 648 brown & grey, light show 5 oil sand 648 brown & grey, light show 5 oil sand 648 brown & grey, light show 5 oil sand 648 brown & grey, light show 5 oil sand 648 brown & grey, light show 6 broken sand 649 brown & grey, good bleeding	16		
1	3	gravel	19
67 shale 154 10 lime 164 6 shale 170 37 lime 207 6 shale 213 26 lime 239 3 shale 242 22 lime 264 base of the Kansas City 177 shale 441 3 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 518 13 shale 531 6 lime 593 32 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 10 broken sand 648 brown, light show 11 broken sand 648 brown, light show 12 oil sand 648 brown, light show 15 oil sand 648 brown, light show 16 broken sand 648 brown, light show 17 broken sand 648 brown, light show 18 oil sand 648 brown, light show 19 broken sand 648 brown, light show 10 broken sand 648 brown, light bleeding 11 broken sand 649 brown & grey, good bleeding	40	shale	59
10 lime 164 6 shale 170 37 lime 207 6 shale 213 26 lime 239 3 shale 242 22 lime 264 base of the Kansas City 177 shale 441 3 lime 444 6 shale 450 7 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 16 shale 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593	28	lime	87
6 shale 170 37 lime 207 6 shale 213 26 lime 239 3 shale 242 22 lime 264 base of the Kansas City 177 shale 441 3 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 510 16 shale 531 6 lime 537 16 shale 531 6 lime 537 16 shale 531 6 lime 537 16 shale 533 16 lime 537 17 shale 553 10 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show oil sand 633 brown, light show oil sand 643 brown & grey, light show oil sand 644 brown & grey, light show oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, light show oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, light show oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, light show oil sand 649 brown & grey, light show oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 18		shale	154
Sample S	10	lime	164
6 shale 213 26 lime 239 3 shale 242 22 lime 264 base of the Kansas City 177 shale 441 3 lime 444 6 shale 450 7 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 5 oil sand 634 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding	6	shale	170
Section		lime	207
3 shale 242 22 lime 264 base of the Kansas City 177 shale 441 3 lime 444 6 shale 450 7 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 18 lime 518 13 shale 531 6 lime 537 16 shale 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 1 broken sand 649 brown & grey, good bleeding		shale	213
177		lime	239
177 shale 441 3 lime 444 6 shale 450 7 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding		shale	242
Sime			264 base of the Kansas City
6 shale 450 7 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 10 broken sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 1 broken sand 649 brown, good bleeding 1 broken sand 649 brown, good bleeding		shale	441
7 lime 457 oil show 16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 1 broken sand 667 brown, good bleeding		lime	444
16 shale 473 5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 16 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 1 broken sand 649 brown, good bleeding 18 oil sand 667 brown, good bleeding		shale	450
5 oil sand 478 green, good bleeding 1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 18 oil sand 667 brown, good bleeding		lime	457 oil show
1 coal 479 6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show oil sand 633 brown, light show oil sand 643 brown & grey, light show 55 10 broken sand 643 brown & grey, light show 65 6 broken sand 643 brown & grey, light show 65 6 broken sand 643 brown & grey, light show 65 7 oil sand 648 brown, light bleeding 648 brown, light bleeding 655 8 oil sand 648 brown, light bleeding 655 8 oil sand 649 brown & grey, good bleeding 657 brown, good bleeding 657 brown, good bleeding 657 brown, good bleeding			473
6 shale 485 8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 10 broken sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 18 oil sand 667 brown, good bleeding		oil sand	478 green, good bleeding
8 oil sand 493 17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 5 oil sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 649 brown, good bleeding 650 brown, good bleeding 651 brown, good bleeding 651 brown, good bleeding 657 brown, good bleeding 657 brown, good bleeding	-		
17 shale 510 8 lime 518 13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 10 broken sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 18 oil sand 667 brown, good bleeding			
Sime			
13 shale 531 6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 10 broken sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 1 oil sand 649 brown, good bleeding			
6 lime 537 16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show oil sand 633 brown, light show oil sand 643 brown & grey, light show 500 broken sand 643 brown & grey, light show 643 brown, light show 644 brown, light bleeding 648 brown, light bleeding 649 brown & grey, good bleeding 649 brown & grey, good bleeding 667 brown, good bleeding			
16 shale 553 10 lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 10 broken sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 18 oil sand 667 brown, good bleeding			
lime 563 22 shale 585 8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 631 brown, light show 631 brown & grey, light show 631 brown & grey, light show 631 brown, light show 643 brown & grey, light show 643 brown & grey, light show 643 brown & grey, light show 648 brown, light bleeding 648 brown, light bleeding 649 brown & grey, good bleeding 649 brown, good bleeding 667 brown, good bleeding			
shale 585 lime 593 shale 625 shale 625 broken sand 631 brown & grey, light show 631 brown, light show 633 brown, light show 633 brown & grey, light show 633 brown & grey, light show 643 brown & grey, light show 643 brown & grey, light show 648 brown, light bleeding 648 brown & grey, good bleeding 649 brown & grey, good bleeding 667 brown, good bleeding			
8 lime 593 32 shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 10 broken sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 18 oil sand 667 brown, good bleeding		lime	
shale 625 6 broken sand 631 brown & grey, light show 2 oil sand 633 brown, light show 10 broken sand 643 brown & grey, light show 5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 18 oil sand 667 brown, good bleeding			
broken sand 631 brown & grey, light show oil sand 633 brown, light show broken sand 643 brown & grey, light show oil sand 648 brown, light bleeding oil sand 649 brown & grey, good bleeding broken sand 649 brown, good bleeding oil sand 667 brown, good bleeding			
oil sand 633 brown, light show broken sand 643 brown & grey, light show oil sand 648 brown, light bleeding broken sand 649 brown & grey, good bleeding broken sand 667 brown, good bleeding			
broken sand 643 brown & grey, light show oil sand 648 brown, light bleeding broken sand 649 brown & grey, good bleeding oil sand 667 brown, good bleeding			
5 oil sand 648 brown, light bleeding 1 broken sand 649 brown & grey, good bleeding 18 oil sand 667 brown, good bleeding			
1 broken sand 649 brown & grey, good bleeding 18 oil sand 667 brown, good bleeding			643 brown & grey, light show
18 oil sand 667 brown, good bleeding			
			- · · · · · · · · · · · · · · · · · · ·
29 shale 696			- · · · · · · · · · · · · · · · · · · ·
	29	shale	696

Simons Bros. Farms #24-T

Page 2

3 128

broken sand shale

699 black & white, light show

827 TD

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 822'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 817' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.