Confidentiality Requested: Yes No

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1095093

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #  | API No. 15   |  |  |  |  |
|--|--|--|--|--|--|
| Name:  | Spot Description:  |  |  |  |  |
| Address 1:   |  |  |  |  |  |
| Address 2:   | Feet from Dorth / South Line of Section  |  |  |  |  |
| City: State: Zip:+   | Feet from East / West Line of Section  |  |  |  |  |
| Contact Person:  | Footages Calculated from Nearest Outside Section Corner:                                 |  |  |  |  |
| Phone: ()  |  |  |  |  |  |
| CONTRACTOR: License #  | GPS Location: Lat:, Long:  |  |  |  |  |
| Name:  | (e.g. xx.xxxxx) (e.gxxx.xxxxx)   |  |  |  |  |
| Wellsite Geologist:  | Datum: NAD27 NAD83 WGS84   |  |  |  |  |
| Purchaser:   | County:  |  |  |  |  |
| Designate Type of Completion:                                | Lease Name: Well #:  |  |  |  |  |
| New Well Re-Entry Workover                                   | Field Name:  |  |  |  |  |
|  | Producing Formation:   |  |  |  |  |
| Oil WSW SWD SIOW   | Elevation:   Ground:   Kelly Bushing:     Total Vertical Depth:   Plug Back Total Depth: |  |  |  |  |
| Gas D&A ENHR SIGW  |  |  |  |  |  |
| CM (Coal Bed Methane)  | Amount of Surface Pipe Set and Cemented at: Feet   |  |  |  |  |
| Cathodic Other (Core, Expl., etc.):                          | Multiple Stage Cementing Collar Used?  |  |  |  |  |
| If Workover/Re-entry: Old Well Info as follows:              | If yes, show depth set: Feet   |  |  |  |  |
| Operator:  | If Alternate II completion, cement circulated from:                                      |  |  |  |  |
| Well Name:   | feet depth to:w/sx cmt.  |  |  |  |  |
| Original Comp. Date: Original Total Depth:                   |  |  |  |  |  |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD                | Drilling Fluid Management Plan   |  |  |  |  |
| Plug Back Conv. to GSW Conv. to Producer                     | (Data must be collected from the Reserve Pit)  |  |  |  |  |
|  | Chloride content: ppm Fluid volume: bbls   |  |  |  |  |
| Commingled     Permit #:       Dual Completion     Permit #: | Dewatering method used:  |  |  |  |  |
| SWD Permit #:  | Location of fluid disposal if baulod offeitor  |  |  |  |  |
| ENHR     Permit #:   | Location of fluid disposal if hauled offsite:  |  |  |  |  |
| GSW Permit #:  | Operator Name:   |  |  |  |  |
|  | Lease Name: License #:   |  |  |  |  |
| Spud Date or Date Reached TD Completion Date or              | Quarter Sec TwpS. R East West  |  |  |  |  |
| Recompletion Date Recompletion Date                          | County: Permit #:  |  |  |  |  |

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

| KCC Office Use ONLY             |  |  |  |  |  |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested       |  |  |  |  |  |
| Date:                           |  |  |  |  |  |
| Confidential Release Date:      |  |  |  |  |  |
| Wireline Log Received           |  |  |  |  |  |
| Geologist Report Received       |  |  |  |  |  |
| UIC Distribution                |  |  |  |  |  |
| ALT I II III Approved by: Date: |  |  |  |  |  |

|                         | Page Two    | 1095093 |
|-------------------------|-------------|---------|
| Operator Name:          | Lease Name: | Well #: |
| Sec TwpS. R East _ West | County:     |         |

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken Yes No (Attach Additional Sheets)   |                      |                                    | Log Formation (Top), Depth and Datum |                  |                   | Sample           |                               |
|--|----------------------|------------------------------------|--------------------------------------|------------------|-------------------|------------------|-------------------------------|
| Samples Sent to Geolog   |                      | Yes No                             | Nam                                  | e                |                   | Тор              | Datum                         |
| Cores Taken<br>Electric Log Run  |                      | Yes No                             |                                      |                  |                   |                  |                               |
| List All E. Logs Run:  |                      |                                    |                                      |                  |                   |                  |                               |
|  |                      |                                    |                                      |                  |                   |                  |                               |
|  |                      | CASING<br>Report all strings set-c |                                      |                  | on, etc.          |                  |                               |
| Purpose of String  | Size Hole<br>Drilled | Size Casing<br>Set (In O.D.)       | Weight<br>Lbs. / Ft.                 | Setting<br>Depth | Type of<br>Cement | # Sacks<br>Used  | Type and Percent<br>Additives |
|  |                      |                                    |                                      |                  |                   |                  |                               |
|  |                      |                                    |                                      |                  |                   |                  |                               |
|  |                      |                                    |                                      |                  |                   |                  |                               |
|  |                      | ADDITIONAL                         | CEMENTING / SQU                      | EEZE RECORD      |                   |                  |                               |
| Purpose:<br>Perforate  | Depth<br>Top Bottom  | Type of Cement                     | # Sacks Used                         |                  | Type and Pe       | ercent Additives |                               |
| Protect Casing   |                      |                                    |                                      |                  |                   |                  |                               |
| Plug Off Zone  |                      |                                    |                                      |                  |                   |                  |                               |
| Did you perform a hydraulic fracturing treatment on this well? Yes No (If No, skip question  |                      |                                    |                                      |                  | o questions 2 an  | d 3)             |                               |
| Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 Was the hydraulic fracturing treatment information submitted to the chemical disclosure rec |                      |                                    |                                      |                  |                   | o question 3)    |                               |
| was the hydraulic tracturing   | isclosure registry?  | Yes                                | No (If No, fill o                    | out Page Three o | or the ACO-T)     |                  |                               |

| Shots Per Foot                       | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated |                                      |            |                   | Acid, Fracture, Shot, Ce<br>(Amount and Kino | ement Squeeze Record<br>I of Material Used) | Depth           |               |         |
|--------------------------------------|---|--------------------------------------|------------|-------------------|--|---|-----------------|---------------|---------|
|                                      |   |                                      |            |                   |  |   |                 |               |         |
|                                      |   |                                      |            |                   |  |   |                 |               |         |
|                                      |   |                                      |            |                   |  |   |                 |               |         |
|                                      |   |                                      |            |                   |  |   |                 |               |         |
|                                      |   |                                      |            |                   |  |   |                 |               |         |
| TUBING RECORD:                       | ECORD: Size: Set At: Packer At:   |                                      |            | Liner F           | Run:   | No  |                 |               |         |
| Date of First, Resumed               | Producti  | on, SWD or ENHF                      | <b>}</b> . | Producing Method: | ping   | Gas Lift                                    | Other (Explain) |               |         |
| Estimated Production<br>Per 24 Hours |   | Oil Bb                               | ls.        | Gas Mcf           | Wat  | er  | Bbls.           | Gas-Oil Ratio | Gravity |
| DISPOSITI                            | POSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTE                                    |                                      |            | )/// ·            |  |   |                 |               |         |
|                                      |   | Used on Lease Open Hole Perf. Dually |            | Comp.             |  |   |                 |               |         |
| (If vented, Sul                      | bmit ACO  | -18.)                                | (Submit A  |                   |  | ,   | (Submit ACO-4)  |               |         |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

September 27, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25540-00-00 Simons Bros. Farms 31-T NW/4 Sec.27-20S-20E Anderson County, Kansas

**Dear Production Department:** 

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin

| TICKET NUMBER | <u>39644</u> |
|---------------|--------------|
| LOCATION O (1 |              |

Maden

LOCATION Oftama KS FOREMAN Fred Madur

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

CONSOLIDATED OII Wall Berviese, LLC

| FIELD | TICKET | & TREATMENT | REPORT |
|-------|--------|-------------|--------|
|       |        | CEMENT      |        |

|  |  | -            |             | CEMEN       |         |  |                       |          |
|--|--|--------------|-------------|-------------|---------|--|-----------------------|----------|
| DATE   | CUSTOMER #   |              | NAME & NUM  |             | SECTION | TOWNSHIP                               | RANGE                 | COUNTY   |
|  | 7806   | STMOR        | BrosFo      | 110 31-T    | NW 27   | 20                                     | 20                    | AN       |
| CUSTOMER   |  |              |             | •           | 计可用于图明  |  | Cititica and Somethic |          |
| Tail   | lwater I   | Inc.         |             | 1           | TRUCK # | DRIVER                                 |                       |          |
| MAILING ADDR   | ESS  |              |             | -           |         | DRIVER                                 | TRUCK #               | DRIVER   |
| 1  |  |              |             |             | 506     | Fromad                                 | Safet                 | me       |
| <u>6421</u><br>СПТҮ  | Avon da  | le Dr        |             | 4           | 495     | Kij lav                                | ×< 0                  | 7        |
| CITY   | -  | STATE        | ZIP CODE    |             | 675     | Kei Det                                | μD                    | <i>u</i> |
| OKlaho   |  |              | 73116       |             | 510     | SetTuc                                 | ST                    |          |
| JOB TYPE 6   | ng string  | HOLE SIZE    | 5718"       | HOLE DEPTH  | 826     | CASING SIZE & W                        |                       | EVE      |
| CASING DEPTH   | 816  | DRILL PIPE   |             | TUBING      |         |  | OTHER                 |          |
|  | IT   | SLURRY VOL   |             | WATER gal/s | k       | CEMENT LEFT In                         | CASING 24             | Plag     |
| DISPLACEMEN  | T_4.74   | DISPLACEMENT | PSI         | MIX PSI     |         | RATE SBP                               | n                     |          |
|  | DISPLACEMENT 4.74 DISPLACEMENT PSI MIX PSI RATE SBPM |              |             |             |         |  |                       |          |
|  | SKS 50/  | 50 Por M     | ix Com      | ent 22      | al. Con | ment to                                | Sustaco               |          |
| Flu  | sh evm   | 1 + lines    | clean       | Disala      | ce 25 1 | ubbar du                               | a da                  |          |
| Flush pump + lines clean, Displace 215" rubber plus to<br>Easing TD. Pressure to 800 # \$51. Release pressure to set |  |              |             |             |         |  |                       |          |
| Float Value. Shut in casing  |  |              |             |             |         |  |                       |          |
| F11  |  | <u> </u>     | کیے ایک کند | d d         |         | · · · · ·                              | ·······               |          |
|  |  |              |             |             |         | ······································ | *                     |          |
|  |  |              |             |             |         |  |                       |          |


Evans Energy Dev. Inc - Travis.

| ACCOUNT<br>CODE | QUANITY or UNITS |                     |            | UNIT PRICE         | TOTAL    |
|-----------------|------------------|---------------------|------------|--------------------|----------|
| 5401            |                  | PUMP CHARGE         | 495        |                    | 103000   |
| 5406            |                  | MILEAGE             |            |                    | NIC      |
| 5402            | 816              | Casine footoge      |            |                    | NIC      |
| 5407            | 1/2 Mini mom     | Ton Miles           | 510        |                    | 17500    |
| 5502.C          |                  | 80 BBL Vac Truck    | 675        |                    | 18000    |
|                 |                  |                     |            |                    |          |
|                 |                  |                     |            |                    |          |
| 1/24            | 110 s 14 s       | 50/50 Ar Mix Cement |            |                    | 120450   |
| 1118B           | 2 86             | Promium Gel         |            |                    | 39 55    |
| 4402            | /                | 21/2" Rubber Plug   |            |                    | 28.0     |
|                 |                  | · /                 |            |                    |          |
|                 |                  |                     |            |                    | *        |
|                 |                  |                     |            |                    | <b>B</b> |
|                 |                  |                     |            | 200<br>10 000      |          |
|                 |                  |                     | د.<br>د مړ |                    | 57 19 T  |
|                 |                  |                     |            | <u>در کی م</u>     |          |
|                 |                  |                     |            |                    |          |
|                 |                  |                     | 7.8%       | SALES TAX          | 100 00   |
| Ravin 3737      | }                |                     |            | ESTIMATED<br>TOTAL | 277815   |
|                 | then             | TITLE               |            | DATE               |          |

AUTHORIZTION\_

acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

252804



# Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG Tailwater, Inc. Simons Bros. Farms #31-T API#15-003-25,540 September 6 - September 7, 2012

Paola, KS 66071

| Thickness of Strata | Formation   | Total                            |
|---------------------|-------------|----------------------------------|
| 18                  | soil & clay | 18                               |
| 45                  | shale       | 63                               |
| 26                  | lime        | 89                               |
| 66                  | shale       | 155                              |
| 10                  | lime        | 165                              |
| 6                   | shale       | 171                              |
| 35                  | lime        | 206                              |
| 7                   | shale       | 213                              |
| 24                  | lime        | 237                              |
| 3                   | shale       | 240                              |
| 25                  | lime        | 265                              |
| 175                 | shale       | 440                              |
| 3                   | lime        | 443                              |
| 8                   | shale       | 451                              |
| 8                   | lime        | 459 oil show                     |
| 19                  | shale       | 478                              |
| 1                   | coal        | 479                              |
| 6                   | shale       | 485                              |
| 12                  | oil sand    | 497 green, good bleeding         |
| 9                   | shale       | 506                              |
| 1                   | coal        | 507                              |
| 2                   | shale       | 509                              |
| 8                   | lime        | 517                              |
| 15                  | shale       | 532                              |
| 5                   | lime        | 537                              |
| 16                  | shale       | 553                              |
| 3                   | lime        | 556                              |
| 23                  | shale       | 579                              |
| 6                   | lime        | 585                              |
| 40                  | shale       | 625                              |
| 28                  | broken sand | 653 brown & grey, light bleeding |
| 13                  | oil sand    | 666 brown, good bleeding         |
| 3                   | sand        | 669 black, no bleeding           |
| 115                 | shale       | 784 with a few sandy seams       |
| 9                   | sand        | 793 green, no oil                |
| 1                   | shale       | 794                              |
| 5                   | sand        | 799 white, no oil                |
| 27                  | shale       | 826 TD                           |

Simons Bros. Farms #31-T

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 826'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 816.2' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.