

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1095289

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15			
Name:	Spot Description:			
Address 1:	SecTwpS. R 🗌 East 🗌 West			
Address 2:	Feet from			
City: State: Zip:+	Feet from _ East / _ West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)			
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84			
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:			
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet			
Operator:	If Alternate II completion, cement circulated from:			
Well Name: Original Total Depth: Original Total Depth:	feet depth to: w/ sx cmt. Drilling Fluid Management Plan			
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)			
Commingled Permit #: Dual Completion Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used:			
☐ SWD Permit #:	Location of fluid disposal if hauled offsite:			
ENHR Permit #:	Operator Name:			
GSW Permit #:	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II Approved by: Date:				

Page Two



Operator Name: Lease Name: _ _ Well #: _ County: _ INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF). **Drill Stem Tests Taken** No Loa Formation (Top), Depth and Datum Sample | Yes (Attach Additional Sheets) Name Top Datum No Samples Sent to Geological Survey Yes ☐ No Yes
 Yes
 ■
 Yes
 ■
 Yes
 ■
 Nes
 Nes Cores Taken Electric Log Run ___ Yes No List All E. Logs Run: CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Depth Cement Used Additives ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone Did you perform a hydraulic fracturing treatment on this well? Yes No (If No, skip questions 2 and 3) No Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes (If No, skip question 3) Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? (If No, fill out Page Three of the ACO-1) Yes PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated Depth (Amount and Kind of Material Used) TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain) **Estimated Production** Oil Bbls Gas Mcf Water Bbls. Gas-Oil Ratio Gravity Per 24 Hours METHOD OF COMPLETION: DISPOSITION OF GAS: PRODUCTION INTERVAL: Open Hole Perf. Dually Comp. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 30, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25232-00-00 WITTMAN 1-IW SW/4 Sec.15-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Tailwater, Inc. Wittman #1-IW (Sec 15) API#15-003-25,232

September 17 - September 18, 2012

Thickness of Strata	<u>Formation</u>	<u>Total</u>
15	soil & clay	15
78	shale	93
29	lime	122
64	shale	186
10	lime	196
7	shale	203
34	lime	237
7	shale	244
22	lime	266
3	shale	269
18	lime	287 base of the Kansas City
170	shale	457
3	lime	460
4	shale	464
7	lime	471 oil show
9	shale	480
12	oil sand	492 green, ok bleeding
1	coal	493
7	shale	500
21	oil sand	521 green, ok bleeding
1	coal	522
7	shale	529
8	lime	537
10	shale	547
5	lime	552
19	shale	571
8	lime	579
46	shale	625
15	silty shale	640
21	shale	661
1	lme & shells	662
9	oil sand	671 brown, good bleeding
2	broken sand	673 brown & grey, good bleeding
39	shale	712
53	broken sand	765 brown & grey, no show
14	sand	779 brown, no oil show
20	oil sand	799 brown, good bleeding

Wittman #1-IW (Sec 15)

Page 2

1	sand	800 white, no oil
11	oil sand	811 brown
15	sand	826 white, no oil
		826 TD

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 826'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 816' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.



AUTHORIZTION_

CONSOLIDATED

PO Box 884, Chanute, KS 66720

FIELD TICKET & TREATMENT REPORT

20-431-9210 0	r 800-467-8676	i		CEMEN	[1			
DATE DATE	CUSTOMER#	WEL	L NAME & NUME	BER	SECTION	TOWNSHIP	RANGE	COUNTY
DATE		136-11	an # 1-	T1.)	SW15	20	20	AN
9/19/12	7806	white	CUL +7 1 -	<u> </u>				
CUSTOMER	1-00			\	TRUCK#	DRIVER	TRUCK #	DRIVER
Tailwate	er inc.			1	481	Casken	ck	
MAILING ADDRE	oudale D	c Suite	212		495	HarBec	48	
CITY	over 1	ISTATE	ZIP CODE	1	575	CalHar	C#	
_	14	OK	73116		369	DorMas	DM	
Oklahowa		HOLE SIZE		HOLE DEPT	H 824'	CASING SIZE & V	VEIGHT 27/8	" EUE
JOB TYPE_/œM			7.0	TUBING			OTHER	
CASING DEPTH	516	DRILL PIPE				CEMENT LEFT in	CASING	
SLURRY WEIGH	T	SLURRY VOL		WATER gal	sk	RATE 5,5 6	- AAA	
DISPLACEMENT	4,74 bbs	DISPLAÇEME	NT PSI	MIX PSI				# 7
REMARKS: Le	Od safah	, meeting	establish	ned circu	in, noitale	red + pum	ped 100	# Meuribu
sel follo	wed by	10 6615 TA	esh usate	mixeo	1 + pumped			mix comoni
		بعديوم.	ut to sur	tace t	wshed pou	up clean,	sumped a	
1 270 g		. 1 4 74	hlds press	uned to	800 PS1,	well held	pressure 4	mor 30 min
plug to C	asing 7D	1647 - 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	1	15:00			·	
MYT Se	eased pr	522016 120	WE IN CL	5 (19)		\ (/)		
							7	
						1	/	
					/ •	- 	/ 	
							<u> </u>	

ACCOUNT	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT	PRICE	TOTAL
CODE	1	PUMP CHARGE			1030.00
5401	15 mi	MILEAGE			100,00
5406	816	Coming tootage			
5407	1/2 min	ton mileage			175.00
	1 hr	80 Vac			90,00
5502C					
1124	125 sks	Premium Gel 21/2" rubber plug			1368.75
	310#	Drewien Gel			45,10
1118B	1	21/2" rubber plug			28,00
4402					
					
					
		1	.87 SA	LES TAX	114.02
2 :- 0723			EST	TIMATED	2930,87
Ravin 3737	1			TOTAL	0150,0
· · · · · · · · · · · · · · · · · · ·	The	TITLE	DATE	<u> </u>	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's acknowledge that the payment terms, unless specifically differenced in this form are in effect for services identified on this form account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form