

OWNER
VORSTAR PETROLEUM

WELL NO.
1-35

LEASE
BARRETT FAMILY TRUST

JOB TYPE
5 1/2" LONGSTRENG

TICKET NO.
21933

| CHART NO. | TIME | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS | | PRESSURE (PSI) | | DESCRIPTION OF OPERATION AND MATERIALS |
|-----------|------|------------|--------------------|-------|---|----------------|--------|--|
| | | | | T | C | TUBING | CASING | |
| | 1800 | | | | | | | ON LOCATION |
| | 2200 | | | | | | | START 5 1/2" CASING IN WELL |
| | | | | | | | | TD-4978 SET 4975 |
| | | | | | | | | TP-4979 5 1/2" #14 |
| | | | | | | | | ST-33' |
| | | | | | | | | CENTRALIZERS-1,3,6,9,11,13,15,17,19,21,23,25,27, |
| | | | | | | | | CMT BSKTS-19,60 59,61 |
| | | | | | | | | PORT COLLAR = 2854' TOP JT #60 |
| | 0045 | | | | | | | DROP BALL - CIRCULATE ROTATE (TORQUE) |
| | 0200 | 6 | 12 | | ✓ | 500 | | PUMP 500 GAL MUDFLUSH " |
| | 0202 | 6 | 20 | | ✓ | 500 | | PUMP 20 BBLs KCL-FLUSH " |
| | 0210 | | 7 | | | | | PLUG RH (30 SKS) |
| | 0220 | 5 | 35 | | ✓ | 300 | | MAX CEMENT- 145 SKS EA-2 = 15.4 PPG " |
| | 0230 | | | | | | | WASH OUT PUMP - LEVES |
| | 0230 | | | | | | | RELEASE LATCH DOWN PLUG |
| | 0232 | 7 | 0 | | ✓ | | | DISPLACE PLUG " |
| | | 7 | 110 | | | 800 | | SHUT OFF ROTATING |
| | 0250 | 6 1/2 | 120.7 | | | 1500 | | PLUG DOWN - PSE UP LATCH IN PLUG |
| | 0252 | | | | | | | OK RELEASE PSE - HEWS |
| | | | | | | | | WASH TRUCK |
| | 0400 | | | | | | | JOB COMPLETE |

THANK YOU
WAYNE, JOSH B., DOUG H.

WELL NO. # 1-35 LEASE Barrett Family Trust JOB TYPE Part Collar TICKET NO. 21738

| CHART NO. | TIME | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS | | PRESSURE (PSI) | | DESCRIPTION OF OPERATION AND MATERIALS |
|-----------|------|------------|--------------------|-------|---|----------------|--------|--|
| | | | | T | C | TUBING | CASING | |
| | 0900 | | | | | | | on loc w/ P.C. Tool |
| | | | | | | | | 2 3/8 x 5 1/2" P.C. @ 2854 |
| | | | | | | | | Start tbg Locate P.C. @ 2853' |
| | 1205 | | | | | | 1000 | Test Csg Open P.C. |
| | 1210 | 3.5 | 4 | | | | 600 | Take inj rate |
| | 1215 | 4 | 0 | | | | 650 | Start Cement 325sks SMD |
| | 1250 | 4 | 150 | | | | 900 | Shut down / Lost Circ |
| | 1315 | 3.5 | 150 | | | | 700 | Continue Cement |
| | 1322 | 3.5 | 122 | | | | 700 | Raise weight |
| | 1324 | 3.5 | 127/0 | | | | 550 | End Cement Start Displacement |
| | 1327 | | 10 | | | | | Cement Displaced |
| | 1330 | | | | | | | close P.C. |
| | 1335 | | | | | | 1000 | Test Csg |
| | | | | | | | | Run 5jts |
| | 1345 | 3 | 0 | | | | | Reverse out |
| | 1350 | | 25 | | | | | Hole Clean |
| | | | | | | | | 325sks SMD |
| | | | | | | | | Did not Circulate |
| | | | | | | | | Thank you |
| | | | | | | | | Nick, David E & Isaac |