

Koda Services, Inc.

INVOICE

Conductor and Rat Hole Drilling, Landfill Gas Drilling and Well Construction Nationwide

| | |
|-----------|-----------|
| Date | Invoice # |
| 8/22/2012 | 10037 |

| |
|---|
| Bill To |
| Sandridge Energy Accounts Payable P O Box 1748 Oklahoma City, OK 73102 |

| Legal Description | Ordered By | Terms | Field Ticket | Lease Name | Drill Rig |
|-------------------|--------------|--------|--------------|-------------------|-----------|
| | John Fortune | Net 30 | 7592 | Harlow 3119-1-28H | Unit 9 |

| Item | Quantity | Description |
|---------------|----------|---|
| Conductor | 130 | Drilled 130' of 32" hole for conductor |
| 20" Pipe | 130 | Furnished 130' of 20" conductor pipe |
| Ream Hole | | Ream Hole |
| 72" X 6' | 1 | Furnished 6' X 6' tinhorn |
| Dirt Removal | | Provided Labor and Equipment for dirt removal and cleanup |
| Mud/Water | | Furnished Mud, Water, & Trucking |
| Welder | | Welder |
| Grout | | Furnished grout |
| Deliver Grout | | Deliver grout to location |
| Equipment | | Furnished Grout Pump & Flush |
| Mouse | 80 | Drilled 80' of 26" Mouse hole |
| 16" pipe | 80 | Furnished 80' of 16" Mouse Hole Pipe |
| Cover Plate | | Cover Plate |

AFE Number: DC-11999
 Well Name: Harlow 3119 1-28H
 Code: 850-010
 Amount: 28,041.83
 Co. Man: Dwayne Burt
 Co. Man Sig.: Dwayne Burt
 Notes: _____

| | | |
|------------------------------|-------------------------|--------------------|
| Thank you for your business. | Subtotal | \$27,300.00 |
| | Sales Tax (6.3%) | \$741.83 |
| | Total | \$28,041.83 |

| | | | | |
|----------------------------------|--------------------------|---|-------------------------------------|--------------------------------|
| JOB SUMMARY | | | PROJECT NUMBER SOK1811 | TICKET DATE 08/27/12 |
| COUNTY COMANCHE | State KANSAS | COMPANY Bridge Exploration & Produc | CUSTOMER REP DEWAYNE | |
| LEASE NAME HARLOW 3119 | Well No. 1-28H | JOB TYPE Surface | EMPLOYEE NAME LOUIS ARNEY | |

| | | | | | |
|--------------------------------|--|--|--|--|--|
| EMP NAME LOUIS ARNEY | | | | | |
| JASON JONES | | | | | |
| MARCOS QUINTANA | | | | | |
| JAMES KEEN | | | | | |

Form. Name _____ Type: _____
 Packer Type _____ Set At _____ 0
 Bottom Hole Temp. _____ 80 Pressure _____
 Retainer Depth _____ Total Depth _____ 1000'

| | | | | |
|------|--------------------------------|---------------------------------|---------------------------------|-----------------------------------|
| Date | Called Out 8/27/2012 | On Location 8/27/2012 | Job Started 8/27/2012 | Job Completed 8/27/2012 |
| Time | 3:00 | 8:00 | 20:31 | 21:46 |

| Type and Size | Qty | Make |
|--------------------------|-----|------|
| Auto Fill Tube | 0 | IR |
| Insert Float Val | 0 | IR |
| Centralizers | 0 | IR |
| Top Plug | 0 | IR |
| HEAD | 0 | IR |
| Limit clamp | 0 | IR |
| Weld-A | 0 | IR |
| Texas Pattern Guide Shoe | 0 | IR |
| Cement Basket | 0 | IR |

| Well Data | | | | | |
|--------------|----------|--------|---------|-------|----------------|
| | New/Used | Weight | Size | Grade | From To |
| Casing | | 36# | 9 5/8" | | Surface |
| Liner | | | | | |
| Liner | | | | | |
| Tubing | | | 0 | | |
| Drill Pipe | | | | | |
| Open Hole | | | 12 1/4" | | Surface 1,000' |
| Perforations | | | | | Shots/Ft. |
| Perforations | | | | | |
| Perforations | | | | | |

| Materials | | | |
|---------------|------------------|---------|--------|
| Mud Type | WBM | Density | Lb/Gal |
| Disp. Fluid | Fresh Water | 8.33 | |
| Spacer type | Fresh Water BBL. | 10 | 8.33 |
| Spacer type | BBL. | | |
| Acid Type | Gal. | | % |
| Acid Type | Gal. | | % |
| Surfactant | Gal. | | In |
| NE Agent | Gal. | | In |
| Fluid Loss | Gal/Lb | | In |
| Gelling Agent | Gal/Lb | | In |
| Fric. Red. | Gal/Lb | | In |
| MISC. | Gal/Lb | | In |

| Hours On Location | | Operating Hours | | Description of Job |
|-------------------|-------|-----------------|-------|--------------------|
| Date | Hours | Date | Hours | |
| 8/27 | 14.5 | 8/27 | 1.3 | Surface |
| Total 14.5 | | Total 1.3 | | |

Perfpac Balls _____ Qty. _____
 Other _____
 Other _____
 Other _____
 Other _____

| | | | |
|---------------------|-------------------|----------|--|
| MAX 1,500 PSI | | AVG. 200 | |
| MAX 6 BPM | | AVG. 5 | |
| Cement Left in Pipe | | | |
| Feet 47' | Reason SHOE JOINT | | |

| Cement Data | | | | | | |
|-------------|-------|-------------------------|---|-------|-------|---------|
| Stage | Sacks | Cement | Additives | W/Rq. | Yield | Lbs/Gal |
| 1 | 490 | EX Lite Premium Plus 65 | (6% Gel) 2% Calcium Chloride - 1/4pps Cello-Flake - .5% C-41P | 10.88 | 1.84 | 12.70 |
| 2 | 160 | Premium Plus (Class C) | 1% Calcium Chloride - 1/4pps Cello-Flake | 6.32 | 1.32 | 14.80 |
| 3 | 100 | Premium Plus (Class C) | 2% Calcium Chloride on side to use if necessary | 6.32 | 1.32 | 14.80 |

| | | | | | |
|--------------------|-------|------------------------------|----------------------------------|--------------------------|-------|
| Summary | | | | | |
| Preflush Breakdown | _____ | Type: _____ | Preflush: BBI _____ 10.00 | Type: Fresh Water | _____ |
| | _____ | MAXIMUM _____ 1,500 PSI | Load & Bkdn: Gal - BBI _____ N/A | Pad:Bbl -Gal _____ N/A | _____ |
| | _____ | Lost Returns-N _____ NO/FULL | Excess /Return BBI _____ 23 | Calc. Disp Bbl _____ 81 | _____ |
| Average | _____ | Actual TOC _____ SURFACE | Calc. TOC: _____ SURFACE | Actual Disp. _____ 80.00 | _____ |
| ISIP _____ 5 Min. | _____ | Bump Plug PSI: _____ 800 | Final Circ. PSI: _____ 300 | Disp:Bbl _____ | _____ |
| _____ 10 Min. | _____ | _____ 15 Min. | Cement Slurry: BBI _____ 198.2 | _____ | _____ |
| | | | Total Volume BBI _____ 288.20 | | |

CUSTOMER REPRESENTATIVE Dewayne Rust SIGNATURE

| | | | | |
|-----------------------------|-------------------------------|--|------------------------------------|--------------------------------|
| JOB SUMMARY | | | PROJECT NUMBER SOK 1833 | TICKET DATE 09/02/12 |
| COUNTY Comanche | State Kansas | COMPANY Sandridge Exploration & Production | CUSTOMER REP Ron Savage | |
| LEASE NAME Harlow | Well No. 1119 1-281 | JOB TYPE Intermediate | EMPLOYEE NAME Nate Cotta | |

| | | | | | |
|---------------|---|--|--|--|--|
| EMP NAME | | | | | |
| Nate Cotta | 0 | | | | |
| ARTHUR S. | | | | | |
| MIKE CHALFANT | | | | | |
| DANNY T. | | | | | |

Form. Name _____ Type: _____
Packer Type _____ Set At **4,332**
Bottom Hole Temp. **155** Pressure _____
Retainer Depth _____ Total Depth **5725**

| | | | | |
|------|---------------|---------------|---------------|---------------|
| | Called Out | On Location | Job Started | Job Completed |
| Date | 9.2.12 | 9.3.12 | 9.3.12 | 9.3.12 |
| Time | 1900 | 700 | 1045 | 1150 |

| Type and Size | Qty | Make |
|--------------------------|-----|------|
| Auto Fill Tube | 0 | IR |
| Insert Float Val | 0 | IR |
| Centralizers | 0 | IR |
| Top Plug | 0 | IR |
| HEAD | 0 | IR |
| Limit clamp | 0 | IR |
| Weld-A | 0 | IR |
| Texas Pattern Guide Shoe | 0 | IR |
| Cement Basket | 0 | IR |

| | New/Used | Weight | Size | Grade | From | To | Max. Allow |
|--------------|----------|--------|--------|-------|---------|-------|------------|
| Casing | | 26# | 7" | | Surface | | 5,000 |
| Liner | | | | | | | |
| Liner | | | | | | | |
| Tubing | | | 0 | | | | |
| Drill Pipe | | | | | | | |
| Open Hole | | | 8 3/4" | | Surface | 5,725 | Shots/Ft. |
| Perforations | | | | | | | |
| Perforations | | | | | | | |
| Perforations | | | | | | | |

| Materials | | | |
|---------------|-----------------|-------------|-------------|
| | WBM | Density | Lb/Gal |
| Mud Type | | 9 | |
| Disp. Fluid | Fresh Water | 8.33 | Lb/Gal |
| Spacer type | resh Water BBL. | 20 | 8.33 |
| Spacer type | Caustic BBL. | 10 | 8.40 |
| Acid Type | Gal. | % | |
| Acid Type | Gal. | % | |
| Surfactant | Gal. | In | |
| NE Agent | Gal. | In | |
| Fluid Loss | Gal/Lb | In | |
| Gelling Agent | Gal/Lb | In | |
| Fric. Red. | Gal/Lb | In | |
| MISC. | Gal/Lb | In | |

| Hours On Location | | Operating Hours | | Description of Job |
|-------------------|------------|-----------------|------------|--------------------|
| Date | Hours | Date | Hours | |
| 9.3.12 | 5.0 | 9.3.12 | 1.0 | Intermediate |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Total | 5.0 | Total | 1.0 | |

Perfpac Balls _____ Qty. _____
Other _____
Other _____
Other _____
Other _____

| Pressures | | | |
|----------------------|-------|--------|------------|
| MAX | 3500 | AVG | 300 |
| Average Rates in BPM | | | |
| MAX | 8 BPM | AVG | 5 |
| Cement Left in Pipe | | | |
| Feet | 98 | Reason | SHOE JOINT |

| Stage | Sacks | Cement | Additives | W/Rq. | Yield | Lbs/Gal |
|-------|-------|-------------------|---|-------|-------|---------|
| 1 | 120 | 50/50 POZ PREMIUM | 4% Gel - 0.4% C-12 - 0.1% C-37 - 0.5% C-41P - 2 lb/sk Phenoseal | 6.77 | 1.44 | 13.60 |
| 2 | 100 | Premium | 0.4% C-12 - 0.1% C-37 | 5.20 | 1.18 | 15.60 |
| 3 | 0 | 0 | | 0.00 | 0.00 | 0.00 |

| Summary | | | | | |
|-----------|-----------|----------------|---------|----------------|----------------------|
| Preflush | 10 | Type: | Caustic | Preflush: | BBI 20.00 |
| Breakdown | | MAXIMUM | 3,500 | Load & Bkdn: | Gal - BBI N/A |
| | | Lost Returns-N | NO/FULL | Excess /Return | BBI N/A |
| | | Actual TOC | 4,332 | Calc. TOC: | 4.332 |
| Average | | Bump Plug PSI: | 1,500 | Final Circ. | PSI: 1,000 |
| 5 min | | 10 min | 15 min | Cement Slurry: | BBI 92.0 |
| | | | | Total Volume | BBI 287.00 |
| | | | | Type: | WEIGHTED SP. |
| | | | | Pad:Bbl -Gal | N/A |
| | | | | Calc. Disp Bbl | 215 |
| | | | | Actual Disp. | 215.00 |
| | | | | Disp:Bbl | 215.00 |

CUSTOMER REPRESENTATIVE *Ron Savage* SIGNATURE

| | | | | |
|----------------------------------|--------------------------|---|--|--------------------------------|
| JOB SUMMARY | | | PROJECT NUMBER SOK1856 | TICKET DATE 09/08/12 |
| COUNTY COMANCHE | State KANSAS | COMPANY Bridge Exploration & Produc | CUSTOMER REP RON SAVAGE | |
| LEASE NAME HARLOW 3119 | Well No. 1-28H | JOB TYPE Liner | EMPLOYEE NAME Larry Kirchner Jr. | |

| | | | | | |
|---------------------------------------|------|--|--|--|--|
| EMP NAME Larry Kirchner Jr. | 0.00 | | | | |
| John Hall | | | | | |
| Robert Stonehocker | | | | | |
| Wallace Berry | | | | | |

Form. Name _____ Type: _____
 Packer Type _____ Set At **5,713**
 Bottom Hole Temp. **150** Pressure _____
 Retainer Depth _____ Total Depth **9406**

| | | | | |
|------|-------------------------------|--------------------------------|--------------------------------|----------------------------------|
| Date | Called Out 9/8/2012 | On Location 9/8/2012 | Job Started 9/8/2012 | Job Completed 9/8/2012 |
| Time | 1:30PM | 8:00PM | 9:12PM | 11:00PM |

Tools and Accessories

| Type and Size | Qty | Make |
|--------------------------|-----|--------------------|
| Auto Fill Tube | 0 | Weatherford |
| Insert Float Val | 0 | |
| Centralizers | 0 | |
| Top Plug | 0 | |
| HEAD | 0 | |
| Limit clamp | 0 | |
| Weld-A | 0 | |
| Texas Pattern Guide Shoe | 0 | |
| Cement Basket | 0 | |

Well Data

| | New/Used | Weight | Size | Grade | From | To | Max. Allow |
|---------------|----------|--------|--------|-------|------|-------|------------|
| Casing | New | 11.6 | 4 1/2 | | | | |
| Liner Tool | | | | | | | |
| HWDP | | | | | | | |
| Drill Pipe | | | 3 1/2" | | | | |
| Drill Collars | | | | | | | |
| Open Hole | | | 6 1/8" | | | 9,406 | Shots/Ft. |
| Perforations | | | | | | | |
| Perforations | | | | | | | |
| Perforations | | | | | | | |

Materials

| Mud Type | WBM | Density | 9.1 | Lb/Gal |
|---------------|-------------|---------|------|--------|
| Disp. Fluid | Fresh Water | Density | 8.33 | Lb/Gal |
| Spacer type | resh Water | BBL. | 20 | 8.33 |
| Spacer type | Caustic | BBL. | 10 | 8.40 |
| Acid Type | | Gal. | | % |
| Acid Type | | Gal. | | % |
| Surfactant | | Gal. | | In |
| NE Agent | | Gal. | | In |
| Fluid Loss | | Gal/Lb | | In |
| Gelling Agent | | Gal/Lb | | In |
| Fric. Red. | | Gal/Lb | | In |
| MISC. | | Gal/Lb | | In |

Hours On Location

| Date | Hours | Date | Hours | Description of Job |
|-------|-------|-------|-------|--------------------|
| 9/8 | 3.0 | 9/8 | 2.0 | Liner |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Total | 3.0 | Total | 2.0 | |

Perfpac Balls _____ Qty. _____
 Other _____
 Other _____
 Other _____
 Other _____

Pressures

| | | | |
|----------------------|------|--------|------------|
| MAX | 3500 | AVG. | 800 |
| Average Rates in BPM | | | |
| MAX | 8 | AVG | 4 |
| Cement Left in Pipe | | | |
| Feel | 88 | Reason | Shoe Joint |

Cement Data

| Stage | Sacks | Cement | Additives | W/Rq. | Yield | Lbs/Gal |
|-------|-------|-------------------|--|-------|-------|---------|
| 1 | 450 | 50/50 Premium Poz | (4%Gel) - .4% C12 - .1% C37 - 0.5% C-41P - 2 Lb/Sk Phenoseal | 6.77 | 1.44 | 13.60 |
| 2 | 0 | 0 | | 0 | 0.00 | 0.00 |
| 3 | 0 | 0 | | 0 | 0.00 | 0.00 |

Summary

| | | | | | |
|--------------------|----------------|---------------|------------------------|--------|---------------------|
| Preflush Breakdown | 10- | Type: Caustic | Preflush: BBI | 30.00 | Type: 8.59#SPACER |
| | MAXIMUM | 3,500 PSI | Load & Bkdn: Gal - BBI | N/A | Pad:Bbl -Gal N/A |
| | Lost Returns-N | NO/FULL | Excess /Return BBI | N/A | Calc.Disp Bbl 111 |
| | Actual TOC | 4,697' | Calc. TOC: | 4,801' | Actual Disp. 111.00 |
| Average | Bump Plug PSI: | | Final Circ. PSI: | 1,050 | Disp:Bbl |
| ISIP 5 Min. | 10 Min. | 15 Min. | Cement Slurry: BBI | 115.0 | |
| | | | Total Volume BBI | 256.00 | |

CUSTOMER REPRESENTATIVE _____ *Ron Savage* SIGNATURE _____