

For KCC	Use:
Effective	Date:
District #	·
SGA?	Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	,
OPERATOR: License#	(Q/Q/Q/Q) foot from N / S Line of Section
Vame:	feet from F / W Line of Section
ddress 1:	
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: Zip: +	·
Contact Person:	County:
hone:	
ONTRACTOR: License#	Field Name:
ame:	is the arrelated, epassarrela.
uno.	14.got 1 0
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes \[ \]
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate:   I   II
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?       Yes         f Yes, true vertical depth:	weii Tailii Folid Stilei.
ries, true vertical deptil.	
•	DVVR Permit #.
Bottom Hole Location:	(Note: Apply for Permit with DWR )
Bottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes N
Bottom Hole Location:	(Note: Apply for Permit with DWR )
Bottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes
Sottom Hole Location: CCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?   Yes   1  If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Neft Permit with DWR Service Apply for Permit wit
Sottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken?   Yes   N  If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Nerrit with DWR Yes Nerri with DWR Yes Nerrit with DWR Yes Nerrit with DWR Yes Ne
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent to drill shall be posted o	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent to drill shall be posted o	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent in the proved shall through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and its constant in the province of the prior to spudding the posted of the prior to spudding the posted of the prior to spudding the prior to	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and is 5. The appropriate district office will be notified before well is either	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the int	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging;
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the intent in the properties of the intent in the properties of the intent in the properties of the intent intent in the properties of the intent intent intent in the properties of the intent intent intent in the properties of the intent in	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention o	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.  In each drilling rig;  The plugged or production casing is cemented in;  The plugged o
inche undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface propriate district office will be notified before well is either in ALTERNATE II COMPLETION, production pipe shall be concerned by the surface casing of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.  In each drilling rig;  The plugged or production casing is cemented in;  The plugged o
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be conformed by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be conformed by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be conformed by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The right of the right o
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and some strength of the spurious filters of the spurious filters are the corresponding to the properties of the spurious filters are the specified before well is either the spurious filters are the spuri	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. The right of t
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator and the strength of the spurious of the spurious pipe shall be on the computation of the spurious of the spurious of the spurious of the well is either than the strength of the spurious of the spurious of the spurious of the well is either than the strength of the spurious of the sp	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; in mented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
ccc description of the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the intention of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the surface of the intention of the surface will be notified before well is either the appropriate district office will be notified before well is either the surface of the surface casing of the spud date or the well surface.  In a ALTERNATE II COMPLETION, production pipe shall be concerned by the spud date or the well surface.  It is the well is dry hole, an agreement between the operator and the surface casing of the spud date or the well surface.  It is the well is dry hole, an agreement between the operator and the surface casing of the spud date or the well surface.  It is the well is dry hole, an agreement between the operator and the surface casing of the spud date or the well surface.  It is the well is dry hole, an agreement between the operator and the surface casing of the spud date or the well is dry hole, and agreement between the operator and the surface casing of the spud date or the well is dry hole, and the surface casing of the spud date or the well is dry hole, and the surface casing of the spud date or the well is dry hole, and the surface casing of the spud date or the well is dry hole, and the surface case of the spud date or the well is dry hole, and the surface case of the spud date or the well is dry hole, and the surface case of the spud date or the well is dry hole, and the surface case of the spud date or the well is dry hole, and the surface case of the spud date or the surface case of the surface case of the surface case of the surface case of the surfac	(Note: Apply for Permit with DWR   )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; interest of the modern below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and its 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY	(Note: Apply for Permit with DWR )  Will Cores be taken?
Sottom Hole Location:  CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the standard of the prior of the specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator and the standard of the specified before well is either the standard of the specified before well is either the specified before the specified before well is either the specified before the specified before well is either the specified before the specified before the specified before t	(Note: Apply for Permit with DWR )  Will Cores be taken?   Yes   1  Yes   If Yes, proposed zone:   Yes   1  Will Cores be taken?   Yes   1  Will Cores be taken?   Yes   1  Will Yes, proposed zone:   Yes   1  Will Yes   1  Will Yes   1  Wes   1  W
Bottom Hole Location:  CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface district office will be notified before well is either in the surface district office will be notified before well is either in the surface of the surface casing of the spud date or the well is submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	(Note: Apply for Permit with DWR )  Will Cores be taken?

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

If well will not be drilled or permit has expired (See: authorized expiration date)
please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

Side Two



For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	is Section. Regular of Integular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT
- The state of the	lease or unit boundary line. Show the predicted locations of
	equired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired.
833 ft.	separate plat il desired.
	:
	LEGEND
	2097 ft. O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
	:
	EXAMPLE : :
<u> </u>	
29	
	CEWARD CO. 2000/ FEI

# NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

095864

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A  Is the bottom below ground level?  Yes No	Artificial Liner?	Existing Instructed: (bbls) No	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County County Mean County mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
Depth fro	m ground level to dee	epest point:	(feet) No Pit				
If the pit is lined give a brief description of the line material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all sp flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	ксс	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Numb	oer:	t Date: Lease Inspection: Yes No					



## Kansas Corporation Commission Oil & Gas Conservation Division

1095864

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
	County:
Address 1:	Lease Name: Well #:
Address 2:  City: State: Zip: +	
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 1:	owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.  Cacknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	
	_

For KCC Use ONLY
API# 15 -

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page

Operator:	Location of Well: County:    1007
Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as req	_AT  ease or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032). eparate plat if desired.
	LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location
	EXAMPLE
	1980' FSL

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.


#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

K & N PETROLEUM, INC. MOOS LEASE

NE. 1/4, SECTION 29, T18S, R10W RICE COUNTY, KANSAS FLAGGED ROAD OPPOSITE LOC-ROAD

GRAVEL (A VENUE E) Drillsite Location Moos "A" #2 833'FNL 2097'FEL Ground Elevation = 1738  $Y = 653482 \quad X = 2014233$ State Pione-NAD 27-Kansas South (Mopping Grade GPS Used)



ROAD

ROADI

TANK BATTERY

Notes:

ROADI

(SND

- 1. Set (2) wood stakes at location site.
- 2. All flagging Red & Yellow.
- 3. Overhead power available at S., E. & W. lines. Sec. 29.
- 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233).
- 5. CAUTION: Various pipelines in Sec. 29.
- 6. Contact landowner for best access.

GRAVEL

	<b>6</b> 8				∎ hrt		J			H W) _		,				_		Š	eri L	7	· v.
-	ρ -	UP.S.		$\odot$	) T	(171)			<b>-</b> 0	ξ. Σ.					4	7		A000	7-7-3		-
=		25		Bust	ton g	{				}		Fred	erick		7			*	€Gen	eseox	5
=	\$\frac{1}{\sqrt{1}}	, 3i		******	8.		\ \{\tilde{\ti}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}	7		}				3		14)/		SF.	7	<u> </u>	*
	/	$\mathbb{Z}$					R	1	<b>1</b>					Z					RS		B -
-		29		æ	8		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\					RS	984		(S)	) }					F
	31/2	Cow	X.		RS	984 36	3 7					36	31	SPoil Veg	ard			36	31		
	6 RS	2017	570		<u> </u>		360	٧,					6	E	C. P.				6		
إ			8.			<u>بر</u>	<u>۶</u>	7			577			80	క			RS	1780		
					1				7		×			1875		(CO)	{	986		<b>,</b> ,	

(A VENUE F)

- Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the procise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Countral Kansas Diffield Services. Inc. its officers and employees normless from all losses, costs and expenses and sold entities released from any liquility from incidental or consequential damages.

July 17, 2012

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

October 08, 2012

Ed Nemnich K & N Petroleum, Inc. 1105 Walnut Great Bend, KS 67530

Re: Drilling Pit Application Moos "A" 2 NE/4 Sec.29-18S-10W Rice County, Kansas

#### Dear Ed Nemnich:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased. Keep pits EAST of stake

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.