



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1095960

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method: Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
---	--	--

Form	ACO1 - Well Completion
Operator	Klabzuba Oil & Gas, Inc.
Well Name	Lang Trust 36-16-13-18
Doc ID	1095960

All Electric Logs Run

DIL
DUCP
Sonic
Microresistivity



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Klabzuba Oil & Gas inc.

36-13s-18w

700 17th st.
STE. 1300
Denver Co. 80202
ATTN: Dave Goldak

Lang Tr.#36-16-13-18

Job Ticket: 45685 **DST#: 1**

Test Start: 2012.02.07 @ 14:46:05

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

85000 ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.20 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3600.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
80.00	MW m=20% w =80%	1.122

Total Length: 80.00 ft Total Volume: 1.122 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: Sampler Data- Mud= 1200ml Water= 2800ml Press= 50lbs


Resistivity- .20 @ 31deg=85000

Serial #: 8352

Outside Kabzuba Oil & Gas inc.

Lang Tr.#36-16-13-18

DST Test Number: 1



Triobite Testing, Inc

Ref. No: 45685

Printed: 2012.02.08 @ 08:40:36



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Klabzuba Oil & Gas inc.

36-13s-18w

700 17th st.
STE. 1300
Denver Co. 80202
ATTN: Dave Goldak

Lang Tr.#36-16-13-18

Job Ticket: 45686 **DST#: 2**
Test Start: 2012.02.08 @ 13:03:05

GENERAL INFORMATION:


Formation: **LKC"I-K"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 14:39:30
 Time Test Ended: 19:54:59
 Interval: **3498.00 ft (KB) To 3552.00 ft (KB) (TVD)**
 Total Depth: 3552.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: Andy Carreira
 Unit No: 39
 Reference Elevations: 2034.00 ft (KB)
 2026.00 ft (CF)
 KB to GR/CF: 8.00 ft

Serial #: 8352 Outside

Press @ Run Depth: 27.26 psig @ 3504.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2012.02.08 End Date: 2012.02.08 Last Calib.: 2012.02.08
 Start Time: 13:03:05 End Time: 19:54:59 Time On Btm: 2012.02.08 @ 14:37:30
 Time Off Btm: 2012.02.08 @ 17:41:29

TEST COMMENT: IF:(30min) Weak 3/4" blow , decreased to 1/2"
 ISl:(60min) No Return
 FF:(30min) No Blow
 FSl:(60min) No Return

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1785.25	94.52	Initial Hydro-static
2	18.58	93.61	Open To Flow (1)
32	23.44	96.70	Shut-In(1)
92	1079.54	98.48	End Shut-In(1)
93	25.62	98.01	Open To Flow (2)
122	27.26	99.25	Shut-In(2)
182	1046.56	100.95	End Shut-In(2)
184	1753.70	100.92	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
20.00	Mud m=100%	0.28

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Klabzuba Oil & Gas inc.

36-13s-18w

700 17th st.
STE. 1300
Denver Co. 80202
ATTN: Dave Goldak

Lang Tr.#36-16-13-18

Job Ticket: 45686

DST#: 2

Test Start: 2012.02.08 @ 13:03:05

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.60 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3600.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	Mud m=100%	0.281

Total Length: 20.00 ft Total Volume: 0.281 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:


Recovery Comments: Sampler Data- 2100ml = Mud Pressure = 60lbs

Serial #: 8352

Outside Klabzuba Oil & Gas inc.

Lang Tr.#36-16-13-18

DST Test Number: 2



Triobite Testing, Inc

Ref. No: 45686

Printed: 2012.02.09 @ 08:42:28



Southwind Drilling, Inc.
Plugging Orders & Reports

Lease: Lang Trust 36-16-13-15

Plugging Received from KCC Representative:

Name: Bruce Basye Date: 2-8-12 Time: 4:30 PM

1 st plug @ <u>3689</u> feet, <u>25</u> sacks	Stands <u>59 1/2</u>
2 nd plug @ <u>1280</u> feet, <u>25</u> sacks	Stands <u>20</u>
3 rd plug @ <u>676</u> feet, <u>100</u> sacks	Stands <u>10 1/2</u>
4 th plug @ <u>313</u> feet, <u>40</u> sacks	Stands <u>4 1/2</u>
5 th plug @ <u>40</u> feet, <u>10</u> sacks	Stands _____

Mousehole: 2 sacks

Rathole: 30 sacks

Total Cement Used: 230 sacks

Type of cement: 60/40 Poz 4% Gel 44# Flo Seal

Plug Down @ 8:15 PM 2-10-12

Call KCC When Completed:

Name: Bruce Basye Date: 2-13-12 Time: 9:00 AM

RECEIVED
FEB 14 2012
KCC WICHITA