

Kansas Corporation Commission Oil & Gas Conservation Division

1096549

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Side Two



Operator Name:			Lease Name	e:			_ Well #:	
Sec Twp	S. R	East West	County:					
time tool open and clos	sed, flowing and shut s if gas to surface tes	I base of formations per in pressures, whether set, along with final chart well site report.	shut-in pressure	reached s	static level,	hydrostatic press	sures, bottom h	ole temperature, fl
Orill Stem Tests Taken (Attach Additional S		Yes No		Log	Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolo		☐ Yes ☐ No	N	lame	е		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	I Electronically	Yes No Yes No Yes No						
List All E. Logs Run:			RECORD [Used			
	Size Hole				ermediate, production, etc. Setting Type of		# Sacks	Type and Percen
Purpose of String	Drilled	Set (In O.D.)	Weight Lbs. / Ft.		Depth	Cement	Used	Additives
		ADDITIONA	L OFMENTING (00115575	DECORD			
		ADDITIONA	L CEMENTING / :	SQUEEZE	RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives				
Shots Per Foot	PERFORATIO Specify F			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			d Depth	
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No		
Date of First, Resumed I	Production, SWD or ENI	HR. Producing Me	thod:	Gas Li	ift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water	В	bls. (Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease	Open Hole	METHOD OF COM Perf. D	MPLETION: ually Comp omit ACO-5)	. Cor	nmingled mit ACO-4)	PRODUCTIO	ON INTERVAL:
(If vented, Sub	mit ACO-18.)	Other (Specify) _						



LOCATION O Hawa KS

FOREMAN Fred Wader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

SITE / 17 4448 Knabe "M" KR-24 NW IS / Y D J J J J J J J J J J J J J J J J J J		or 800-467-8676	3		CEME	NT			
SIND IT HAVE KNOWN TO THE POWD CHANGE OF PRODUCT UNIT PRICE TOTAL TOS DETING	DATE	CUSTOMER#	WELL	NAME & N	JMBER	SECTION	TOWNSHIP	RANGE	COUNTY
TRUCK & DRIVER TRUCK & DRIVER TO BOTH & LOS & STATE	8/18/12	4448	Knabe	"M" K	(17-24		14	27	
SOC France Safet Meth Social Soci	The second secon		. = 1					Total Control of the last of t	1 70
SOC France Safet Meth Social Soci	MAILING ADDRE	ESS	ces EXPLA	- Dev.			DRIVER	TRUCK#	DRIVER
DETTY PER CONSTRUCT OF THE STATE SPECODE STATE SPECIAL PROBLET STATE STATE SPECIAL PROBLET STATE STATE SPECIAL PROBLET STATE STATE STATE SPECIAL PROBLET STATE ST						506	Fremad	Satate	mit
Develand Park US 66710 OBTITLE LOW STOD. HOLE SIZE SYN HOLE DEPTH DERLIPPE TUBING TOTHER LEMARKE: ES As Aliks A civculation. Mix + Puna 100 to the Selection of the Selection o	CITY 7.3 9.3	W 110 E	STATE	ZIP CODE			Hor Bec	1+B O	1
OB TYPE LOW STON. HOLE SIZE 37 HOLE DEPTH MORE DEPTH MORE DEPTH DRILL PIPE TUBING TOTHER CASING DEPTH DRILL PIPE TUBING TOTHER OTHER DIRLL PIPE TUBING TOTHER SURREY WOLL WATER GAINS CEMENT LEFT IN CASING 372 1/155 SURREY WOLL WATER GAINS CEMENT LEFT IN CASING 372 1/155 SURREY WOLL WATER GAINS COMENT FSI MIX PSI RATE 56PM NIX PUMP 100 to the Col Flush MIX Pump 123 Sts Solso Por MIX Cemunt 3/6 Cal Flush MIX Pump 100 to the Col Flush MIX Pump 132 Sts Solso Por MIX Cemunt 3/6 Cal Flush STATISTE SCL. Cemunt to Surface Flush pump times closure Displace 3.2% Rubbar plus to casely TD. Pressure to 500 to 25. Ralease pressure to set flood value. Skut in Casing. TOS Drilling Fump charge 495 10302 Story Made. STOL I PUMP CHARGE 495 10302 Story Made. STOL I PUMP CHARGE 495 10302 Story Made. STOL I PUMP CHARGE 495 10302 Story MILEAGE 10302 STORY MIX	6	15. 1					Kei Det	KD	
CASING DEPTH THOSE DRILL PIPE TUBING TO THER SLURRY WEIGHT 917 SLURRY VOL WATER gallsk CEMENT LEFT in CASING 22 1 1/2 5 SLURRY WEIGHT 917 SLURRY VOL WATER gallsk CEMENT LEFT in CASING 22 1 1/2 5 RATE SAPIN R		-1 1				the analysis and the same of t	Mikitaa	MH	
SURRY WEIGHT 917 SLURRY VOL WATER GAUGE CEMENT LEFT IN CASING 22 1/25 ISPLACEMENT S. 33 & CONTROL OF THE SECOND CONTROL OF THE SECO				378	HOLE DEPT		CASING SIZE & V	VEIGHT 27/8	EVE
DISPLACEMENT S: 33 BB-DISPLACEMENT PSI MIX PSI RATE 50PM REMARKS: Establish civiculation. Mix + Pung 100 th Col Flush. Mix + Pung 132 Sks 50 50 Po. Mix Cemunt 20 Col Flush. Mix + Pung 100 th Col Flush. Mix + Pung 132 Sks 50 50 Po. Mix Cemunt 20 Col Flush. Mix + Pung 100 th Col Flush. Mix + Pung 132 Sks 50 Fo. Mix Cemunt 10 Flush State. Cemuna to Sut fice. Flush pung t Ings 1 footing. 3.2 th Rubbar plus to cashy TD. Pressure to 500 th PSI. Release pressure to Set floot value. Skyt in Cashy. TOS Deilling Account Code QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE TOTAL STOD 1 PUMP CHARGE 495 /2009 STOD 30 mi. MILEAGE 495 /2009 STOD 2 977 Cashy footinge 495 /2009 STOD 1 Pung Mileage 495 /2009 STOD 1 Pung Mileage 495 /2009 STOD 1 Pung Mileage 495 /2009 INDIAN STOD BEL Vac Truck b75 /3500 INDIAN STOD BEL Vac Truck b75 /2009 INDIAN STOD 1 PUNG SEOL 28 STUTY COL 28							5:	OTHER	
REMARKS: Establish iveolation. Mix trum 100 to Gel Flush. Mixt Pump 132 Sky Solso Pon Mix Communt 2 local Flush States 1 local Communt to Surface. Flush pump times closur. Displace 2.2½" Rubber plus to cashy To. Pressure to 800 to 851. Release pressure to set float value. Shut in Casing. TOS Deilling ACCOUNT QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL Stid I PUMP CHARGE 495 /0200 Styo 2 917 Casing footage Styo 30m; MILEAGE 495 /2000 Styo 2 917 Casing footage Styo Miximus Ton Miles Sty 35000 Styo 2 917 Casing footage Styo 1/26v3 80 BBL Vac Truck bis 135000 1/26v3 80 BBL Vac Truck bis 135000 1/26v3 80 BBL Vac Truck bis 135000 1/27v3 80 BBL Vac Truck bis 135000 1/27v					_ WATER gal	/sk	CEMENT LEFT in	CASING2-2%	1. Phas
132 SKS SO/50 POR MY CEMENT 2°C CAS TO STATE STATES AND STATES AND STATES AND SOLVER COMMENT TO STATES AND SOLVER COMMENT TO SOLVER SOL							RATE SEPT	N	
TOS Deilling Account to Surface. Flush pump + Imes clean. Displace 2.22" Rubber plus to casmy TD. Pressure to 500 RSI. Release pressure to set flost value. Shut in Casmy. TOS Deilling Account code quantry or units bescription of services of product unit price total Still I pump charge 495 /0300 Syob 30m; Mileage 495 /2000 Syob 30m; Mileage 495 /2000 Syor Minimum 700 Miles Syb 35000 Sport 1/24 1325KS 50/50 for Mix Cement 1/45 /250 1/24 1325KS 50/50 for Mix Cement 1/495 /2000 1/24 1325KS 50/50 for Mix Cement 1/495 /2000 1/24 122 Rubber plus 2000 Fremi'r m Cal 1/262 4107A 666 Phana Seal. 4107A 666 Phana Seal. 4107A 666 Phana Seal. 4107A 566 Phana Seal. 4107A 566 Phana Seal.					MIXXPL	ma 100#	Gel Flus	h. Mixa	Pinasa
Centent to Sciffice. Flush pump + lines clean. Displace 2.2½" Rubber placs to cashy TD. Pressure to 6004 PSI. Release pressure the set float value. Shut in Casing. TOS Deilling Account code Quantry or units Description of services or product Unit price Total Sticl I Pump charge 495 /0300 Sticl 30mi Mileage 495 /2000 Styo 2 917 Casine footage 495 /2000 Styo 7 Minimum Ton Miles Sty8 35000 Stock I Days 80 BBL Vac Truck 675 (3500) 1/24 1325KS 50/50 Par Mix Centent 1445 9 1/18 322 Premium Cal 6762 4107A 664 Physic Sept. 2854 4107A 664 Physic Sept. 2854 4107A 664 Physic Sept. 2855 Fremium Cal 2855 Style 2855 ESTIMATED 2055	^				must 2	% Cal 50	South 54	KOI SOL	1016
Release pressure to sext floor value. Shut in Casing. TOS Deilling ACCOUNT CODE QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE TOTAL STOCK STOCK STOCK GOVERNMENT TO MILEAGE STOCK STOCK		1 A					s cloan,		i ce
TOS Drilling ACCOUNT CODE ACCOUNT CODE STID I PUMP CHARGE 495 /2009 STODE	5.3				casily	TO. PI		0 8004	251
TOS Deilling ACCOUNT CODE CODE CODE CODE CODE CODE CODE CODE	Kel	ease pre	ssuve 5	to se	* flooty	value.			
ACCOUNT CODE QUANITY Or UNITS DESCRIPTION of SERVICES OF PRODUCT UNIT PRICE TOTAL STID 1 PUMP CHARGE 495 /0309 STOD 30 m; MILEAGE 495 /2009 STOD 30 m; MILEAGE 495 /2009 STOD 70 Casin footage N/C STOT Minimum 70n Miles 548 3509 STOD 1/2hvs 80 BBL Vac Truck 675 (3509 1/24 1325KS 50/50 Por Mix Coment 1/495 40 1/18 322								1	
ACCOUNT CODE QUANITY Or UNITS DESCRIPTION of SERVICES OF PRODUCT UNIT PRICE TOTAL STID 1 PUMP CHARGE 495 /0309 STOD 30 m; MILEAGE 495 /2009 STOD 30 m; MILEAGE 495 /2009 STOD 70 Casin footage N/C STOT Minimum 70n Miles 548 3509 STOD 1/2hvs 80 BBL Vac Truck 675 (3509 1/24 1325KS 50/50 Por Mix Coment 1/495 40 1/18 322									
ACCOUNT CODE QUANITY Or UNITS DESCRIPTION of SERVICES OF PRODUCT UNIT PRICE TOTAL STID 1 PUMP CHARGE 495 /0309 STOD 30 m; MILEAGE 495 /2009 STOD 30 m; MILEAGE 495 /2009 STOD 70 Casin footage N/C STOT Minimum 70n Miles 548 3509 STOD 1/2hvs 80 BBL Vac Truck 675 (3509 1/24 1325KS 50/50 Por Mix Coment 1/495 40 1/18 322							. 0		
ACCOUNT QUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL	105	Drilling					Fred)	Made	
CODE QUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL S-101	10001117						/		
STO 6 30 m; MILEAGE 495 720 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CODE	QUANITY	or UNITS	1	DESCRIPTION of	of SERVICES or PRO	DDUCT	UNIT PRICE	TOTAL
5406 30m; MILEAGE 495 /2000 5402 917 Casin footage N/C 5407 Minimum 76n Miles 548 35000 5502C 1/2hv3 80 BBL Vac Truck 675 (3500) 1/24 1325K5 50/50 for Mix Center 1/445.49 1118B 322* fremium Cal 62* 4107A 66* Phina Sool. 8514 4402 1 22" Rubber plug 2800 14022 1 22" Rubber plug 2800 175252 SALESTAX 122 38 ESTIMATED 200554				PUMP CHAP	RGE		495		10.2000
540 2 917 Casin footage 540 2 917 Casin footage 540 7 Minimum 70n Miles 548 350 9 5502c 1/2hv3 80 BBL Vac Truck 675 (3500) 1/24 1325K5 50/50 for Mix Cement 1445. 40 1118 B 322 fremium Cal 67 62 4107A 66 Phono Seal. 8514 4402 1 2/2" Rubber plug 2800 17525% SALESTAX 122 38 ESTIMATED 20554	5406	3	omi	MILEAGE					
5502c 1/2 hrs 80 BBL Vac Truck b75 (3500) 1/24 1325KS 50/50 Par Mix Cement 1445. 40 1118B 3224 Premium Cal 6762 4107A 664 Phina Seal: 8514 4402 1 2/2" Rubber plug 2800 Ti525% SALESTAX 122-38 ESTIMATED 25-54	5402	91	7	Casin	e footage	e			
112 132 SO BBL Vac Truck 675 (3500) 1124 1325KS 50/50 Por Mix Cement 1445: 49 1118B 3224 fremt om Col 6762 4107A 664 Phina Seal. 8514 4402 1 22 Rubber plug 2800 1103737 ESTIMATED 2025	5407			Ton	miles		548		
1/24 1325KS 50/50 for Mix Centest 1445.45 1118B 322* Fremium Cal 67.62 1107A 66* Phina Seal: 85.14 4402 1 22" Rubber plug 28.56 28.56 1107A 28.57 1107A 28.	5502C	1.45	2 hvs	80 A	Bl Vac	Truck			
1118B 372* Fremium Gol 6763 4107A 66* Phina Seol. 85!4 4402 1 25" Rubber plug 28.55 To 52.52 SALES TAX 122.38 ESTIMATED 5.55									7002
1118B 372* Fremium Gol 6763 4107A 66* Phina Seol. 85!4 4402 1 25" Rubber plug 28.55 To 52.52 SALES TAX 122.38 ESTIMATED 5.55	1/24	1.3	27-44	==/=:	1 105				
118B 322 Tremtom Cal 67.62 1107A 66 Phana Seal. 85!4 1402 1 22 Rubber plug 20 20 20 20 10 3737 Tusasa Sales tax 122 38 ESTIMATED 20 254		7.	225						1445.40
110 /A 66 Phino Seal. 1402 1 28" Rubber plug 28 9 28 9 28 9 28 9 28 9 28 9 28 9 9 9 9		3-	COL"			<u> </u>			67.62
7.52.52 SALES TAX 122.38 ESTIMATED 3.54			06	Pheno	Seal.				8514
7,5252 SALES TAX 122 38 ESTIMATED 3.54	4402			75 K	Lubber,	alva			2000
7,525% SALES TAX 122 38 ESTIMATED 3-5254						0			
7,525% SALES TAX 122 38 ESTIMATED 3-5254									N.
7,525% SALES TAX 122 38 ESTIMATED 3-5254	•	-						1	hole
7,52.52 SALES TAX 122.38 ESTIMATED 37.57								Willes a	3.63
ESTIMATED 3-6254							Total .	1000	
ESTIMATED 3-6254								di .	
ESTIMATED 3-6254									
ESTIMATED 3-6254	avin 3737						7,525%	SALES TAX	122 38
JTHORIZTION TITLE TITLE									
	UTHORIZTION_	Drace	V		TITLE			_	33 83 3

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

252153