

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Spot Description: Spot Description: Spot Description: Spot Description: Sect. TwpS. R E W		re (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.		
Section Sect	Expected Stud Date:	Snot Description:		
OPERATOR: Licenses	month day year	·		
Section Regular Impediar Restrown E / W Line of Section Radioses 1: Address 2: City Slate: Zip: County: County				
Address 5: Contact Person:	OPERATOR: License#			
Address 2: Chip: Signo: Zip:	Name:			
Country: Contact Person: Contract Person: Contractor:	Address 1:	Is SECTION: Regular Irregular?		
ContraCtors: Ucense# Name: Field Marne: Lease Name: Well #: Field Marne: Lease Name: Well Drilled For: Well Class: Type Equipment: String Port Property Target Formation(s): Target Formation(s): Read Marne: Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: G	Address 2:	(Note: Locate well on the Section Plat on reverse side)		
Lease Name: Well #:	·	County:		
Field Name:		Lease Name: Well #:		
Name: Neil Drilled For: Weil Class: Type Equipment. Nearest Lease or unit boundary line (in footage): Nearest L	Phone:	Field Name:		
Name:	CONTRACTOR: License#	Is this a Prorated / Spaced Field?		
Nearost Lease or unit boundary line (in footage): Set MSL Galos	Name:			
Ground Surface Elevation: feet MSL Water well within one-quarter mile: yas No No Water well within one-quarter mile: yas No No Water well within one-quarter mile: yas yas Yas No Water well within one-quarter mile: yas yas No Water well within one-quarter yas Yas No Water well within o	Wall Drillad For: Wall Class: Type Fauinment:			
Oil Enh Rec Infloid Mula Rotary Water well within one-quarter mile: Yes No Public water supply well within one-quarter mile: Yes No Public water supply well within one mile: Depht to bottom of fresh water: Depht to Detom of fresh water: Depht to Depht t		· · · · · · · · · · · · · · · · · · ·		
Gas Grage Pool EXI. Cable Ca				
Seismic : # of Holes Other Other: Organor: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Other Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DVMR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district Office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date, Or pursuant to Appendix "B"- Eastern Kansas surface casing order #133,891-4, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15 - Conductor pi				
Depth to bottom of usable water:				
Surface Pipe by Alternate:		·		
Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any):	Other:			
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Water Source for Drill Drill Drill; Formation at Teach Per Permit water Water Source for Water	If OWWO: old well information as follows:			
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Operations. Water Source for Drilling Operation At Experiment Source developed on each drilling rigger or Source developed	in evivo. did non midimation de followe.			
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source For Drilling Operation For Mod Operation For Drilling Operations: Water Source For Dr	Operator:			
Water Source for Drilling Operations: Water Source for Drilling Operation Water Source for Drilling Operation Water Source for Drilling Operations: Water Source for Drilling Operation Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation Promation operation or Drilling Operation Promation Promation Promat		-		
Well Farm Pond Other:	Original Completion Date: Original Total Depth:	Formation at Total Depth:		
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B'- Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum surface pipe required feet per ALT.				
Bottom Hole Location:				
Will Cores be taken? Yes No	•	DWR Permit #:		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15	KCC DKT #:	- Will Cores be taken? Yes No		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY		If Yes, proposed zone:		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY	A.F.	FIDAVIT		
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY		lugging of this well will comply with K.S.A. 55 et. seq.		
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	It is agreed that the following minimum requirements will be met:			
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15				
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15 - Conductor pipe required				
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	, ,	, , , , , , , , , , , , , , , , , , , ,		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15				
Remember to: For KCC Use ONLY	must be completed within 30 days of the spud date or the well shall b	e plugged. In all cases, NOTIFY district office prior to any cementing.		
Remember to: For KCC Use ONLY				
Remember to: For KCC Use ONLY				
Remember to: For KCC Use ONLY	Submitted Electronically			
For KCC Use ONLY API # 15	,	Pamambar to:		
API # 15	For KCC Use ONLY			
Conductor pipe requiredfeet	ADI # 15	•		
Conductor pipe required		·		
Minimum surface pipe requiredfeet per ALTIII	Conductor pipe requiredfeet			
Approved by:	Minimum surface pipe requiredfeet per ALTIII			
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.				
(This authorization expires:				
	·			
	1 2.2010.1.2010.1.101.1.19 Tot otal tod Wallet 12 Mollillo of approval date.)	- If well will not be drilled or permit has expired (See: authorized expiration date)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:		Location of vveii: County:	
Lease:		feet from N / S Line of Sec	ction
Well Number:		feet from E / W Line of Sec	ction
		Sec Twp S. R	
rield.		ουσ τωρ σ. τα [τ	
Number of Acres attributable to we	ell:	Is Section: Regular or Irregular	
QTR/QTR/QTR/QTR of acreage:		is Section. Tregular of Integular	
		If Continue in Innocessing Innocessing the second control in the s	
		If Section is Irregular, locate well from nearest corner boundary.	
		Section corner used: NE NW SE SW	
	PL	_AT	
Show location			
	_	ease or unit boundary line. Show the predicted locations of	
lease roads, tank batte		uired by the Kansas Surface Owner Notice Act (House Bill 2032).	
	You may attach a se	eparate plat if desired.	
: :	: :	:	
		LEGEND	
: :	: : :	EEGEND	
		O Well Location	
		Tank Battery Location	
		Pipeline Location	
		Electric Line Location	
		Lease Road Location	
1 :	: : :	:	
		EVANDIE : :	
: :	: : : : : : : : : : : : : : : : : : :	EXAMPLE	
: :	: 24		
	24		
: :	: : :		
		· · · · · · · · · · · · · · · · · · ·	
1110 ft. ⊙		1980'	FSL
Y:	<u> </u>	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

1325 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

097407

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date con		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to deep	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	itei		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	ксс	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No		



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1097407

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this			
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1			
Submitted Electronically				

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cat	chodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License # 34369 Name: American Land And Energy LLC Address 1: 7277 Tenby Way Address 2: City: Castle Rock State: CO Zip: 80104 + Contact Person: Gary Leiker Phone: (303) 358-9938 Fax: () Email Address:	Well Location: SE_SE_NW_SW_Sec. 24 Twp. 14 S. R. 17 Eas West County: Ellis Lease Name: Werth/Gerstner Well #: 1 If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Surface Owner Information: Name: Randy Werth Address 1: P.O. Box 395 Address 2: City: Hays State KS Zip: 67601	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Select one of the fellowing: Certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.				
KCC will be required to send this information to the surface owner task, I acknowledge that I am being charged a \$30.00 handling feet of the second option, submit payment of the \$30.00 handling feet form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be the statements made herein are true and correct to the	e, payable to the KCC, which is enclosed with this form. e with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Date: Signature of Operator or Agent:	Title:			

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:			Energy, LLC	>		L	_ocation of W	Vell: County: _Ellis
Lease: Werth/Gerstner				1,325	feet from N / S Line of Section			
Well Number:1				1,110	feet from E / X W Line of Section			
Field: Gers	stner						Sec. <u>24</u>	Twp. <u>14</u> S. R. <u>17</u> E 🔀 W
Number of A				- SE	- NW - SW		s Section:	Regular or Irregular
	Sh	ow locatio	n of the w	ell. Show	footage to the nea	PLAT rest lease	Section corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW dary line. Show the predicted locations of the sas Surface Owner Notice Act (House Bill 2032).
					You may attack	h a separa	te plat if desi	ired.
				:	:	:	:	
9								LEGEND
								O Well Location
						:	:	_
	:			:	:	:	:	Tank Battery Location
								Pipeline Location
						:	:	Electric Line Location
								Lease Road Location

					'	į		EXAMPLE : :
	:				:	:	:	
	÷		:		:	1		
	;			***********	:	:		
	П.							
					;			

1980' FSL

SEWARD CO. 3390' FEL

1110

NOTE: In all cases locate the spot of the proposed drilling locaton.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

October 17, 2012

Gary Leiker American Land And Energy LLC 7277 Tenby Way Castle Rock, CO 80104

Re: Drilling Pit Application Werth/Gerstner 1 SW/4 Sec.24-14S-17W Ellis County, Kansas

Dear Gary Leiker:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.