

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:     |
|------------|----------|
| Effective  | Date:    |
| District # | <u> </u> |
| SGA?       | Yes No   |

SGA?

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### **NOTICE OF INTENT TO DRILL**

|   | Spot Description:   |  |  |  |  |  |
|---|---|--|--|--|--|--|
| month day year  | Sec Twp S. R E V  |  |  |  |  |  |
| OPERATOR: License#  | (O/O/O/O) feet from N / S Line of Section   |  |  |  |  |  |
| Name:   | feet from E / W Line of Section   |  |  |  |  |  |
| Address 1:  | Is SECTION: Regular Irregular?  |  |  |  |  |  |
| Address 2:  | (Note: Locate well on the Section Plat on reverse side)   |  |  |  |  |  |
| City:   | County:   |  |  |  |  |  |
| Contact Person:   | Lease Name: Well #:   |  |  |  |  |  |
| Phone:  | Field Name:   |  |  |  |  |  |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?  |  |  |  |  |  |
| Name:   | Target Formation(s):  |  |  |  |  |  |
| Mall Daille d Farm Wall Oleans Time Free free free  | Nearest Lease or unit boundary line (in footage):   |  |  |  |  |  |
| Well Drilled For: Well Class: Type Equipment:   | Ground Surface Elevation:feet MS  |  |  |  |  |  |
| Oil Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:   |  |  |  |  |  |
| Gas Storage Pool Ext. Air Rotary  | Public water supply well within one mile:   |  |  |  |  |  |
| Disposal Wildcat Cable  | Depth to bottom of fresh water:   |  |  |  |  |  |
| Seismic ; # of Holes Other  | Depth to bottom of usable water:  |  |  |  |  |  |
| Other:  | Surface Pipe by Alternate: I II   |  |  |  |  |  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:   |  |  |  |  |  |
|   | Length of Conductor Pipe (if any):  |  |  |  |  |  |
| Operator:   | Projected Total Depth:  |  |  |  |  |  |
| Well Name: Original Total Ponth:  | Formation at Total Depth:   |  |  |  |  |  |
| Original Completion Date: Original Total Depth:   | Water Source for Drilling Operations:   |  |  |  |  |  |
| Directional, Deviated or Horizontal wellbore?   | Well Farm Pond Other:   |  |  |  |  |  |
| f Yes, true vertical depth:   |   |  |  |  |  |  |
| Bottom Hole Location:   | DWR Permit #:(Note: Apply for Permit with DWR )   |  |  |  |  |  |
| (CC DKT #:  | Will Cores be taken?  |  |  |  |  |  |
|   | If Yes, proposed zone:  |  |  |  |  |  |
|   |   |  |  |  |  |  |
| ΛEΓ   | FIDAVIT   |  |  |  |  |  |
|   |   |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plu   |   |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:   |   |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  | gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;   |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  | drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.   |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  | drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.   |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically  For KCC Use ONLY                        | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification   |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -           | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   ubmitted Electronically  For KCC Use ONLY  API # 15            | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification   |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -          | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;  |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   ubmitted Electronically  For KCC Use ONLY  API # 15         | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |  |  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   **Ubmitted Electronically**  **For KCC Use ONLY**  API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;  |  |  |  |  |  |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

Operator: \_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_

| Lease:       |  |  |             |                  |                                  |  |            |             |   | feet f         | rom          | N /  | S Line           | of Section |
|--------------|--|--|-------------|------------------|----------------------------------|--|------------|-------------|---|----------------|--------------|--|------------------|------------|
| Well Number: |  |  |             |                  | feet from E / W Line of Section  |  |            |             |   |                |              |  |                  |            |
|              |  |  |             | _ Se             | SecTwpS. R 🗌 E 🔲 W               |  |            |             |   |                | W            |  |                  |            |
|              |  |  |             | - Is             | Is Section: Regular or Irregular |  |            |             |   |                |              |  |                  |            |
|              |  |  |             |                  |                                  |  |            |             | Irregular, loe<br>er used:              |                |              |  |                  | dary.      |
|              |  |  | atteries, p | ipelines an      | d electrica                      | l lines, as                                | required b |             | dary line. Sho<br>as Surface C<br>ired. |                |              |  |                  |            |
|              |  |  | 24          | 60 ft.           |                                  |  |            | ,           |   |                |              |  |                  |            |
|              |  | :<br>:<br>:<br>:                       | :           | :<br>:<br>:<br>: |                                  | :  | :          | :           |   |                | LEGE         | ND   |                  |            |
|              |  | ······································ |             | :                |                                  | :<br>:<br>:<br>:                           |            | :           |   |                | Pipelin      | ocation<br>attery L<br>e Locati<br>c Line Lo | ion              |            |
|              |  | :<br>                                  |             | :<br>:<br>:      |                                  |  | :<br>      | <br>:       |   |                |              | Road Lo                                      |                  |            |
| 1705 ft      |  | <u>:</u>                               |             | :                |                                  | :  |            | :           | EX                                      | XAMPLE         | :            |  | :                |            |
|              |  | :                                      | :           | 2                | <br>4                            | :<br>:<br>:<br>:                           | :          | :<br>:<br>: |   |                |              |  | :<br>:           |            |
|              |  | ·<br>                                  |             | ·<br>            | ••••                             | ·<br>· · · · · · · · · · · · · · · · · · · |            | ·<br>:      |   |                |              |  |                  |            |
|              |  | :<br><br>:                             |             | :<br>:<br>:      |                                  | :<br><br>:                                 | :<br>:     | :           |   |                | 97           |  | ·<br>·<br>·<br>· | 1980' FSL  |
|              |  | :<br>:<br>:                            | :           | :<br>:<br>:      |                                  | :<br>:<br>:                                | :          | :           |   |                |              | •••••  | :                |            |
|              |  | :                                      | :           | :                |                                  | :  | :          | :           | SFW                                     | :<br>/ARD CO3: | <b>; :</b> : |  | •                |            |

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

097505

Form CDP-1
May 2010
Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                        |   | License Number:  |  |  |  |  |  |
|---|------------------------|---|--|--|--|--|--|--|
| Operator Address:   |                        |   |  |  |  |  |  |  |
| Contact Person:   |                        | Phone Number:   |  |  |  |  |  |  |
| Lease Name & Well No.:  |                        | Pit Location (QQQQ):  |  |  |  |  |  |  |
| Type of Pit:  | Pit is:                |   | 1  |  |  |  |  |  |
| Emergency Pit Burn Pit  | Proposed               | Existing  | SecTwpR East West  |  |  |  |  |  |
| Settling Pit Drilling Pit   | If Existing, date co   | nstructed:  | Feet from North / South Line of Section                                  |  |  |  |  |  |
| Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)                                      | Pit capacity:          |   | Feet from East / West Line of Section                                    |  |  |  |  |  |
|   |                        | (bbls)  | County   |  |  |  |  |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes               | No  | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) |  |  |  |  |  |
| Is the bottom below ground level?   | Artificial Liner?      |   | How is the pit lined if a plastic liner is not used?                     |  |  |  |  |  |
| Yes No  | Yes N                  | No  |  |  |  |  |  |  |
| Pit dimensions (all but working pits):  | Length (fe             | et)   | Width (feet)N/A: Steel Pits  |  |  |  |  |  |
|   | om ground level to dee |   |  |  |  |  |  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. | ner                    | Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. |  |  |  |  |  |  |
|   |                        |   |  |  |  |  |  |  |
|   |                        |   |  |  |  |  |  |  |
|   |                        |   |  |  |  |  |  |  |
| Distance to nearest water well within one-mile of   | of pit:                | Depth to shallowest fresh water feet. Source of information:  |  |  |  |  |  |  |
| feet Depth of water well  | feet                   | measured well owner electric log KDWR   |  |  |  |  |  |  |
| Emergency, Settling and Burn Pits ONLY:   |                        | Drilling, Workover and Haul-Off Pits ONLY:  |  |  |  |  |  |  |
| Producing Formation:  |                        | Type of material utilized in drilling/workover:   |  |  |  |  |  |  |
| Number of producing wells on lease:   |                        | Number of working pits to be utilized:  |  |  |  |  |  |  |
| Barrels of fluid produced daily:  |                        | Abandonment procedure:  |  |  |  |  |  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No                                | pilled fluids to       | Drill pits must be closed within 365 days of spud date.   |  |  |  |  |  |  |
|   |                        |   |  |  |  |  |  |  |
| Submitted Electronically  |                        |   |  |  |  |  |  |  |
| Cabilities Electionically   |                        |   |  |  |  |  |  |  |
|   |                        |   |  |  |  |  |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                        |   |  |  |  |  |  |  |
| Date Received: Permit Num   | her·                   | Permi   | t Date: Lease Inspection: Yes No   |  |  |  |  |  |



#### Kansas Corporation Commission Oil & Gas Conservation Division

1097505

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)   | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| OPERATOR: License #   | Well Location:   |  |  |  |  |  |
| Name:   | SecTwpS. R East  |  |  |  |  |  |
| Address 1:  | County:  |  |  |  |  |  |
| Address 2:  | Lease Name: Well #:  |  |  |  |  |  |
| City: State: Zip:+  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |  |  |  |  |  |
| Contact Person:   | the lease below:   |  |  |  |  |  |
| Phone: ( ) Fax: ( )   |  |  |  |  |  |  |
| Email Address:  |  |  |  |  |  |  |
| Surface Owner Information:  |  |  |  |  |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional   |  |  |  |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. |  |  |  |  |  |
| Address 2:  |  |  |  |  |  |  |
| City:   |  |  |  |  |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tank  | dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.              |  |  |  |  |  |
| ☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this   |  |  |  |  |  |
| task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-  | fee with this form. If the fee is not received with this form, the KSONA-1   |  |  |  |  |  |
| Submitted Electronically  |  |  |  |  |  |  |

# Old Rhed Producers Sec. 24-TZ4S-RI3E

### PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of

lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

LEGEND

O Well Location

Tank Battery Location

Pipeline Location

Pipeline Location

Electric Line Location

Lease Road Location

Tank Part Location

Electric Line Location

Lease Road Location

# SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

400

ful

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

October 15, 2012

Mark Haas Haas Petroleum, LLC 11551 Ash St., Suite 205 Leawood, KS 66211

Re: Drilling Pit Application API 15-207-28390-00-00 Old Rhea 15-HP NW/4 Sec.24-24S-13E Woodson County, Kansas

#### Dear Mark Haas:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.