



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1097811

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other (Explain) _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	--	---

TO MORGAN - WELL INVENTORY 5/21/12
DATE ENTERED ON WELL
INVENTORY 5/21/12 MLH

Skyy Drilling, L.L.C.
Park Place – Becker Building
11551 Ash Street, Suite # 205
Leawood, Kansas 66221
Office (913) 499-8373
Fax (913) 766-1310

May 21, 2012

Company: Haas Petroleum, LLC
11551 Ash Street, # 205
Leawood, Kansas 66211

Lease: Massey – Well # 1 HP
County: Woodson
Spot: NW-NE-SW Sec 35, Twp23, SR 14 E
Spud Date: April 26, 2012
API: 15-207-28030-00-00
TD: 1714'

4/26/12: Move in rig #3. Rigged up, dig pits. Drilled rat hole. Spud 12 ¼ surface hole. Drilled from 0' to 43' TD. At TD cir hole clean. Trip out 12 ¼ bit. Rigged and ran 40' of 8 5/8 casing. Rigged up cementers and cemented – 3 hours
4/27/12: Start up. Nipple up. Trip in hoe with 6 ¾ bit. Drilled out approx. 5' cement. Drilled from 43' to 908'. Cir hole clean. Trip out hole, shut down for weekend.
4/30/12: Start up. Trip back in hole and drilled from 908' to 1680'. CFS 1615' 1627'. Lost cir @ 1010', mix mud for 3 hours. 1680 water pump out of rig – trip back to collars.
5/1/12: Repair rig motor. Trip back in hole. Drilled from 1680' to 1714' TD. At TD cir hole clean, mix mud for log and log hole. Rig out loggers. Laydown drill pipe and collars. Rig and ran 1714' of 4 ½ casing. Rig cementers and cemented – 8 hours

Total Footage 1714' @ \$13.00 Per Foot	\$22,282.00
Total Rig Time 11 Hours @ \$250.00 Per Hour	\$ 2,750.00
Total Dozer Time 7 Hours @ \$100.00 Per Hour	<u>\$ 700.00</u>
TOTAL DUE:	\$25,732.00

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2012

CONSER
WELL REGISTRATION



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 34569

LOCATION Espera

FOREMAN Rick Ledford

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT API# 15-207-28030

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4/22/12	3451	Massey 1-HP	35	235	14E	Woodson
CUSTOMER Haas Petroleum LLC		skiff A19	TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRESS 11551 Ash St. sk 205			520	John		
CITY Leawood			667	Chris B.		
STATE KS	ZIP CODE 66211					

JOB TYPE surface @ HOLE SIZE 12 1/4" HOLE DEPTH 40' CASING SIZE & WEIGHT 8 5/8"
 CASING DEPTH 40' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 15# SLURRY VOL 9.6 bbl WATER gal/sk 6.5 CEMENT LEFT in CASING 5'
 DISPLACEMENT 2 1/2 BWS DISPLACEMENT PSI _____ MIX PSI _____ RATE _____

REMARKS: Safety meeting - Rig up to 8 5/8" casing. Break circulation w/ fresh water.
Mix 40 sacks class A cement w/ 2% cacl2 + 2% gel @ 15#/gal. Displace w/ 2 1/2
bbls fresh water. Shut casing in w/ good cement returns to surface. Job complete. Rig down.

Thank You

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
54015	1	PUMP CHARGE	825.00	825.00
5406	45	MILEAGE	4.00	180.00
11043	40 sks	class A cement	14.95	598.00
1102	25#	2% cacl2	.74	55.50
1118B	25#	2% gel	.21	15.75
5407		for mileage bulk truck <small>RECEIVED KANSAS CORPORATION COMMISSION</small>	m/c	350.00
OCT 01 2012				
CONSERVATION DIVISION WICHITA, KS				
			Subtotal	2024.25
			SALES TAX	48.80
			ESTIMATED TOTAL	2073.10

Ravin 3737

AUTHORIZATION John Frazier

TITLE 049471

DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 34623

LOCATION Eureka

FOREMAN Steve Mead

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT APT 15-207-28030

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
5-3-12	3451	Mossey # 1-14P	35	235	14E	Woodson
CUSTOMER Haas Petroleum LLC						
MAILING ADDRESS 11551 Ash ST Ste. 205						
CITY Leawood		STATE KS	ZIP CODE 66211			
TRUCK #	DRIVER	TRUCK #	DRIVER			
455	Alan M					
515	Colin					
479	Marcel					
637	Chris B.					

JOB TYPE Longstring HOLE SIZE 6 3/4 HOLE DEPTH 1714' CASING SIZE & WEIGHT 4 1/2 9.5#
 CASING DEPTH 1708' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.4# SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING _____
 DISPLACEMENT 27 bbls DISPLACEMENT PSI 800# Bump Plug 1300# RATE _____

REMARKS: Safety Meeting: Rig up to 4 1/2 casing. Break circulation w/ 10 bbls Fresh water. Mix 145 sks 60/40 Poz mix cement w/ 8% Gel & 1/2 # phenoseal AT 12.6#
Tag in with 50 sks Thick Set cement w/ 5 # Kol-Seal AT 13.6#. Wash out Pump & Lines. Release Plug. Displace with 27 bbls Fresh water. Final Pumping Pressure 800#. Bump Plug 1300#. Wait 2 min. Release Pressure Plug held. Didn't circulate cement. Had color water.
Job Complete Rig down.

Thank You

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1030.00	1030.00
5406	45	MILEAGE	4.00	180.00
1131	145 sks	60/40 Poz mix cement	12.55	1819.75
1118B	990#	Gel 8%	.21	207.90
1107A	72#	1/2 # phenoseal	1.29	92.88
1126A	50 sks	Thick Set Cement	19.20	960.00
1110A	250 #	Kol-Seal 5 # per sk	.46	115.00
5407	2	Ton mileage Bulk Trucks	350.00	700.00
4404	1	4 1/2 Top Rubber Plug	45.00	45.00
5502C	3 hrs	80 bbl Vacuum Truck	90.00	270.00
1123	3000 gallons	CITY WATER	16.50/gal	49.50
			SubTotal	5470.03
			SALES TAX	240.18
			ESTIMATED TOTAL	5710.21

Ravin 3737

249549

7.3%

AUTHORIZATION [Signature]

TITLE Toolpusher

DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

Haas Petroleum, LLC

11551 Ash St., # 205
Leawood, Kansas 66211
(913) 499-8373 – Office
(913) 766-1310 - Fax

TWO YEAR CONFIDENTIALITY

May 21, 2012

ACO – 1

MASSEY – WELL # 1 HP
Sec 35, Twp 23, Rge 14 E
Woodson County

Dear Production Department:

We are herewith requesting that the Well Completion form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,

Haas Petroleum, LLC

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2012

CONSERVATION DIVISION
WICHITA, KS

to KCC 5/21/12

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33640
Name: Haas Petroleum, LLC
Address 1: 11551 Ash Street, # 205
Address 2: _____
City: Leawood State: KS Zip: 66211 + _____
Contact Person: Mark Haas
Phone: (913) 499-8373
CONTRACTOR: License # 33557
Name: Skyy Drilling, LLC
Wellsite Geologist: GGR, Inc.
Purchaser: Plains Marketing, LP

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 01 2012
CONSERVATION DIVISION
WICHITA, KS

API No. 15 - 207-28030-00-00
Spot Description: _____
W2_NW_NE_SW Sec. 35 Twp. 23 S. R. 14 East West
2,310 Feet from North / South Line of Section
3,700 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Woodson
Lease Name: Massey Well #: 1 HP
Field Name: Wintersccheid
Producing Formation: Mississippian
Elevation: Ground: 1138 Kelly Bushing: _____
Total Depth: 1714' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: _____ Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 0
feet depth to: 40' w/ 40 sx cmt.

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____
April 26, 2012 May 1, 2012 May 3, 2012
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: Operator Date: May 21, 2012

KCC Office Use ONLY

Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: _____ Date: _____

Operator Name: Haas Petroleum, LLC Lease Name: Massey Well #: 1 HP
 Sec. 35 Twp. 23 S. R. 14 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (If no, Submit Copy) List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8		40'	Class A	40	
Longstring	6 3/4	4 1/2	9.5#	1708'	Poz Mix	145	60/40

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	Perforated 1620.0 to 1624.0 - 13 Perfs	RECEIVED KANSAS CORPORATION COMMISSION OCT 01 2012 CONSERVATION DIVISION WICHITA, KS	
	Perforated 1626.0 to 1630.0 - 13 Perfs		
	Perforated 1635.0 to 1635.0 - 7 Perfs		

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	-------	---------	------------	---

Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____
Estimated Production Per 24 Hours	Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled (Submit ACO-5) (Submit ACO-4) <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	---	--

AD ASTRA PER ASPERA
Kansas
Corporation Commission

Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Thomas E. Wright, Commissioner
Shari Feist Albrecht, Commissioner
September 21, 2012

Sam Brownback, Governor

HAAS PETROLEUM, LLC
11551 ASH ST., STE 205
LEAWOOD, KS 66211

RE: API Well No. 15-207-28030-00-00
MASSEY 1-HP
W2NWNESW, 35-23S-14E
WOODSON County, Kansas

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2012

CONSERVATION DIVISION
WICHITA, KS

Dear Operator:

Upon review of the above referenced well, the following documentation appears to be incomplete pursuant to K.A.R. 82-3-107. The requested information below should be submitted to the KCC to my attention by October 12, 2012 for processing. Failure to submit the requested documentation may be punishable by an administrative penalty pursuant to the General Rules and Regulations for the State of Kansas.

- | | |
|--|---|
| <input checked="" type="checkbox"/> All drilling and completion information. No ACO-1 has been received as of this date. | <input type="checkbox"/> TD and Completion date. (Month, Day, Year) |
| <input type="checkbox"/> Must be notarized and signed. | <input type="checkbox"/> Must have Footages from nearest outside corner of section. |
| <input type="checkbox"/> Must have the ORIGINAL HARD COPY of ACO-1. We do not accept fax copies. | <input type="checkbox"/> Side two on back of ACO-1 must be completed. |
| <input type="checkbox"/> Must be put on new form and typed. | <input type="checkbox"/> Must have final copies of DST's/Charts. |
| <input type="checkbox"/> API # or date when original well was first drilled. | <input type="checkbox"/> All original complete open and cased hole wireline logs run. |
| <input type="checkbox"/> Contractor License #. | <input type="checkbox"/> A copy of geological reports compiled by wellsite geologist. |
| <input type="checkbox"/> Designate type of Well Completion. | <input type="checkbox"/> A copy of all cement job logs showing type, amounts and additives used to cement casing strings, squeeze and/or to plug and abandon. (Note: Cement tickets must be from company providing the cement, not necessarily the contractor.) |
| <input type="checkbox"/> If Workover/Re-entry, need old well information, including original completion date. | <input type="checkbox"/> Any commingling information; File on the ACO-4 form. |
| <input type="checkbox"/> Spud date. (Month, Day, Year) | <input type="checkbox"/> Anything HIGHLIGHTED on ACO-1. |
| <input type="checkbox"/> Other: | |

K.C.C. regulation 82-3-107 provides confidentiality, upon written request, for a period of one year from the date of such letter request. Confidentiality rights are waived if the ACO-1 remains incomplete, or is not timely filed (within 120 days from the well's spud date) including: electric logs, geologist's wellsite reports, driller's logs, and Kansas Geological Survey requested samples.

Do not hesitate to call the Kansas Corporation Commission, Conservation Division, at (316) 337-6200 if there are any questions. Note: If the intent is incorrect, you need to file a corrected intent.

Sincerely,


DEANNA GARRISON

Production Department

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Thomas E. Wright, Commissioner
Shari Feist Albrecht, Commissioner

Sam Brownback, Governor

October 17, 2012

Mark Haas
Haas Petroleum, LLC
11551 ASH ST., STE 205
LEAWOOD, KS 66211

Re: ACO1
API 15-207-28030-00-00
Massey 1-HP
SW/4 Sec.35-23S-14E
Woodson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,
Mark Haas

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Thomas E. Wright, Commissioner
Shari Feist Albrecht, Commissioner

Sam Brownback, Governor

October 25, 2012

Mark Haas
Haas Petroleum, LLC
11551 ASH ST., STE 205
LEAWOOD, KS 66211

Re: ACO-1
API 15-207-28030-00-00
Massey 1-HP
SW/4 Sec.35-23S-14E
Woodson County, Kansas

Dear Mark Haas:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 04/26/2012 and the ACO-1 was received on October 17, 2012 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department