

Kansas Corporation Commission Oil & Gas Conservation Division

1099138

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
☐ Oil ☐ WSW ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	·
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Conv. to ENHR	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Side Two



Operator Name:			Lease Name	e:			_ Well #:	
Sec Twp	S. R	East West	County:					
time tool open and clos	sed, flowing and shut s if gas to surface tes	I base of formations per in pressures, whether set, along with final chart well site report.	shut-in pressure	reached s	static level,	hydrostatic press	sures, bottom h	ole temperature, fl
Orill Stem Tests Taken (Attach Additional S		Yes No		Log	Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolo		☐ Yes ☐ No	N	lame			Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	I Electronically	Yes No Yes No Yes No						
List All E. Logs Run:			RECORD [Used			
	Size Hole	Report all strings set- Size Casing	-conductor, surface Weight		ate, producti Setting	on, etc. Type of	# Sacks	Type and Percen
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.		Depth	Cement	Used	Additives
		ADDITIONA	L OFMENTING (00115575	DECORD			
		ADDITIONA	L CEMENTING / :	SQUEEZE	RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Depth Top Bottom Type of Cement		# Sacks Used Tyl		Type and F	Percent Additives			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No		
Date of First, Resumed I	Production, SWD or ENI	HR. Producing Me	thod:	Gas Li	ift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water	В	bls. (Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease	Open Hole	METHOD OF COM Perf. D	MPLETION: ually Comp omit ACO-5)	. Cor	nmingled mit ACO-4)	PRODUCTIO	ON INTERVAL:
(If vented, Sub	mit ACO-18.)	Other (Specify) _						



TICKET NUMBER 39795

LOCATION O KHOWA HS

FOREMAN Fred Yna dic

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT CEMENT

DATE	CUSTOMER#		NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY
5/24/12	2579	Drehm	*BSI - DR.	12_	SE 8	in in the second second	21	FR
CUSTOMER			To a		TRUCK#	DRIVER	TPUCK#	DOVCD
MAILING ADDRE	rier Res	<u>00163 1</u>	A CONTRACTOR OF THE PROPERTY O		50G	FREMAD	TRUCK# SafeA	DRIVER
					<u> </u>	HARBEC	HB	2 HAVES
<u> </u>	Grande	STATE	ZIP CODE		369	DERMAS	0m	ν
Overlan		KS	66210.		570	SETTUC	57	
JOB TYPE 人也		HOLE SIZE	L	E DEPTH	The second secon	CASING SIZE & W	Company of the Compan	SUF
Job Type <u>rse</u> Casing Depth		DRILL PIPE					OTHER	, , , , , , , , , , , , , , , , , , ,
CASING DEFTH, SLURRY WEIGH	,	SLURRY VOL			k		CASING コル	Pla
DISPLACEMENT	r 3.61	DISPLACEMENT	T PSI MIX F	'SI		RATE_5 APIN		
REMARKS: Es	Kablish Dun	ma rate	Mixx Pum	a 100	# Gel Flus	h. Mixx Pe	MA 90	5/45
70/3	10 Pop m	Sx Came	4x 2% Gel 5	% Sa	At the Phone	a Spal /sic.	Camen	
	face. Flu	15 h 211.00	1 + 1 243 1	Lean	· Displac	e ale" R	ublew slu	***************************************
	TA. D.	raccure 1	No 800 12 1	951.	Hald & MA	mentor Dias	CELLYO Sou	•
	$m \sim m$	17 Roleas	epressura	Ko 5	et floax	Velve S	hut in ,	2.5My
	And the second s	The state of the s				terina title da wycagynego przeprzezenia		<i>></i>
, and	Affine o							Western Company of the Company of th
79		0000		phase and the second	Charles and the state of the st	<u> </u>	2 Modes	Care Alexander
77	C Dvill:	<u>' ~</u>	POPULATION OF THE PARTY OF THE					MARKET AND ADMINISTRATION OF THE PARKET AND ADMINISTRATION OF THE
				ina canada an	- Appropriate the second secon	NECKNOOLOGISTERS		
ACCOUNT CODE	QUANITY	or UNITS	CONTRACTOR OF THE PROPERTY OF	PTION o	f SERVICES or PR	····	UNIT PRICE	TOTAL
5401		ALLEGERIO DE STRUCTURA DE LA COMPANSIONE DE LA C	PUMP CHARGE			495		10308
5406		20m;	MILEAGE		· · · · · · · · · · · · · · · · · · ·	455		8000
5402		bal	Casing to	Oxad	40	and the second s		N/C
5407	2 Mini		Ten Milo	<u>`</u>		570		17500
STORE		Lhus	FO BBL	Vac	Truck	362	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1000
en la	*		EN NORTH HATTER CONTROL WAS ASSESSED FOR THE ASSESSED FOR		OZGASOWA CORONA COR	DESCRIPTION OF THE PROPERTY OF	o problem service and more and a service and more and a service and a se	Control of the Contro
		War variables and the same of	and the second s					
1127		90 s Ks	70/30 Por	$m_{\lambda_{\chi}}$	Lement	SWANNOTH-STANDS CO.		114300
11188	,	2594	Premiss	4.6.	<u></u>			5y≥29
		183 ^{de}	Cornada	Xad	Sa15-			6734
11071		<u> 45 </u>	Pheno S		W. Constitution		(Control of the control of the contr	J862
4402			JK' ROB	au t	ly		40.000	్పోడి ఇస్త
					<i>O</i>	with the second	- popularita de la companya del la companya de la c	
					and the second s	Harris Ha	-	
	The section of the se	Nacional Department of the Control o	W-1550-004 at the manufacturing the party of		Callandrian and programme programme and the control of the calland and the control of the calland and	AND THE PERSON NAMED IN COLUMN TO TH		
		**************************************		-				
				1000 Marian	The state of the s			

2nds 2727		CONTRACTOR OF THE PROPERTY OF	, , , , , , , , , , , , , , , , , , ,		A CONTRACTOR OF THE PARTY OF TH	7.5%	SALES TAX ESTIMATED	10232
Ravin 3737	00	2					ESTIMATED TOTAL	2921 13
AUTHODITTIO	" / (TITI	E			nare	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

JTC Oil, Inc.

Drillers Log

Well Name Dreher BSI DR 12

API # 15-059-26020-00-00 Cement Amounts

Surface Date 5/17/12 7" 20 1 3 Sacks

Cement Date 5/24/12

Well Depth 660

Casing Depth 624

Drillers Log

Drillers Log							
<u>Formation</u>	Depth	Formation	Depth				
top soil	0						
shale	5						
lime	93						
shale	112						
lime	134						
red bed	138						
lime	181						
shale	196						
lime	205						
black shale	234						
lime	241						
coal	264						
lime	268						
shale	282						
lime	445						
shale	462						
lime	528						
shale	530						
lime	547						
shale	549						
lime	567						
shale	568						
lime	570						
shale	573						
top oil sand	584-585 broker	1					
	585-588 v good						
	588-591 v good						
•	591-594 good						
	594-596 ok						
	596-598 shale						
shale	596						
stop drilling	660						
casing pipe	624						