

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1096662

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from North /	South Line of Section
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
Plug Back	Conv. to G		(Data must be collected from to		
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
ENHR	Permit #:				
GSW	Permit #:		Operator Name:		
			Lease Name:		
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West
Recompletion Date		Recompletion Date	County:	Permit #:	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II Approved by: Date:					

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es  No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used	Type and Percent Additives			
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[	Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS:  Used on Lease		N Open Hole	∥ETHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

October 09, 2012

Greg Bratton Running Foxes Petroleum Inc. 6855 S Havana St, Ste 400 CENTENNIAL, CO 80112

Re: ACO1

API 15-011-23965-00-00 Wunderly 14-36B-2 SW/4 Sec.36-24S-23E Bourbon County, Kansas

#### **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Greg Bratton

### **CST Oil & Gas Corporation**

1690 155th St. Fort Scott, Ks

Fax: 1-620-829-5306

Office: 1-620-829-5307

## **Cement & Acid Report**

nd of Job (.ew	Wanderly 14-36B-	. 36	Twp. 245	Rng. 23 E
Quantity	Materials Used			
755KS	Portland Ceme	nt		
		<del></del>		
1		*		
		-		
ell T.D. <u>57</u>	0	Csg. Set	At 517.5	Volume
ze Hole		Tbg Set	AT	Volume
			e 239	
ax. Press		Size Pip	e <u>2</u> 8	
ug Depth		Pker De	pth	
ug Used		Time St	arted	
		Time Fi		
	1 27x1	a ct		
marks: <u>Cer</u>	mented 278/01	ng String	}	



# CST Oil & Gas

Operator		Well: Glander	14=	36 02	
Spud Date	: 6-18-12 Completion Dat	ie: 6-20-/ZBit Size: 634/	Surface Siz	e: 8 <b>5</b> 6	
Depth	Formation	Remarks	Casing Tally		
	8 50 1 21 5			4_/	
	Pad D & May		4	16	
	Halo.		16	30	
	Lunad		30	43	
<del>,</del>	Stale		43	81	
	Syng		8/2	11.3	
	Thate	ht acat	133	138	
	Shale	7	127	180	
	fine	5 -	180	185	
4.1.	Spale		185	339	
	- Sylva	arange	287	290	
	and the second	Land Local	2901 131.X	460	
	Shale.	Ton from	468	520	
	Line Mrss		520	570	
	278 Float Shoe		· · · · · · · · · · · · · · · · · · ·		
	2% Float Shoe 2-238 Centralizers				
	Tubing Clamp		31.65	32.60	
	7/1 2	122	32.70	32,75	
	155		33165	32,60	
<del></del>			32.75	32.78	
м 2	Ram 521 0	2/1/826	32,65	32,60	
			32.10	32.65	
* ;			32.10	32.65	
				517,15 238 Pipe	
				22x ripe	
		е.			