



11 Lewis Drive

Paola, KS 66071

Oil & Gas Well Drilling
Water Wells
Geo-Loop Installation

Phone: 913-557-9083

Fax: 913-557-9084

WELL LOG

Tailwater, Inc.

Teter #8-IW

API#15-003-25,409

May 24 - May 29, 2012

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total</u>
16	soil & clay	16
2	clay & gravel	18
115	shale	133
35	lime	168
14	shale	182
10	lime	192
29	shale	221
3	lime	224
11	shale	235
11	lime	246
6	shale	252
36	lime	288
9	shale	297
21	lime	318
3	shale	321
20	lime	341 base of the Kansas City
174	shale	515
10	lime	525 oil show
8	shale	533
19	oil sand	552 green, good bleeding
2	shale	554
22	oil sand	576 green, good bleeding
1	shale	577
1	coal	578
6	shale	584
8	lime	592
15	shale	607
4	lime	611
14	shale	625
15	lime	640
10	shale	650
4	lime	654
71	shale	725
1	lime & shells	726
11	oil sand	737 brown, good bleeding
6	shale	743
45	sand	788 black, no oil show
		788 TD

Drilled a 9 7/8" hole to 24'
Drilled a 5 5/8" hole to 788'

Set 24' of 7" surface casing cemented with 6 sacks of cement.

Set 778' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

