

QUEST

Resource Corporation

211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

AFF
D11093

TICKET NUMBER

907/7131

FIELD TICKET REF #

FOREMAN Joe Blanchard

SSI 631730

API 15-125-32120

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11-16-11	Shwatken wibur 19-1	19	31	15	

FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Joe Blanchard	7:00	11:30		904850		5.5	<i>Joe Blanchard</i>
Justin T. Jensen	7:00	↓		903255		↓	<i>Justin T. Jensen</i>
Dustin Porter	7:00		903600		<i>Dustin Porter</i>		
Robert L Rice	7:00		931585	932895	<i>Robert L Rice</i>		

JOB TYPE Long string HOLE SIZE 77/8 HOLE DEPTH 1525 CASING SIZE & WEIGHT 5 1/2 14#
 CASING DEPTH 1517.78 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 36.13 DISPLACEMENT PSI 475 MIX PSI 150 RATE 46pm

REMARKS:

washed 10 Ft 5 1/2 Supt & SKS of gal. Installed Cement head Ran 27 BBI dye & 185 SKS of cement to get dye to surface. flush pump. Pump wiper plug to bottom of 2nd float shoe. @ 750 psi


ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
904850	5.5 hr	Foreman Pickup	
903197	↓	Cement Pump Truck	
903600		Bulk Truck	
903414		Transport Truck	
		Transport Trailer	
904735		80 Vac	
	1517.78 Ft	Casing 5 1/2	
	7	Centralizers	
	1	Float Shoe	
	1	Wiper Plug	
	2	Frac Baffles 4" x 4 1/2"	
	140 SK	Portland Cement	
	35 SK	Gilsonite	
	2 SK	Flo-Seal	
	14 SK	Premium Gel	
	5 SK	Cal Chloride	
	2	5 1/2 Basket	
	8000 gal	City Water	
931585	5.5 hr	Casing tractor	
932895	5.5 hr	Casing trailer	

TD'd, McPherson Drilling @ 12 Noon Wednesday 11-09-2011

Pipe#	Length	Running Total	Baffle Location	POSTROCK ENERGY CORP - CASING TALLY SHEET
1	38.9	38.90		Date: 11/10/2011
2	39.36	78.26		Well Name & #: Schwatken, Wilbur A. 19-1
3	38.39	116.65		Township & Range: 31S-15E
4	39.42	156.07		County/State: Montgomery/Kansas
5	38.95	195.02		SSI #: 631730
6	39.84	234.86		AFE#: D11093
7	38.25	273.11		Road Location: 2700 Rd. & 6000 Rd., S & E into.
8	38.44	311.55	Cement Basket	API# 15-125-32120
9	39.46	351.01		
10	38.43	389.44		
11	39.05	428.49		
12	39.81	468.30		
13	40.06	508.36		
14	39.48	547.84		
15	40.02	587.86		
16	39.24	627.10		
17	39.19	666.29		
18	38.8	705.09		
19	39.95	745.04		
20	38.33	783.37		
21	38.66	822.03		
22	38.17	860.20		
23	39.04	899.24		
24	39.27	938.51		
25	38.73	977.24		
26	38.64	1015.88		
27	38.16	1054.04	← Set Upper Baffle at 1054.04 ft. Big Hole.	
28	38.54	1092.58		
29	38.4	1130.98		
30	39.12	1170.10	← Set Lower Baffle at 1170.10 ft. Small Hole.	
31	40.15	1210.25		
32	38.65	1248.90		
33	40.28	1289.18		Use 38 joints & all 3 Subs.
34	39.51	1328.69		
35	38.61	1367.30	Cement Basket	
36	39.36	1406.66		
37	40.38	1447.04		
38	38.12	1485.16		Be Safe. Stay dry.
Sub	20.03	1505.19		
Sub	7.15	1512.34		
Sub	5.44	1517.78	Tally Bottom	Keep up the Good Work!!!
39	39.18	Do Not use joint #39.		

Miss Top 1405 ft.
Tally Bottom 1517.78 ft.
Driller TD 1520 ft.
Log Bottom 1524.90 ft.

Put Safety 1st! Teamwork works!!


 Sr. Geologist.
 Cell 620-305-9900.
 11-10-2011