

TO MORGAN - WELL INVENTORY \_\_\_\_\_  
DATE ENTERED ON WELL  
INVENTORY 5/4/2012 MLH

Skyy Drilling, L.L.C.  
Park Place – Becker Building  
11551 Ash Street, Suite # 205  
Leawood, Kansas 66221  
Office (913) 499-8373  
Fax (913) 766-1310

May 4, 2012

Company: Haas Petroleum, LLC  
11551 Ash Street, # 205  
Leawood, Kansas 66211  
Lease: G. Edwards – Well # 1 HP  
County: Woodson  
Spot: NE NW SW Sec 36, Twp 23, SR 14 E  
Spud Date: April 19, 2012  
API: 15-207-28051-00-00  
TD: 1722'

4/19/12: Build location. Dig pit's and pump water. Drilled rat hole, spud 12 ¼ surface, TD 41' cir hole clean. Trip out 12 ¼ bit. Rig and ran 40' of 8 5/8 casing, rig cementers and cement. Plug down @ 9:00 PM. Shut down for weekend.  
4/23/12: Start up. Nipple up. Trip in hole with 6 ¾ bit. Drilled approx. 5' of cement. Under surface drilling @ 10:45 AM. Drilled from 41' to 1049'.  
4/24/12: Drilled from 1049' to 1610'.  
4/25/12: Drilled from 1610' to 1722' TD. CFS @ 1635', 1722'. At TD 1722' cir hole ½ hour. Short trip 15 stand's back on bottom. Cir hole 1 hour. Then trip out of hole with bit. Rig up loggers and log hole. Rig out loggers. Nipple down. Lay down drill pipe and collars out of derrick. Rig to run 4 ½ casing. Ran 1714' of 4 ½ casing. Rig up cementers and cement.

Total Footage 1722' @ \$13.00 Per Foot:	\$22,386.00
Total Rig Time 20 Hours @ \$250.00 Per Hour:	\$ 5,000.00
Total Dozer Time 12 Hours @ \$100.00 Per Hour:	<u>\$ 1,200.00</u>
<b>TOTAL DUE:</b>	<b>\$28,586.00</b>

Rig Time:  
Surface – 3 Hours  
CFS – 1 Hour  
Logging – 8 Hours  
Lay Down, run casing & cementing – 8 Hours

Dozer Hours:  
Building location, getting rig in, closing pit's.

RECEIVED  
KANSAS CORPORATION COMMISSION  
OCT 01 2012  
CONSERVATION DIVISION  
WICHITA, KS



**CONSOLIDATED**  
Oil Well Services, LLC



**ENTERED**

TICKET NUMBER 36445

LOCATION Eureka

FOREMAN Steven Neal

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**

**CEMENT** API 15-207-28051

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4-19-12	3431	G Edwards 1-HP	36	23S	14E	Woodson
CUSTOMER			TRUCK #			
Hans Petroleum LLC			485	DRIVER		
MAILING ADDRESS			667	CHRIS B		
11551 Ash St. Ste. 205						
CITY		STATE	ZIP CODE			
Leawood		KS	66211			

JOB TYPE Surface  HOLE SIZE 12 1/4 HOLE DEPTH 40' CASING SIZE & WEIGHT 8 3/8  
 CASING DEPTH 40' DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT In CASING \_\_\_\_\_  
 DISPLACEMENT 2.4 bbls DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE \_\_\_\_\_

REMARKS: Safety Meeting. Rig up to 8 3/4 casing. Break circulation w/ Fresh water. Mix 4 sacks Class A cement w/ 2% CaCl2, 2% Gel. Displace with 2.4 bbls Fresh water. Shut well in. Good cement Return to surface. Job Complete Rig down.

Thank You

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
54015	1	PUMP CHARGE RECEIVED	825.00	825.00
5406	45	MILEAGE KANSAS CORPORATION COMMISSION	4.00	180.00
OCT 01 2012				
11045	46 SKS	Class A cement	14.96	598.00
1102	25 <sup>0</sup>	CaCl2 2%	.74	55.50
11180	25 <sup>0</sup>	Gel 2%	.21	15.25
5407		Tan mileage bulk truck	MIC	350.00
Sub Total				2024.25
SALES TAX 2.2%				48.85
ESTIMATED TOTAL				2073.10

Ravin 3737

AUTHORIZATION

TITLE 249188

DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



**CONSOLIDATED**  
Oil Well Services, LLC

**ENTERED**

TICKET NUMBER 34568 ✓  
LOCATION Euicks  
FOREMAN Rick Ledford

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

API # 15-207-28051

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY																
4-25-12	3451	G. Edwards 1-HP	36	235	146	Woodson																
CUSTOMER <u>Haas Petroleum LLC</u>			<table border="1"> <thead> <tr> <th>TRUCK #</th> <th>DRIVER</th> <th>TRUCK #</th> <th>DRIVER</th> </tr> </thead> <tbody> <tr> <td>520</td> <td>John</td> <td></td> <td></td> </tr> <tr> <td>667 L</td> <td>Chris B.</td> <td></td> <td></td> </tr> <tr> <td>611 T</td> <td>Jacy</td> <td></td> <td></td> </tr> </tbody> </table>				TRUCK #	DRIVER	TRUCK #	DRIVER	520	John			667 L	Chris B.			611 T	Jacy		
TRUCK #	DRIVER	TRUCK #					DRIVER															
520	John																					
667 L	Chris B.																					
611 T	Jacy																					
MAILING ADDRESS <u>11551 Ash St. ste 205</u>																						
CITY <u>Leawood</u>																						
STATE <u>KS</u>																						
ZIP CODE <u>66211</u>																						

JOB TYPE 4/5 0 HOLE SIZE 6 3/4" HOLE DEPTH 1721' CASING SIZE & WEIGHT 4 1/2" 9.5"  
 CASING DEPTH 1714' DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT 13.4#/13.4# SLURRY VOL 60 Bbl WATER gal/sk 8.0-9.0 CEMENT LEFT in CASING 0'  
 DISPLACEMENT 27 3/4 Bbl DISPLACEMENT PSI 700 ~~MAX~~ PSI 1250 Bump plug RATE \_\_\_\_\_

REMARKS: Safety meeting - Rig up to 4 1/2" casing. Break circulation w/ 10 Bbl fresh water. Mixed 145 sks 60/40 Pozmix cement w/ 8% gel + 1/2" phenoseal /sk @ 13.4#/gal. Tail in w/ 50 sks thickset cement w/ 5" Kol-seal /sk @ 13.4#/gal. Washout pump + lines, shut down, release plug. Displace w/ 27 3/4 Bbl fresh water. Final pump pressure 700 PSI Bump plug to 1250 PSI. release pressure, float + plug held. Good cement returns to surface = 12 Bbl slurry to pit. Job complete. Rig down.

"Thank You"

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1030.00	1030.00
5406	45	MILEAGE	4.00	180.00
1131	145 sks	60/40 Pozmix cement	12.55	1819.75
1188	990#	8% gel	.21	207.90
1107A	72#	1/2" phenoseal /sk	1.29	92.88
1126A	50 sks	thickset cement	19.20	960.00
1110A	250#	5" Kol-seal /sk	.46	115.00
5407	2	ton mileage bulk tires	350.00	700.00
4404	1	4 1/2" top rubber plug	45.00	45.00
RECEIVED KANSAS CORPORATION COMMISSION OCT 01 2012 CONSERVATION DIVISION WICHITA, KS				
Subtotal				5150.53
7.3% SALES TAX				236.57
ESTIMATED TOTAL				5387.10

Ravin 3737

AUTHORIZATION [Signature] TITLE 249370 DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

**Haas Petroleum, LLC**

11551 Ash St., # 205  
Leawood, Kansas 66211  
(913) 499-8373 – Office  
(913) 766-1310 - Fax

**TWO YEAR CONFIDENTIALITY**

May 4, 2012

ACO – 1

G. EDWARDS – 1 HP  
Sec 36, Twp 23, Rge 14 E  
Woodson County

Dear Production Department:

We are herewith requesting that the Well Completion form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,

Haas Petroleum, LLC

RECEIVED  
KANSAS CORPORATION COMMISSION

OCT 01 2012

CONSERVATION DIVISION  
WICHITA, KS

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1  
June 2009  
Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

OPERATOR: License # 33640  
Name: Haas Petroleum, LLC  
Address 1: 11551 Ash Street, # 205  
Address 2: \_\_\_\_\_  
City: Leawood State: KS Zip: 66211 + \_\_\_\_\_  
Contact Person: Mark Haas  
Phone: ( 913 ) 499-8373  
CONTRACTOR: License # 33557  
Name: Skyy Drilling, LLC  
Wellsite Geologist: GGR, Inc.  
Purchaser: Plains Marketing, LP

**RECEIVED  
KANSAS CORPORATION COMMISSION  
OCT 01 2012  
CONSERVATION DIVISION  
WICHITA, KS**

Designate Type of Completion:

- New Well     Re-Entry     Workover
- Oil     WSW     SWD     SLOW
- Gas     D&A     ENHR     SIGW
- OG     GSW     Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic     Other (Cora, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD

Conv. to GSW

Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_

Commingled    Permit #: \_\_\_\_\_

Dual Completion    Permit #: \_\_\_\_\_

SWD    Permit #: \_\_\_\_\_

ENHR    Permit #: \_\_\_\_\_

GSW    Permit #: \_\_\_\_\_

April 19, 2012	April 25, 2012	April 26, 2012
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-28051-00-00

Spot Description: \_\_\_\_\_  
NE NW SW Sec. 36 Twp. 23 S. R. 14  East  West

2,310 Feet from  North /  South Line of Section

990 Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:  
 NE     NW     SE     SW

County: Woodson

Lease Name: G. Edwards Well #: 1 HP

Field Name: Winterscheid

Producing Formation: Mississippian

Elevation: Ground: 1117 Kelly Bushing: \_\_\_\_\_

Total Depth: 1722 Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: 0  
feet depth to: 40 w/ 40 sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: Operator Date: May 4, 2012

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Operator Name: Haas Petroleum, LLC Lease Name: G. Edwards Well #: 1 HP  
 Sec. 36 Twp. 23 S. R. 14  East  West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
*(Attach Additional Sheets)*

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No

Electric Log Submitted Electronically  Yes  No  
*(If no, Submit Copy)*

Log Formation (Top), Depth and Datum  Sample  
 Name Top Datum

List All E. Logs Run:

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8		40'	Class A	40	
Longstring	6 3/4	4 1/2	9.5#	1714'	Pozmix	145	60/40

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
		RECEIVED KANSAS CORPORATION COMMISSION  OCT 01 2012  CONSERVATION DIVISION WICHITA, KS	

TUBING RECORD: Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  Flowing  Pumping  Gas Lift  Other (Explain) \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbbls.	Gas Mcf	Water Bbbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-1B.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------

E PLURIBUS UNUM  
AD ASTRA PER ASPERA  
**Kansas**  
Corporation Commission

Phone: 316-337-6200  
Fax: 316-337-6211  
<http://kcc.ks.gov/>

Mark Sievers, Chairman  
Thomas E. Wright, Commissioner  
Shari Feist Albrecht, Commissioner  
September 21, 2012

Sam Brownback, Governor

HAAS PETROLEUM, LLC  
11551 ASH ST., STE 205  
LEAWOOD, KS 66211

RE: API Well No. 15-207-28051-00-00  
G. EDWARDS 1-HP  
NENWSW, 36-23S-14E  
WOODSON County, Kansas

RECEIVED  
KANSAS CORPORATION COMMISSION  
  
OCT 01 2012  
  
CONSERVATION DIVISION  
WICHITA, KS

Dear Operator:

Upon review of the above referenced well, the following documentation appears to be incomplete pursuant to K.A.R. 82-3-107. The requested information below should be submitted to the KCC to my attention by October 12, 2012 for processing. Failure to submit the requested documentation may be punishable by an administrative penalty pursuant to the General Rules and Regulations for the State of Kansas.

- |                                                                                                                          |                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> All drilling and completion information. No ACO-1 has been received as of this date. | <input type="checkbox"/> TD and Completion date. (Month, Day, Year)                                                                                                                                                                                             |
| <input type="checkbox"/> Must be notarized and signed.                                                                   | <input type="checkbox"/> Must have Footages from nearest outside corner of section.                                                                                                                                                                             |
| <input type="checkbox"/> Must have the ORIGINAL HARD COPY of ACO-1. We do not accept fax copies.                         | <input type="checkbox"/> Side two on back of ACO-1 must be completed.                                                                                                                                                                                           |
| <input type="checkbox"/> Must be put on new form and typed.                                                              | <input type="checkbox"/> Must have final copies of DST's/Charts.                                                                                                                                                                                                |
| <input type="checkbox"/> API # or date when original well was first drilled.                                             | <input type="checkbox"/> All original complete open and cased hole wireline logs run.                                                                                                                                                                           |
| <input type="checkbox"/> Contractor License #.                                                                           | <input type="checkbox"/> A copy of geological reports compiled by wellsite geologist.                                                                                                                                                                           |
| <input type="checkbox"/> Designate type of Well Completion.                                                              | <input type="checkbox"/> A copy of all cement job logs showing type, amounts and additives used to cement casing strings, squeeze and/or to plug and abandon. (Note: Cement tickets must be from company providing the cement, not necessarily the contractor.) |
| <input type="checkbox"/> If Workover/Re-entry, need old well information, including original completion date.            | <input type="checkbox"/> Any commingling information; File on the ACO-4 form.                                                                                                                                                                                   |
| <input type="checkbox"/> Spud date. (Month, Day, Year)                                                                   | <input type="checkbox"/> Anything HIGHLIGHTED on ACO-1.                                                                                                                                                                                                         |
| <input type="checkbox"/> Other:                                                                                          |                                                                                                                                                                                                                                                                 |

K.C.C. regulation 82-3-107 provides confidentiality, upon written request, for a period of one year from the date of such letter request. Confidentiality rights are waived if the ACO-1 remains incomplete, or is not timely filed (within 120 days from the well's spud date) including: electric logs, geologist's wellsite reports, driller's logs, and Kansas Geological Survey requested samples.

Do not hesitate to call the Kansas Corporation Commission, Conservation Division, at (316) 337-6200 if there are any questions. Note: If the intent is incorrect, you need to file a corrected intent.

Sincerely,

  
DEANNA GARRISON

Production Department