







**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Mkol Oil, LLC

**33-10s-17w Rooks KS**

1407 Washington Cir.  
Hays KS, 67601

**Schrandt # 1-33**

Job Ticket: 49474

**DST#: 4**

ATTN: Bob Stolzle

Test Start: 2012.09.14 @ 01:20:00

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 61.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 8.79 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
62.00	Mud - Skim of Oil, 100%M	0.587
1147.00	MW, 10%M, 90%W	16.089
248.00	WM, 5%W, 95%M	3.479

Total Length: 1457.00 ft      Total Volume: 20.155 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:



Serial #: 8369

Inside

Mkol Oil, LLC

Schrandt # 1-33

DST Test Number: 4

