

Measured Depth (ft)	Sub-Sea Incl. (deg)	Vertical Azim. (ft)	True Vert Depth (ft)	Northings (+) Southings (-) (ft)	Eastings (+) Westings (-) (ft)	Vert Section (ft)	DLS deg/100' (deg)	FNL	FSL	FWL	FEL	
6855	91.00	179.90	4841.61	-2401.43	31.25	2401.63	1.27	2601	2685	1984	3351	
6950	91.10	181.00	4839.87	-2496.41	30.50	2496.60	1.16	2696	2590	1982	3353	
7044	89.90	180.60	4839.05	-2590.40	29.19	2590.56	1.35	2790	2496	1980	3355	
7141	89.30	180.20	4839.72	-2687.39	28.51	2687.54	0.74	2887	2399	1978	3357	
7236	89.10	179.40	4841.05	-2782.38	28.85	2782.53	0.87	2982	2304	1977	3358	
7331	89.30	180.40	4842.38	-2877.37	29.01	2877.51	1.07	3077	2209	1976	3358	
7426	89.80	180.10	4843.12	-2972.37	28.60	2972.50	0.61	3172	2114	1975	3360	
7521	88.50	179.40	4844.53	-3067.35	29.01	3067.48	1.55	3267	2019	1974	3360	
7616	89.60	180.20	4846.11	-3162.34	29.34	3162.47	1.43	3362	1924	1973	3361	
7711	90.00	180.90	4846.44	-3257.33	28.43	3257.44	0.85	3457	1829	1971	3363	
7809	89.80	179.90	4846.61	-3355.33	27.75	3355.43	1.04	3555	1731	1970	3365	
7902	90.20	179.90	4846.61	-3448.33	27.91	3448.42	0.43	3648	1638	1969	3365	
7996	90.00	178.90	4846.44	-3542.32	28.89	3542.42	1.08	3742	1544	1969	3365	
8090	89.10	178.00	4847.18	-3636.28	31.44	3636.40	1.35	3836	1450	1970	3364	
8186	88.50	178.10	4849.19	-3732.20	34.70	3732.36	0.63	3932	1354	1972	3362	
8282	91.00	178.10	4849.61	-3828.14	37.88	3828.33	2.60	4028	1258	1974	3359	
8377	91.00	177.40	4847.95	-3923.05	41.61	3923.27	0.74	4123	1163	1977	3357	
8472	91.60	179.10	4845.80	-4017.98	44.51	4018.23	1.90	4218	1068	1979	3355	
8567	91.00	178.60	4843.64	-4112.94	46.42	4113.20	0.82	4313	973	1980	3354	
8662	90.10	177.10	4842.73	-4207.86	49.98	4208.16	1.84	4408	878	1982	3351	
8757	90.60	178.50	4842.15	-4302.79	53.63	4303.12	1.56	4503	783	1985	3349	
8852	93.10	180.20	4839.08	-4397.72	54.71	4398.06	3.18	4598	688	1985	3348	
8947	93.50	180.90	4833.62	-4492.56	53.80	4492.88	0.85	4693	593	1983	3350	
9044	93.50	180.20	4827.69	-4589.37	52.87	4589.68	0.72	4789	497	1981	3352	
9139	90.20	180.30	4824.63	-4684.31	52.45	4684.60	3.48	4884	402	1979	3354	
9166	89.50	180.00	4824.70	-4711.31	52.38	4711.60	2.82	4911	375	1979	3354	
TD	9211	89.50	180.00	4825.09	-4756.31	52.38	4756.59	0.00	4956	330	1978	3354