***BAILEY, MARION 14-2***

1 NAME & UPPER & LOWER LIMIT OF EACH PRODUCTION INTERVAL TO BE COMMINGLED

| | | | | | |
|---|---|---|---|---|---|
| FORMATION: | WIER | (PERFS): | 854 | - | 856 |
| FORMATION: | ROWE | (PERFS): | 949 | - | 951 |
| FORMATION: | NEUTRAL | (PERFS): | 955 | - | 957 |
| FORMATION: | RIVERTON | (PERFS): | 1008 | - | 1011 |
| FORMATION: | CATTLEMAN | (PERFS): | 781 | - | 787 |
| FORMATION: | BARTLESVILLE | (PERFS): | 846 | - | 850 |
| FORMATION: | | (PERFS): | | - | |
| FORMATION: | | (PERFS): | | - | |
| FORMATION: | | (PERFS): | | - | |
| FORMATION: | | (PERFS): | | - | |
| FORMATION: | | (PERFS): | | - | |
| FORMATION: | | (PERFS): | | - | |

2 ESTIMATED AMOUNT OF FLUID PRODUCTION TO BE COMMINGLED FROM EACH INTERVAL

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| FORMATION: | WIER | BOPD: | 0 | MCFPD: | 0 0 | BWPD: | 4.44 |
| FORMATION: | ROWE | BOPD: | 0 | MCFPD: | 0 | BWPD: | 4.44 |
| FORMATION: | NEUTRAL | BOPD: | 0 | MCFPD: | 0 | BWPD: | 4.44 |
| FORMATION: | RIVERTON | BOPD: | 0 | MCFPD: | 0 | BWPD: | 4.44 |
| FORMATION: | CATTLEMAN | BOPD: | 1.5 | MCFPD: | 0 | BWPD: | 10 |
| FORMATION: | BARTLESVILLE | BOPD: | 1.5 | MCFPD: | 0 | BWPD: | 10 |
| FORMATION: | 0 | BOPD: | | MCFPD: | | BWPD: | |
| FORMATION: | 0 | BOPD: | | MCFPD: | | BWPD: | |
| FORMATION: | 0 | BOPD: | | MCFPD: | | BWPD: | |
| FORMATION: | 0 | BOPD: | | MCFPD: | | BWPD: | |
| FORMATION: | 0 | BOPD: | | MCFPD: | | BWPD: | |
| FORMATION: | 0 | BOPD: | | MCFPD: | | BWPD: | |