

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

			Spot Description:
	month da	ay year	Sec Twp S. R E
DPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Secti
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
		Zip: +	County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#	¥		Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
W " D " " . T	14/ 11/01	.	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Stora	• =	Air Rotary	Public water supply well within one mile:
Dispo		Cable	Depth to bottom of fresh water:
Seismic ;#			Depth to bottom of usable water:
Other:			Surface Pipe by Alternate:
If OWWO: old well	Il information as follows:		Length of Surface Pipe Planned to be set:
_			
•			Projected Total Depth:
	Origin	al Total Depth:	
Original Completion D	ate Origin	ai iotai Deptii	Water Source for Drilling Operations:
Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:
f Yes, true vertical depth:			DWR Permit #:
Bottom Hole Location:			(Note: Apply for Permit with DWR)
KCC DKT #:			
			If Yes, proposed zone:
The second and second be as been	- (C (b (b		FIDAVIT
	•		ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	wing minimum requireme	ents will be met:	
	iate district office <i>prior</i> to		
	roved notice of intent to a	•	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
A copy of the appr			
 A copy of the appr The minimum amo 	ount of surface pipe as s	•	, , , , , , , , , , , , , , , , , , , ,
 A copy of the appr The minimum amount through all uncons 	ount of surface pipe as s solidated materials plus a	a minimum of 20 feet into th	ne underlying formation.
 A copy of the appr The minimum amounthrough all uncons If the well is dry ho 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe	a minimum of 20 feet into the een the operator and the dis	, , , , , , , , , , , , , , , , , , , ,
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ	a minimum of 20 feet into the een the operator and the dis ed before well is either plug uction pipe shall be cemente	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Approve the completed ubmitted Electro For KCC Use ONLY	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appende to the complete of the c	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appendent be completed Ubmitted Electro For KCC Use ONLY API # 15 -	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by the completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order # spud date or the well shall be the manual of the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appendix be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re 	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall befeetfeetfeet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by:	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall befeetfeetfeet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Careage attribution plat according to field proration orders;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be feet feet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2120 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

101689

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit			SecTwp R		
Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date constructed: ———————————————————————————————————		Feet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to deep	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all sp flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	кссс	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1101689

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

November 19, 2012

Lance Town R.T. Enterprises of Kansas, Inc. PO BOX 339 LOUISBURG, KS 66053-0339

Re: Notice of Intent to Drill Pearson 24 SE/4 Sec.11-15S-20E Douglas County, Kansas

Dear Mr. Town:

Records indicate that three domestic water wells are located less than 660 feet from this proposed location. Eastern Kansas Surface Casing Order #133,891-C for Area 3, paragraph 2 states, "No well shall be drilled closer than 660 feet of an existing domestic or municipal water well without written owner notification, a copy of which must be attached to the drilling intent form during filing. Special casing and cementing requirements may be imposed in those areas producing fresh and usable water."

Please provide us with a copy of the owner notification to further the processing of your notice of intent to drill. A copy of the water well records are attached..

I may be contacted at 316-337-6200 if you need additional information.

Rick Hestermann Production Department



Scan of WWC5 Form

				ER WELL RECORD	Form WWC-5	KSA 82a	1212		
		TERWELL:	Fraction	11		tion Number	Township Num		Rango Number
County:	DOY	1/25		· NE " SE		//	1 /5	S	A 20 EW
	, ,	from pearest to	wn or city street	accress of well if locate	d within city?				_
	11/5	726	o + La	ldwin					
Z WATER		1100	o Walk	er					
RR#, St. A City, State,		12 # :		n. K5. 66	006		Board of Agri Application N		sion of Water Resources
3 LOCATE		OCATION WITH	4 DEPTH OF	COMPLETED WELL	71	. It ELEVA	TION:		
AN A	IN SECTIO	N BOX:	Depth(s) Groun	dwater Encountered 1	3 5.	11. 2		N. 3	and the second
ī	Ţ		WELL'S STATE	C WATER LEVEL 3	D t b	elow land sur	lace measured on m	o'dayiyr 🕹	125/87
1 1	- NAV	NE	Pun	np test data: Well water	rwas	ft. al	ter	nours pumpi	inggpm
1 [1		Est. Yield 5.	gpm; Woll water	r was	ft. al	ter	ours pumpi	ing gpm
* w -	i	ا، لــــا ا	Bore Hole Dian	neterin. to	24	M., 4	and	in, to	
₹ "	!	1, 1	WELL WATER	TO BE USED AS:	5 Public water	supply	B Air conditioning	11 Inje	ction well
7 L	- eu/	SE E-	120omestic		6 Oil field wal		9 Dewalering		er (Specify below)
1 5	- 317		2 Irrigation						
	i		Was a chemical	l'bacteriological sample s	submitted to De	partment? Ye	No X	.; If yes, mo	
1 -		5	mitted			Wat	er Well Disinlected?	Yes X	No .
5 TYPE O	F BLANK	CASING USED:		5 Wrought Iron	8 Concre	the tile	CASING JOINT	S: Gluod	∠ Camped
1 510		3 RMP (S	Rj	6 Asbestos-Cement	9 Other	specify below)	Welded.	
(S) PVI		4 ABS		7 Fiborglass					1
Blank casin	ng diamete	5	in. to 3.0.	tt. Da	in. to		tt, Dia	in.	. fi و دي ايو در افغ
Casing help	ght abova	and surface	2.4	.in., weight			1. Wall thickness or	gauge No	50 K 36
TYPE OF S	SCREEN C	A PERFORATIO	N MATERIAL:		(Devi	3	10 Asbest	los-cement	
1 Ste	rel .	3 Stainless	s steel	5 Fiberglass	8 RM	P (\$R)	11 Other	(specify)	
2 Dra	155	4 Galvaniz	ed steet	6 Concrete tile	9 ADS	3	12 None	neqo) beeu	hole)
SCREEN C	OR PERFO	RATION OPENIN	IGS ARE:	5 Gauze	boqqarw be		8 Saw cut	11	None (open hole)
1 Cor	ntinuous sk	ot 3 M	ill slot	6 Wire			Drilled holes		
2 Lou	uvered shut	ner 4 K	ay punched	7 Torch	cut		10 Other (specify) .		
SCREEN-P	PERFORAT	ED INTERVALS	From	30 h 10	7/	4 F		4	
					** *****	II . From		11 10	
İ			From	h. 10					
G	RAVEL PA	CK INTERVALS:					1	, , , ft lo ft lo	
			From				1	, , , ft lo ft lo	
6 GROUT	MATERIA	L: _ 1 Nont o	From From	t. to	3 Bento	tt Fron	1	, , ft lo . ft lo . ft lo	it
6 GROUY Grout Inten	MATERIA vals: Fro	m O Nent	From From Cerment 26		3 Bento	tt Fron	1	, , ft lo . ft lo . ft lo	it
6 GROUY Grout Inten What is the	MATERIA vals: Fro	L: 1 Neat of	From From Cerment 11. to 26 contamination:	t. to	3 Bento	tt Fron	Other	, ft lo . . ft lo ft lo	it
6 GROUY Grout Inten What is the	MATERIA vals: Fro	m O Nent	From From Cerment 11. to 26 contamination:	t. to	3 Bento	tt From	Dther ft. From	ft lo ft lo ft lo ft lo	
GROUT Grout Inten What is the OSos 2 Sov	MATERIA vals: Fro prearest s proctank wer lines	buroo of possible 4 Later 5 Coss	From From cement ft. to . 26 contamination: al lines pool	t. 10 t. 10 tt. 10 tt. to Coment grout tt. From	3 Bento	tt Fronti, Fronti, Fronti, Frontie 4 to 0 10 Livest	Dther ft. From	ft lo ft lo ft lo 14 Aban 15 Oil w	it. In the state of the state o
GROUT Grout Inten What is the OSos 2 Sov	MATERIA vals: Fro prearest s proctank wer lines	in O Neat o	From From cement ft. to . 26 contamination: al lines pool	tt. 10 tt. 10 tt. 10 tt. 10 tt. to Comment grout tt. From 7 Pit privy	3 Bento	tt From tt Fro	n	ft lo ft lo ft lo 14 Aban 15 Oil w	it. ft. ft. ft. ft. ft. ft. ft. ft. ft. f
GROUT Grout Inten What is the Sop 2 Sev 3 Wat Direction in	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	buroo of possible 4 Later 5 Coss	From From cernent ft. to 26 contamination al lines pool age pit	t. 10 t. 10 th. 10 th. to Exement grout th. From 7 Pit privy 8 Sowage lage 9 Foodyard	3 Bento	ti Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
6 GROUT Grout Inten What is the C Sep 2 Sew 3 Wat Direction In	MATERIA vals: Fro e nearest s pric tank wer lines atertight sev	burco of possible 4 Later 5 Coss ver lines 6 Seep	From From cement ft. to . 26 contamination: al lines pool	t. 10 t. 10 th. 10 th. to Exement grout th. From 7 Pit privy 8 Sowage lage 9 Foodyard	3 Bento	tt Frontille 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect	Deher	ft to ft to ft to 14 Aban 15 Oil w 16 Other	it.
GROUT Grout Inten What is the OSep 2 Sev 3 Wat Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	burco of possible 4 Later 5 Coss ver lines 6 Seep	From From cernent ft. to 26 contamination al lines pool age pit	t. 10 t. 10 th. 10 th. to Exement grout th. From 7 Pit privy 8 Sowage lage 9 Foodyard	3 Bento	ti Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	ource of possible 4 Later 5 Cess ver lines 6 Seep	From From cement ft. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
GROUT Grout Inten What is the OSep 2 Sev 3 Wat Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	ource of possible 4 Later 5 Cess ver lines 6 Seep	From From cement ft. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	ource of possible 4 Later 5 Cess ver lines 6 Seep	From From cement ft. to . 26 contamination al lines pool age pit LITHOLOGIC	t. 10 t. 10 th. 10 th. to Exement grout th. From 7 Pit privy 8 Sowage lage 9 Foodyard	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	ource of possible 4 Later 5 Cess ver lines 6 Seep	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
G GROUY Grout Inten What is the OSec 2 Sec 3 Was Direction In	MATERIA vals: Fro e nearest s pric tank wer lines storight sev orn well?	Ource of possible 4 Later 5 Coss sections 6 Seep Fa S T Brawn Brawn Lagre	From From Cornent fi. to . 26 contamination al lines pool age pit LITHOLOGIC	# to	3 Bento:	ti, Fronti, Fronti, Fronti, Frontie 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	Deher	fi lo fi lo fi lo 14 Aban 15 Oil w 16 Other	it.
GROUT Grout Intent What is the User 3 Wat Direction In FROM DIRECTION USER 1977	MATERIA vals: Fro e nearest s price tank wer lines stortight sev orn well? TO	Brawn Brawn Shall	From From Erom Erom Erom Erom Erom Erom Erom E	t. 10	3 Bontos fil	11 From the	n n n n n n n n n n n n n n n n n n n	ft lo. ft	it. ft. ft. ft. ft. ft. ft. ft. ft. ft. f
G GROUT Grout Intent What is the User 3 Wat Direction In FROM D	MATERIA vals: Fro e nearest s price tank wer lines stortight sev orn well? TO	Brawn Lange Start St	From From Erom Erom Erom Erom Erom Erom Erom E	# to	3 Bonto ti Son	10 Livest 12 Ferhic 13 Insect How man	n n n n n n n n n n n n n n n n n n n	ft lo. ft	it. ft. ft. ft. ft. ft. ft. ft. ft. ft. f
GROUT Grout Intent What is the Uses 2 Set 3 Wat Direction in FROM 2 4 3 4 3 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	MATERIA vals: Fro nearest s price tank wer lines torright sev orn woll? TO ACTOR'S on (mo'day	Brawn Brawn Shall	From From Erom Erom Erom Erom Erom Erom Erom E	t. 10	3 Bento	10 Livest 11 Fuel s 12 Ferhild 13 Insect How man	n n n n n n n n n n n n n n n n n n n	ft lo. ft	it.
GROUT Grout Intent What is the Uses 2 Set 3 Wat Direction in FROM 2 4 3 4 3 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	MATERIA vals: Fro nearest s price tank wer lines tordight sev orn woll? TO ACTOR'S on (mo'day Contractor	Brawn Br	From From Erom Erom Erom Erom Erom Erom Erom E	It. 10 It	3 Bento	10 Livest 11 Fuel s 12 Ferhild 13 Insect How man	n 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft lo. ft	it.
GROUT Grout Inton What is the Uses 2 Sev 3 Was Direction in FROM 2 2 2 7 7 CONTRA completed completed of Water Well under the be	MATERIA vals: Fro nearest s pose tank wer sinos storight sev om woll? TO 2/2 ACTORS o con(molday Contractor usiness na	Brawn Br	From From Prom Prom Prom Prom Prom Prom Prom P	It. 10 It	3 Bonto ti FROM FROM FROM Record was	in Frontier in Fro	other ft. From ock pens storage for slorage or slorage by feel? 200 f PLUC structed, or (3) plug d is true to the best on (moldes/yr) from from configurations. Send in	ft lo. ft	It ft ft ft. It to ft. Idoned water well ell-Gas well (specify below) RVALS Try jurisdiction and was doe and befel. Kansas

Kansas Geological Survey Comments to webadmin@kgs.ku.edu



Scan of WWC5 Form

WATER WELL OWN RR#, St. Address, Box City, State, ZIP Code	rom nearest town or city street a stal B alchum	NE 45E	Sec	ion Number	Township Nur		
Distance and direction to the state of the s	rom nearest town or city street a	ME 45 E				noe:	Range Number
WATER WELL OWN RR#, St. Address, Box City, State, ZIP Code	et of Baldwin 1		14	11	т 15	<u> </u>	A 20 (E)W
WATER WELL OWN RR#, St. Address, Box City, State, ZIP Code	et of Balelow 1	ddress of well It located	within city?				
RR#, St. Address, Box City, State, ZIP Code							
City, State, ZIP Code	ER: Mr esle Venal	e.					
City, State, ZIP Code	* : 1484 M 100 Rd.	and the law			Board of Ag	riculture, Div	ision of Water Resource
LOCATE WELL'S LO	: 12 allerin, 185.	66006			Application I		
	CATION WITH A DERTH OF C	OMPLETED WELL	90	H ELEVAT	ION:		
AN "X" IN SECTION		water Encountered 1.					
1 1		WATER LEVEL 3					
	Power Phone	tesi dala: Well water					
NW		gpm: Well water					
		eter 8 in to					
# w 	WELL WATER T	O BE USED AS. S	Public water	supply 8	Air conditioning	11 Inj	ection well
7 1 1	Domestic) 3 Feedial 6	Oil field wat	er supply !	9 Dewatering	12 01	her (Specify below)
sw	2 Irrigation	4 Industrial 7	Lawn and g	arden only	Monitoring well .		****
1 1	Was a chemical?	pacteriological sample su					
1 - 5	mitted			Wate	or Well Disinfected	Yes X	No
TYPE OF BLANK CA	SING USED:	5 Wrought iron	8 Concre	COLUMN TO SERVICE AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS	and the second s		X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement		specify below)	Welded	
(2 PVO	4 ABS	7 Fiberglass				Threade	xd
Blank casing diameter .	c / ^		in lo		. N. Dia	in	to
Casing height above lan	d surface	in , weight		lbs it	. Wall thickness or	gauge No-	see 200
	PERFORATION MATERIAL		(PVC			stos-coment	
1 Steel	3 Stainless steet	5 Fiberciass	6 RM	(SR)	11 Other	(scecial)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	S 44200000	12 None	used (open	hole)
1000-700-00-00	TION OPENINGS ARE		у wrapped		B Saw cut		1 None (open hole)
1 Continuous slot	3 Mill stor	6 Wire w			9 Driffed holes		13231
2 Louvered shutte	4 Varianathad	7 Touch	Service Co.				
SCREEN-PERFORATED		60 H 10					fs
	From			h. From			fr.
GRAVEL PAC		80 ti to					£5'
0.1.44	From	ft to		ft., From		ft. to	
GROUT MATERIAL	material parties stated to the second section of the second sections at the second sections at the second section of the section of the second section of the second section of the second section of the second section of the section of the second section of the section of	2 Cement grout	(3 Bentor	20 About Million	Other		
Grout Intervals: From	53 th to 43	it, From			ti, From -S		tt. 10
	ron of possible contamination:			5			ndoned water well
		7 Pit privy			ck peas		
	4 Lateral lines				ick pens iolace		
1 Septic tank	4 Lateral lines 5 Cass pool		M	11 Fuel si	orage	15 Oil v	voll'Gas well
1 Septic tank 2 Sewer lines	5 Cess pool	8 Sewage lagoo	on	11 Fuel st 12 Fertitz	er storage	15 Oil v 16 Othe	vell'Gas well ir (specify below)
Septic tank Sewer lines Waterbijhl sewer	5 Cess pool lines 5 Seepage pit		on	11 Fuel st 12 Fertiliz 13 Insecti	olage er slorage ode slorage	15 Oil v 16 Othe	voll'Gas well
Septic tank Sewer lines Watertight sewer Direction from well?	5 Cess pool ines 6 Seepage pil crifficher gen	8 Sewage lagoo		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
Sepsc tank Sewer lines Watertight sewer Direction from well? CEROM TO	5 Cess pool lines 5 Seepage pit riblish are LITHOLOGIC	8 Sewage lagoo	FROM	11 Fuel st 12 Fertiliz 13 Insecti	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
Septic tank Sewer lines Watertight sewer Direction from well? FROM TO A	5 Cess pool tines 6 Seepage pil willed in gar LITHOLOGIC	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Waterbight sewer Direction from well? OFFICIAL TO O A 2	5 Cess pool tines 6 Seepage pil rilled in gar f LITHOLOGIC Top stoil O roun foul re-	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Waterbight sewer Direction from well? OF PROM TO O R 2 8 8 1.5	5 Cess pool Inos 5 Seepage pil LITHOLOGIC JOP South foul O south foul Thomas parky cl	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO O E E E E E E E E E E E E E E E E E E	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC JOP South foul O south foul Thomas parky cl	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO O E E E E E E E E E E E E E E E E E E	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	well'Gas well ir (specify below)
1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? OF FROM TO 0 # 2 8 8 //5 //5 2 5 7.7	5 Cess pool Inos 5 Seepage pil LITHOLOGIC Jop Social O social foul	8 Sewage lagood		11 Fuel si 12 Fertiiz 13 Insecti How man	olage er slorage olde slorage r loet?	15 Oil v 16 Othe	vell'Gas well ir (specity below)
1 Septic tank 2 Sewer lines 3 Waterbight sower Direction from well? OF FROM TO O A 2 8 8 1.5 1.5 2.5 7.7 7.7 8.0	5 Cess pool Ines 5 Seepage pil Irellul in gen f LITHOLOGIC Jop Aoul Brown foul res Brown faul tog unfile coul	8 Sewage lagood	FROM	11 Foel st 12 Fertitz 13 Insects How man: YO	orage er storage ode storage y toel?	15 Oil v	voll'Gas we'll If (specify below) ERVALS
1 Septic tank 2 Sewer lines 3 Waterbight sower Direction from well? OF FROM TO O A 2 8 8 1.5 1.5 2.5 7.7 7.7 8.0	5 Cess pool Ines 5 Seepage pil Irellul in gen f LITHOLOGIC Jop Aoul Brown foul res Brown faul tog unfile coul	8 Sewage lagood	FROM	11 Foel st 12 Fertitz 13 Insects How man: YO	orage er storage ode storage y toel?	15 Oil v	voll'Gas we'll If (specify below) ERVALS
1 Septic tank 2 Sewer lines 3 Waterbight sower Direction from well? OF FROM TO O A 2 8 8 1.5 1.5 2.5 7.7 7.7 8.0	5 Cess pool Inos 5 Seepage pil LITHOLOGIC JOP Social for a lithologic Brown foul red Brown foul red Brown foul red Brown foul red LITHOLOGIC Brown foul red Brown foul red Brown foul red LITHOLOGIC	8 Sewage lagor 9 Foodyard LOG LOG ON: This water well was	FROM	11 Fuel si 12 Fertikz 13 Insocti How man: YO	totage er storage pude storage y toel? PLU structed, or (3) plu is true to the best	15 Oil v 16 Othe GGING INT	voll'Gas we'll If (specify below) ERVALS my julisdiction and was edge and belief, Kansas
1 Septic tank 2 Sewer lines 3 Waterbight sewer Direction from well? OF FROM TO O A A A B B IS	S Cess pool Ines 5 Seepage pil Ines 5 Seepage pil Ines 6 Seepage pil Ines 7 Seepag	8 Sewage lagor 9 Foodyard LOG LOG ON: This water well was	FROM	11 Fuel si 12 Fertikz 13 Insecti How man: 10	coage er storage ude storage / toel? PLU structed, or (3) plu is true to the bess	15 Oil v 16 Othe GGING INT	voll'Gas we'll If (specify below) ERVALS my julisdiction and was edge and belief, Kansas
1 Septic tank 2 Sewer lines 3 Waterbight sewer Direction from well? Of FROM TO O A A A A A A A A A A A A A A A A A A	5 Cess pool Ines 5 Seepage pil Ines 5 Seepage pil Ines 6 Seepage pil Inter 6 Seepage pi	8 Sewage lagor 9 Feodyard LLCG Av LLCG ON: This water well was	FROM	11 Fuel si 12 Fertikz 13 Insecti How man: TO	coage er storage ude storage / toel? PLU structed, or (3) plu is true to the bess	15 Oil ville 16 Oche GGING INT	voll'Gas we'll If (specify below) ERVALS my julisdiction and was edge and belef, Kansas

Kansas Geological Survey

Comments to webadmin@kgs.ku.edu

URL = http://www.kgs.ku.edu/Magellan/WaterWell/index.html

Doing las ety# 4112

WATER WELL RECORD	Form WWC-5	Division	of Water Resources; App. No.	
1 LOCATION OF WATER WELL:	Fraction	Section Nu	mber Township Number	
County: Doug 455 Distance and direction from nearest town	15t 1/101/13E	1/4 E		RZA (F/W
located within city?	or city street address of well i	I Global Posi	tioning Systems (decimal de	grees, min. of 4 digits)
133 £ 1906 Rd	Raldi - lolon	Lamude:	38 45, 497	
2 WATER WELL OWNER: Dan	adden		9505.008	
RR#, St. Address, Box # : 133	5 Isaa Rd		1070	
	2 1728 AU	Datum:	t') (- t J	
DAIAN	sin city Ks 61	Data Coll	ection Method:	
3 LOCATE WELL'S 4 DEPTH OF C LOCATION	OMPLETED/WELL		It.	
	water Encountered (1).60	-109 A	2) # (3)	A
SECTION BOX: WELL'S STATION	WATER LEVEL.	5 ft below land	surface measured on molda	v/vr11-6-06
N Pump test	data: Well water was	ft. after	hours pumping.	gpm
	.gpm: Well water was			
WELL WATER	TO BE USED AS: 5 Public v	vater supply	8 Air conditioning 11 In	
$\mathbf{w} \mid \mathbf{l} \mid \mathbf{E} \mid \mathbf{Domestic} 3$	Feedlot 6 Oil field wa	ter supply	9 Dewatering 12 O	ther (Specify below)
2 Irrigation 4	Industrial 7 Domestic (I	awn & garden)	10 Monitoring well	
SW SE X				
was a chemical/b	acteriological sample submitt	ed to Department	? Yes;	If yes, mo/day/yrs
_	itted	Water well disin	tected? Yes No	••••
S				
5 TYPE OF CASING USED: 5 Wrot			CASING JOINTS: Glued.	
	estos-Cement 9 Other (sp			
2 VC 4 ABS 7 Fiber	glass		Threade	d
Blank casing diameter	in Waight ≤ 0.0	in. to	It., Diameter	. in. to
TYPE OF SCREEN OR PERFORATION M		4 108./11.	wan unckness of guage No.	1604
		9 ARS	11 Other (Specify)	
	Concrete tile 8 RM (SR)			
SCREEN OR PERFORATION OPENINGS		10110000000		
	5 Guazed wrapped 7 Torch	cut 9 Drilled	holes 11 None (open h	nole)
2 Louvered shutter 4 Key punched	6 Wire wrapped 8 Saw	Cut 10 Other	(specify)	
SCREEN-PERFORATED INTERVALS: FI	rom	.1ft., F	rom ft. to .	ft.
F	rom ft. to	ft., I	rom ft. to .	ft.
GRAVEL PACK INTERVALS: F				
r	rom ft. to	п., г	rom It. to ,	п.
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout Benton	nite 4 Other		
Grout Intervals: From .4.5ft. to	3 ft., From	ft. to	ft., From	ft. toft.
What is the nearest source of possible contain				
		ivestock pens	13 Insecticide Storage	16 Other (specify
2 Sewer lines 5 Cess pool		uel storage	14Abandoned water well	-Plotgy)ed well
3 Watertight sewer lines 6 Seepage		ertilizer Storage	15 Oil well/gas well	
Direction from well?			00	
	OGIC LOG F	ROM TO	PLUGGING INT	TERVALS
6 8, So, Jollan				
\$ 10 sandstone				
24 27 Stale				
27 34 SANSTON				
34 39 Sandy Shale				
39 44 Spridting				
34 39 Sandy Shale 39 44 Sandy Shale 46 48 Sandy Shale 46 109 Sandstone				
48 109 SANdstone				
109 III limestane				
7 CONTRACTOR'S OR LANDOWNER'	S CERTIFICATION: This,	water well wa	constructed, (2) reconstruc	ted, or (3) plugged
under my jurisdiction and was completed on	(mo/day/year) . 11	and this record	is true to the best of my kno	wledge and belief.
Kansas Water Well Contractor's License No.	- 1 -7			1-1-04
under the business name of INSTRUCTIONS: Use typewriter or ball point pen.	DIE ACT PRESCRIPTATION OF PRINCE	by (signature	Dans L	
INSTRUCTIONS: Use typewriter or ball point pen.	PLEANN PRENT FIRMLY and PRIN	i clearly. Please Hill	in dianks, underline or circle the o	correct answers. Send top
three copies to Kansas Department of Health and Envir	onment, Bureau of Water, Geology S	ection, 1000 SW Jack	son St., Suite 420, Toneka, Kansas	66612-1367. Telephone
785-296-5522. Send one to WATER WELL	onment, Bureau of Water, Geology S	ection, 1000 SW Jack		66612-1367. Telephone

RT Enterprises of Kansas P.O. Box 339 Louisburg, KS 66053

Jeanne Spradling 1879 N. 150 Road Baldwin, KS 66006

Ms. Spradling,

This letter is to notify you that R.T. Enterprises of Kansas submitted intents to drill wells within 660 feet of your water well. The wells are located in Sec 11 Twp 15 R20, Well 20 is 2440 FSL 1480 FEL, Well 21 2440 FSL 1160 FEL, Well 22 2440 FSL 840 FEL, Well 23 2120 FSL 1480 FEL, Well 24 2120 FSL 1160 FEL, Well 25 2120 FSL 840 FEL, Well 26 1800 FSL 1480 FEL, well 27 1800 FSL 1160 FEL, Well 28 1800 FSL 840 FEL, Well 29 1485 FSL 1480 FEL, Well 30 1485 FSL 1160 FEL, Well 31 1485 FSL 840 FEL. This notification is required by the Kansas Commission Corporation.

If you should have any questions, please do not hesitate to contact me at (913) 710-5400.

Regards,

Lance Town

RT Enterprises of Kansas