

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

. month	day year	Spot Description:
monur	uay year	Sec Twp S. R [ E [ ] \
DPERATOR: License#		feet from N / S Line of Section
lame:		feet from E / W Line of Section
.ddress 1:		Is SECTION: Regular Irregular?
ddress 2:		(Note: Locate well on the Section Plat on reverse side)
	e:	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
ONTRACTOR: License#		Is this a Prorated / Spaced Field?
lame:		Target Formation(s):
		Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Cla	lass: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Inf	field Mud Rotary	Water well within one-quarter mile:
Gas Storage Po	ool Ext. Air Rotary	Public water supply well within one mile:
	'ildcat Cable	,
	ther	Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
If OWWO: old well information as	: follows:	Surface Pipe by Alternate: I I II
ii ovvvo. old well illioi mation as	ionows.	Length of Surface Pipe Planned to be set:
· · · · · · · · · · · · · · · · · · ·		Length of Conductor Pipe (if any):
Well Name:		Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
	O Vos No	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbor		Well Farm Pond Other:
f Yes, true vertical depth:		DWR Permit #:
Bottom Hole Location:		( <b>Note:</b> Apply for Permit with DWR)
(CC DKT #:		Will Cores be taken?
		If Yes, proposed zone:
	AF	FIDAVIT
he undersigned hereby affirms that the		FIDAVIT  Jaging of this well will comply with K.S.A. 55 et. sea.
-	ne drilling, completion and eventual pl	FIDAVII ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum	e drilling, completion and eventual pl requirements will be met:	
is agreed that the following minimum  1. Notify the appropriate district office	ne drilling, completion and eventual pl requirements will be met: ice <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
<ol> <li>is agreed that the following minimum</li> <li>Notify the appropriate district office</li> <li>A copy of the approved notice of</li> </ol>	ne drilling, completion and eventual plane requirements will be met: ice <b>prior</b> to spudding of well; intent to drill <b>shall be</b> posted on eac	ugging of this well will comply with K.S.A. 55 et. seq.  n drilling rig;
<ol> <li>is agreed that the following minimum</li> <li>Notify the appropriate district office</li> <li>A copy of the approved notice of</li> <li>The minimum amount of surface</li> </ol>	ne drilling, completion and eventual plane requirements will be met: ice <i>prior</i> to spudding of well; intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> set	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set
agreed that the following minimum     Notify the appropriate district office     A copy of the approved notice of     The minimum amount of surface through all unconsolidated mater	ne drilling, completion and eventual plane requirements will be met: ice <i>prior</i> to spudding of well; intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; Iby circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
<ol> <li>is agreed that the following minimum</li> <li>Notify the appropriate district office</li> <li>A copy of the approved notice of</li> <li>The minimum amount of surface through all unconsolidated mater</li> <li>If the well is dry hole, an agreement</li> </ol>	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the dist	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
is agreed that the following minimum     Notify the appropriate district office     A copy of the approved notice of     The minimum amount of surface through all unconsolidated mater     If the well is dry hole, an agreement of the appropriate district office will	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distribution of the plug is either plug	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging;
<ol> <li>is agreed that the following minimum</li> <li>Notify the appropriate district office</li> <li>A copy of the approved notice of</li> <li>The minimum amount of surface through all unconsolidated mater</li> <li>If the well is dry hole, an agreement</li> <li>The appropriate district office will</li> <li>If an ALTERNATE II COMPLETION or pursuant to Appendix "B" - Ea</li> </ol>	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
is agreed that the following minimum     Notify the appropriate district office.     A copy of the approved notice of the appropriate district office will find a ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date.
<ol> <li>is agreed that the following minimum</li> <li>Notify the appropriate district office.</li> <li>A copy of the approved notice of the approved in the approved notice of the appropriate district office will find a ALTERNATE II COMPLETION of pursuant to Appendix "B" - Ea</li> </ol>	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum</li> <li>Notify the appropriate district office.</li> <li>A copy of the approved notice of</li> <li>The minimum amount of surface through all unconsolidated mater</li> <li>If the well is dry hole, an agreement</li> <li>The appropriate district office will</li> <li>If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day</li> </ol>	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set to e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum</li> <li>Notify the appropriate district office.</li> <li>A copy of the approved notice of</li> <li>The minimum amount of surface through all unconsolidated mater</li> <li>If the well is dry hole, an agreement</li> <li>The appropriate district office will</li> <li>If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day</li> </ol>	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION or pursuant to Appendix "B" - Eamoust be completed within 30 day  Submitted Electronically	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set to e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum</li> <li>Notify the appropriate district office.</li> <li>A copy of the approved notice of</li> <li>The minimum amount of surface through all unconsolidated mater</li> <li>If the well is dry hole, an agreement</li> <li>The appropriate district office will</li> <li>If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day</li> </ol>	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	an drilling rig; The drilling rig; The drilling rig; The drilling cement to the top; in all cases surface pipe <b>shall be set</b> The underlying formation. The drilling rig is cased to the top; in all cases surface pipe <b>shall be set</b> The underlying formation. The drilling rig is cased to the top; in all cases surface pipe <b>shall be set</b> The underlying formation. The drilling rig; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying formation is necessary <b>prior to plugging</b> ; The underlying
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea must be completed within 30 day  UDMitted Electronically  For KCC Use ONLY	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	an drilling rig; The drilling rig; The drilling rig; The drilling rig; The drilling cement to the top; in all cases surface pipe shall be set to underlying formation. The drilling rig remaisses the underlying formation. The drilling rig; The dril
1. Notify the appropriate district office. 2. A copy of the approved notice of a The minimum amount of surface through all unconsolidated mater. 4. If the well is dry hole, an agreem. 5. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day.  1. If the well is dry hole, an agreem. 3. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day.  2. If the well is dry hole, an agreem. 3. The appropriate district office will only a pursuant to Appendix "B" - Ea must be completed within 30 day.  3. The minimum amount of surface will be appropriated to the complete within 30 day.  4. The appropriate district office will be appropriated by the appro	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distall be notified before well is either plug ON, production pipe shall be cemented astern Kansas surface casing order # ys of the spud date or the well shall be	In drilling rig; In dri
is agreed that the following minimum  1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement 5. The appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	ne drilling, completion and eventual planequirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>pr</i>	In drilling rig;  The drilling cement to the top; in all cases surface pipe shall be set e underlying formation.  The drilling rig;  The drilling
is agreed that the following minimum  1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement 5. The appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	ne drilling, completion and eventual planequirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>pr</i>	In drilling rig; In dri
is agreed that the following minimum  1. Notify the appropriate district office. 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distill be notified before well is either plug ON, production pipe shall be cemente astern Kansas surface casing order # ys of the spud date or the well shall be refer to the spud date.	An drilling rig;  The drilling r
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Earn must be completed within 30 day  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distill be notified before well is either plug ON, production pipe shall be cemente astern Kansas surface casing order # ys of the spud date or the well shall be refer to the spud date.	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minimum  1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will on the appropriate district office will or pursuant to Appendix "B" - Earn must be completed within 30 day  **Domitted Electronically**  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required  Approved by:	ne drilling, completion and eventual plane requirements will be met: lice prior to spudding of well; lice prior to spudding of well, lice prior to spudding of	An drilling rig;  The drilling r

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY
API # 15

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

or:	Location of Well: County:
	feet from N / S Line of Section
umber:	
	Sec Twp S. R L E L W
er of Acres attributable to well:	is section.     Negulai of     Integulai
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
_	PLAT nearest lease or unit boundary line. Show the predicted locations of es, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
You may a	ttach a separate plat if desired.
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	: : Electric Line Location
	Lease Road Location
	EXAMPLE : :
: : : :	
7	
	: :::
	1980' FSL
	· · · · · · · · · · · · · · · · · · ·
	⊙ 524 ft.
	524 ft

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

603 ft.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

01976 Form CDP-1

May 2010

Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A		Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?
	Length (fee		Width (feet)
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of world	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	be closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No



### Kansas Corporation Commission Oil & Gas Conservation Division

1101976


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	accurate, and in the week extent property toy records of the accurate traces were		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

November 20, 2012

ROGER KENT Kent, Roger dba R J Enterprises 22082 NE Neosho Rd GARNETT, KS 66032-1918

Re: Drilling Pit Application CHARLES MELCHER 3-I SE/4 Sec.07-21S-20E Anderson County, Kansas

#### Dear ROGER KENT:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.	DISPOSAL OF DIKE AND PIT CONTENTS.
(a)	Each operator shall perform one of the following when disposing of dike or
pit	contents:
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;
or	
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area
on	
lease	acreage owned by the same landowner or to another producing
from	or unit operated by the same operator, if prior written permission
110111	the landowner has been obtained; or

	(D)	removal of the contents to a permitted off-site disposal area
approved		
		by the department.
(b)	Eac	h violation of this regulation shall be punishable by the following:
(1	1) A \$ <sup>2</sup>	1,000 penalty for the first violation;
(2	2) a \$2	2,500 penalty for the second violation; and
(3	a \$5	5,000 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo	
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo  If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.	
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage whe the haul-off pit is to be located, to the haul-off pit application.	Э