



For KCC Use:
 Effective Date: _____
 District # _____
 SGA? Yes No

KANSAS CORPORATION COMMISSION 1102190
 OIL & GAS CONSERVATION DIVISION

Form C-1
 March 2010

Form must be Typed
 Form must be Signed
 All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date: _____
month day year

OPERATOR: License# _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: _____

CONTRACTOR: License# _____
 Name: _____

Well Drilled For:	Well Class:	Type Equipment:
<input type="checkbox"/> Oil	<input type="checkbox"/> Enh Rec	<input type="checkbox"/> Infield
<input type="checkbox"/> Gas	<input type="checkbox"/> Storage	<input type="checkbox"/> Pool Ext.
	<input type="checkbox"/> Disposal	<input type="checkbox"/> Wildcat
<input type="checkbox"/> Seismic ; _____ # of Holes	<input type="checkbox"/> Other	<input type="checkbox"/> Mud Rotary
<input type="checkbox"/> Other: _____		<input type="checkbox"/> Air Rotary
		<input type="checkbox"/> Cable
<input type="checkbox"/> If OWWO: old well information as follows:		

Operator: _____
 Well Name: _____
 Original Completion Date: _____ Original Total Depth: _____

Directional, Deviated or Horizontal wellbore? Yes No
 If Yes, true vertical depth: _____
 Bottom Hole Location: _____
 KCC DKT #: _____

Spot Description: _____
 _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ E W
(Q/Q/Q/Q)
 _____ feet from N / S Line of Section
 _____ feet from E / W Line of Section
 Is SECTION: Regular Irregular?

(Note: Locate well on the Section Plat on reverse side)

County: _____
 Lease Name: _____ Well #: _____
 Field Name: _____
 Is this a Prorated / Spaced Field? Yes No
 Target Formation(s): _____
 Nearest Lease or unit boundary line (in footage): _____
 Ground Surface Elevation: _____ feet MSL
 Water well within one-quarter mile: Yes No
 Public water supply well within one mile: Yes No
 Depth to bottom of fresh water: _____
 Depth to bottom of usable water: _____
 Surface Pipe by Alternate: I II
 Length of Surface Pipe Planned to be set: _____
 Length of Conductor Pipe (if any): _____
 Projected Total Depth: _____
 Formation at Total Depth: _____
 Water Source for Drilling Operations:
 Well Farm Pond Other: _____
 DWR Permit #: _____
(Note: Apply for Permit with DWR)
 Will Cores be taken? Yes No
 If Yes, proposed zone: _____

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

1. Notify the appropriate district office **prior** to spudding of well;
2. A copy of the approved notice of intent to drill **shall be** posted on each drilling rig;
3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary **prior to plugging**;
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within **120 DAYS** of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. **In all cases, NOTIFY district office** prior to any cementing.

Submitted Electronically

<p>For KCC Use ONLY</p> <p>API # 15 - _____</p> <p>Conductor pipe required _____ feet</p> <p>Minimum surface pipe required _____ feet per ALT. <input type="checkbox"/> I <input type="checkbox"/> II</p> <p>Approved by: _____</p> <p>This authorization expires: _____ <small>(This authorization void if drilling not started within 12 months of approval date.)</small></p> <p>Spud date: _____ Agent: _____</p>
--

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _____
 Signature of Operator or Agent: _____

E
 W



1102190

For KCC Use ONLY

API # 15 - _____

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _____

Lease: _____

Well Number: _____

Field: _____

Number of Acres attributable to well: _____

QTR/QTR/QTR/QTR of acreage: _____ - _____ - _____ - _____

Location of Well: County: _____

_____ feet from N / S Line of Section

_____ feet from E / W Line of Section

Sec. _____ Twp. _____ S. R. _____ E W


Is Section: Regular or Irregular

If Section is Irregular, locate well from nearest corner boundary.

Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



LEGEND

- Well Location
- Tank Battery Location
- Pipeline Location
- Electric Line Location
- Lease Road Location



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
3. The distance to the nearest lease or unit boundary line (in footage).
4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION 1102190
OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ): ____ - ____ - ____ - ____	
Type of Pit: <input type="checkbox"/> Emergency Pit <input type="checkbox"/> Burn Pit <input type="checkbox"/> Settling Pit <input type="checkbox"/> Drilling Pit <input type="checkbox"/> Workover Pit <input type="checkbox"/> Haul-Off Pit <i>(If WP Supply API No. or Year Drilled)</i>		Pit is: <input type="checkbox"/> Proposed <input type="checkbox"/> Existing If Existing, date constructed: _____ Pit capacity: _____ (bbls)	
Is the pit located in a Sensitive Ground Water Area? <input type="checkbox"/> Yes <input type="checkbox"/> No		Chloride concentration: _____ mg/l <i>(For Emergency Pits and Settling Pits only)</i>	
Is the bottom below ground level? <input type="checkbox"/> Yes <input type="checkbox"/> No		Artificial Liner? <input type="checkbox"/> Yes <input type="checkbox"/> No	
How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits): _____ Length (feet) _____ Width (feet) <input type="checkbox"/> N/A: Steel Pits Depth from ground level to deepest point: _____ (feet) <input type="checkbox"/> No Pit			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	
Distance to nearest water well within one-mile of pit: _____ feet Depth of water well _____ feet		Depth to shallowest fresh water _____ feet. Source of information: <input type="checkbox"/> measured <input type="checkbox"/> well owner <input type="checkbox"/> electric log <input type="checkbox"/> KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: _____ Number of producing wells on lease: _____ Barrels of fluid produced daily: _____ Does the slope from the tank battery allow all spilled fluids to flow into the pit? <input type="checkbox"/> Yes <input type="checkbox"/> No		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: _____ Number of working pits to be utilized: _____ Abandonment procedure: _____ _____ Drill pits must be closed within 365 days of spud date.	
<p>Submitted Electronically</p>			

KCC OFFICE USE ONLY

Liner Steel Pit RFAC RFAS

Date Received: _____ Permit Number: _____ Permit Date: _____ Lease Inspection: Yes No



CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License # _____
Name: _____
Address 1: _____
Address 2: _____
City: _____ State: _____ Zip: _____ + _____
Contact Person: _____
Phone: (_____) _____ Fax: (_____) _____
Email Address: _____

Well Location: _____
_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____
Lease Name: _____ Well #: _____

If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:

Surface Owner Information:

Name: _____
Address 1: _____
Address 2: _____
City: _____ State: _____ Zip: _____ + _____

When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

I Submitted Electronically

WELL LOCATION PLAT

T19S, R2E, 6th P.M.

Z.O.C.



Well location, JOST #2-30H, located as shown in the NW 1/4 NE 1/4 of Section 30, T19S, R2E, 6th P.M., Marion County, Kansas.

BASIS OF ELEVATION

SPOT ELEVATION LOCATED AT THE SE CORNER OF SECTION 33, T8S, R4E, 6th P.M. TAKEN FROM THE LINCOLNVILLE, QUADRANGLE, KANSAS, MARION COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 1403 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 09-04-12	DATE DRAWN: 09-10-12
---------------------	----------------------------	-------------------------

PARTY J.P. B.L. K.O.	REFERENCES G.I.O. PLAT
WEATHER HOT	FILE Z.O.C.

- LEGEND:**
- └─ = 90° SYMBOL
 - = PROPOSED WELL HEAD.
 - ▲ = SECTION CORNERS LOCATED


NAD 83 (TARGET BOTTOM HOLE)		NAD 83 (SURFACE LOCATION)	
LATITUDE = 38°22'14.23" (38.370619)	LONGITUDE = 97°14'52.15" (97.247819)	LATITUDE = 38°22'34.70" (38.376306)	LONGITUDE = 97°14'52.22" (97.247839)
NAD 27 (TARGET BOTTOM HOLE)		NAD 27 (SURFACE LOCATION)	
LATITUDE = 38°22'14.19" (38.370608)	LONGITUDE = 97°14'51.05" (97.247514)	LATITUDE = 38°22'34.66" (38.376294)	LONGITUDE = 97°14'51.12" (97.247533)

SECTION BREAKDOWN

T19S, R2E, 6th P.M.

R
1
E
R
2
E

Plastic Cap, 0.3' Below Ground
Rebar, 0.4' Below Ground
Yellow Plastic Cap, LS 7520, 0.3' Below Ground



Well location, JOST #2-30H, located as shown in the NW 1/4 NE 1/4 of Section 30, T19S, R2E, 6th P.M., Marion County, Kansas.


Z.O.C.

BASIS OF ELEVATION

SPOT ELEVATION LOCATED AT THE SE CORNER OF SECTION 33, T18S, R4E, 6th P.M. TAKEN FROM THE LINCOLNVILLE, QUADRANGLE, KANSAS, MARION COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 1403 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'
 DATE SURVEYED: 09-04-12 DATE DRAWN: 09-10-12

PARTY	J.P. B.L. K.O.	REFERENCES	G.L.O. PLAT
WEATHER	HOT	FILE	Z.O.C.

- LEGEND:**
- = 90° SYMBOL
 - = PROPOSED WELL HEAD.
 - ▲ = SECTION CORNERS LOCATED

NAD 83 (TARGET BOTTOM HOLE)	
LATITUDE = 38°22'14.23" (38.370619)	LATITUDE = 38°22'34.70" (38.376306)
LONGITUDE = 97°14'52.15" (97.247819)	LONGITUDE = 97°14'52.22" (97.247839)
NAD 27 (TARGET BOTTOM HOLE)	
LATITUDE = 38°22'14.19" (38.370608)	LATITUDE = 38°22'34.66" (38.376294)
LONGITUDE = 97°14'51.05" (97.247514)	LONGITUDE = 97°14'51.12" (97.247533)

WELL LOCATION PLAT

T19S, R2E, 6th P.M.

Z.O.C.



Well location, JOST #1 SWD, located as shown in the NW 1/4 NE 1/4 of Section 30, T19S, R2E, 6th P.M., Marion County, Kansas.

BASIS OF ELEVATION

SPOT ELEVATION LOCATED AT THE SE CORNER OF SECTION 33, T18S, R4E, 6th P.M. TAKEN FROM THE LINCOLNVILLE, QUADRANGLE, KANSAS, MARION COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 1403 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

JUSTIN M. SMITH
 REGISTERED LAND SURVEYOR
 COMMISSION NO. 1454
 STATE OF KANSAS

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 09-04-12	DATE DRAWN: 09-07-12
---------------------	----------------------------	-------------------------

PARTY J.P. B.L. K.O.	REFERENCES G.I.O. PLAT
-------------------------	---------------------------

WEATHER HOT	FILE Z.O.C.
----------------	----------------

NAD 83 (SURFACE LOCATION) LATITUDE = 38°22'33.71" (38.376031) LONGITUDE = 97°14'52.84" (97.248011)	NAD 27 (SURFACE LOCATION) LATITUDE = 38°22'33.67" (38.376019) LONGITUDE = 97°14'51.74" (97.247706)
---	---

LEGEND:

- └─ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.



Z.O.C.

PAD LAYOUT FOR

JUST #2-30H, JUST #1 SWD & BARTEL #15-19H
SECTION 30, T19S, R2E, 6th P.M.
N 1/2 NE 1/4

FIGURE #1

SCALE: 1" = 60'
DATE: 09-07-12
DRAWN BY: K.O.



Elev. Ungraded Ground At JUST #2-30H Loc. Stake = 1443.8'
FINISHED GRADE ELEV. AT JUST #2-30H LOC. STAKE = 1440.4'


UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

Z.O.C.

PRODUCTION FACILITY LAYOUT FOR
JOST #2-30H, JOST #1 SWD & BARTEL #15-19H
SECTION 30, T19S, R2E, 6th P.M.
N 1/2 NE 1/4

FIGURE #4


SCALE: 1" = 60'
DATE: 09-07-12
DRAWN BY: K.O.



INTERIM RECLAMATION

APPROXIMATE ACREAGES
UN-RECLAIMED = ± 1.833 ACRES

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017



LEGEND:

 PROPOSED LOCATION



Z.O.C.

JOST #2-30H, BARTEL #15-19H & JOST #1 SWD
SECTION 30, T19S, R2E, 6th P.M.
N 1/2 NE 1/4




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

ACCESS ROAD
MAP

09 06 12
MONTH DAY YEAR



SCALE: 1:100,000 DRAWN BY: C.I. REVISED: 00-00-00



LEGEND:


- EXISTING ROAD
- PROPOSED ACCESS ROAD
- EXISTING FENCE
- INSTALL CATTLE GAURD
- 18" CMP REQUIRED



Z.O.C.
 JOST #2-30H, BARTEL #15-19H & JOST #1 SWD
 SECTION 30, T19S, R2E, 6th P.M.
 N 1/2 NE 1/4

U&L S Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

ACCESS ROAD MAP	09	06	12	B TOPO
	MONTH	DAY	YEAR	
SCALE: 1" = 2000'	DRAWN BY: C.I.		REVISED: 00-00-00	



T19S

LEGEND:

- ⊘ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED



Z.O.C.

JOST #2-30H, BARTEL #15-19H & JOST #1 SWD
SECTION 30, T19S, R2E, 6th P.M.
N 1/2 NE 1/4



Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

09 06 12
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: C.I. REVISED: 00-00-00




ZENERGY, INC.

Jost 2-30H

Section 30 - T19S - R2E

Marion County, KS



7 1/16" 5,000 psi Frac Tree

Proposed Producing Well Configuration

KB: 1,464'
KB corr: 20'
GL: 1,444'
API No.

Cemented Liner: 8 Plug and Perf Stages


SURFACE CASING:
9 5/8" 36.0#, J-55, LT&C,
Shoe set @ 450', circ
cmt to surf.

INTERMEDIATE CASING:
7" 26#, J-55, LT&C @
3,133' MD, 2,706' TVD,
TOC- ??' (SLB IS)

KOP = 2,033' TVD, MD
BUR = 10°/100' @ 2,033'
Hold 60° Inc. for 200' @
2,633'
BUR = 10°/100' @ 2,833'
EOB = 89.5° @ 3,133' MD,
2,706' TVD

PRODUCTION LINER:
4 1/2" 13.5#, P-110,
LT&C, TOL @ 2,980'
MD, FS @ 5,137' MD

Edit: 11/21/12 SML




Total Stages: 8

8 Plug and Perf stages




Zenergy Operating Company, LLC has leased the entirety of the E/2 of Section 30 and is in the process of formalizing the voluntary unitization of the E/2 of 30-19S-2RE, Marion County, KS as a 320-acre unit for Mississippian.

E/2 Sec 19-19S-2E



Tract	Lease No.	Eff date	Exp date	SEC	TWN	RNG	LEGAL	GROSS	NET	ROYALTY	Lessor
1	KS-Z-01018-002	6/23/2011	6/23/2014	19	19S	2E	N2NE,E2E2NW	120	120	0.125	GLENN BARTEL AND LAVONNE S BARTEL; H/W
2	KS-Z-01018-008	6/23/2011	6/23/2014	19	19S	2E	N2S2NE	40	40	0.125	SHARON F TOMLINSON; SINGLE
3	KS-Z-01018-005	6/22/2011	6/22/2014	19	19S	2E	S2S2NE,SE	200	200	0.125	DONNIVON E BARTEL AND LINDA K BARTEL; H/W
4	KS-Z-01018-009	6/30/2011	6/30/2014	19	19S	2E	S2SW	80	80	0.125	KEVIN M JOST AND ANGELA K JOST; H/W
5	KS-Z-01018-022	6/30/2011	6/30/2014	19	19S	2E	W2NW,W2E2NW	114	114	0.125	ARLO W GOOSSEN AND BILLIE J GOOSSEN REVOCABLE
								554	554		

E/2 Sec 30-19S-2E



Tract	Lease No.	Eff Date	Exp Date	Sec	Twn	Rng	Legal	Gross	Net	Royalty	Lessor
1	KS-Z-01018-013	7/8/2011	7/8/2014	30	19S	2E	N2NW	80	80	0.125	NORMAN R GALLE TRUST #1
2	KS-Z-01018-003	6/28/2011	6/28/2014	30	19S	2E	NENE	40	40	0.125	RODNEY G HEIN AND SUSAN A HEIN; H/W
3	KS-Z-01018-186	1/6/2012	1/6/2015	30	19S	2E	S/80 NW LESS TRACT		35	0.125	GILBERT R BURGAN REVOCABLE TRUST
3	KS-Z-01018-185	1/6/2012	1/6/2015	30	19S	2E	S/80 NW LESS TRACT	70	35	0.125	KAY BURGAN REVOCABLE
4	KS-Z-01018-065	8/17/2011	8/17/2014	30	19S	2E	SENE	40	40	0.125	CHAD A ARNOLD AND MELISSA ARNOLD; H/W
5	KS-Z-01018-068	8/22/2011	8/22/2014	30	19S	2E	SW S/AT&SF RR AND LESS EASEMENT/ROW'S	73	73	0.125	BENNIE KOOP REVOCABLE TRUST
6	KS-Z-01018-009	6/30/2011	6/30/2014	30	19S	2E	W2NE,SE	240	240	0.125	KEVIN M JOST AND ANGELA K JOST; H/W
								543	543		

Just caught error. Had 185 & 186 each owning 100% of that 70 acres in P2. Now corrected.

December 13, 2012

Belinda Brock
Zenergy Operating Company, LLC
6100 S YALE AVE, STE 1700
TULSA, OK 74136

Re: Drilling Pit Application
Jost 2-30H
NE/4 Sec.30-19S-02E
Marion County, Kansas

Dear Belinda Brock:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 48 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.