Confidentiality Requested: Yes No

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1100574

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
	Field Name:
New Well Re-Entry Workover	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
GG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:      Dual Completion Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	Lesstion of fluid dispass if hould offsite
ENHR     Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Canal Data Data Data Data Data TD Completing Data an	Quarter Sec TwpS. R East West
Spud Date or         Date Reached TD         Completion Date or           Recompletion Date         Recompletion Date         Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

	Page Two	
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken Yes No (Attach Additional Sheets)				og Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolog	*	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING					
		Report all strings set-c	onductor, surface, inte	ermediate, production	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing							
Plug Off Zone							
Did you perform a hydraulic	fracturing treatment of	on this well?		Yes	No (If No, skip	o questions 2 an	d 3)
Does the volume of the tota	I base fluid of the hyd	raulic fracturing treatment ex	ceed 350,000 gallons'	?Yes	No (If No, skip	, question 3)	
Was the hydraulic fracturing treatment information submitted to the chemical disclosure reg				Yes	No (If No, fill o	out Page Three o	of the ACO-1)

Shots Per Foot PERFORATION Specify Foo			RECOI	RD - Bridge Plugs Set/T Each Interval Perforated	/pe			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Size	9:	Set At	:: Pack	er At:	Liner F		No	
Date of First, Resumed	l Productio	n, SWD or ENHF	ł.	Producing Method:	mping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbl	S.	Gas Mcf	Wa	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ION OF GA	AS:		METHO	OF COMPL	ETION:		PRODUCTION IN	TERVAL:
Vented Solo	d Us	sed on Lease		Open Hole Perf. Other (Specify)	Duall (Submit	,	Commingled (Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

November 10, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428


Re: ACO1 API 15-003-25501-00-00 WITTMAN 15-T SW/4 Sec.15-20S-20E Anderson County, Kansas

**Dear Production Department:** 

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin



# Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG Tailwater, Inc. East Wittman #15-T (Sec 15) API#15-003-25,501 September 13 - September 14, 2012

Paola, KS 66071

Thickness of Strata	Formation	Total
12	soil & clay	12
4	gravel	16
73	shale	89
30	lime	119
19	shale	138
5	lime	143
38	shale	181
10	lime	191
6	shale	197
34	lime	231
6	shale	237
26	lime	263
3	shale	266
18	lime	284 base of the Kansas City
169	shale	453
3	lime	456
1	shale	457
7	lime	464 oil show
10	shale	474
9	oil sand	483 green, good bleeding
3	sand	486 grey, making water
1	coal	487
10	shale	497
11	oil sand	508 green, good bleeding
2	shale	510
1	coal	511
6	shale	517
9	lime	526
13	shale	539
3	lime	542
21	shale	563
9	lime	572
21	shale	593
5	lime	598
57	shale	655
11	oil sand	666 brown, good bleeding
1	broken sand	667 brown & grey sand, good bleeding

#### East Wittman #15-T (Sec 15)

Page 2

52	shale	719
32	sand	751 brown, no oil show, gassey
1	shale	752
3	broken sand	755 brown & grey, no show
21	sand	776 brown, no oil show
16	oil sand	792 brown, good bleeding
43	sand	835 white, making water
26	shale	861 TD

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 861'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 851' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

	ONSOLID ON Well Service	ee, LLC		Т & ТРЕА	TMENT REP		Hawa KS	
	hanute, KS 667 or 800-467-867(	20		CEMEN		OKI	•	/
DATE	CUSTOMER #	WELL	NAME & NUM		SECTION	TOWNSHIP	RANGE	COUNTY
217/12	7806	E. Whit	man # 1	15-T	Sw 15	20	20	41
USTOMER	1. 1.		-					
AILING ADDRE	ter Inc.	<u> </u>		-	TRUCK #	DRIVER	TRUCK #	DRIVER
		- C. M. (			481	Casken	<u> </u>	L
421 AJ	ondeke D	ISTATE		4	495	HarBec	HB	
	/ -1	OK			SID	Settuc	ST	
Oklahou		<u> </u>	7311Le		ર્ટ્રાસ	DerMas	DM	
ов түре <u>/<i>о•</i></u>	$\mathbf{v}_{-}$	HOLE SIZE	5/8"	HOLE DEPTH	Blet	CASING SIZE & V		EUE
ASING DEPTH	851	DRILL PIPE	·	_TUBING			OTHER	· · · · · · · · · · · · · · · · · · ·
LURRY WEIGH		SLURRY VOL_		WATER gal/s	k	CEMENT LEFT in	CASING	
ISPLACEMENT	14.95 66/5	DISPLACEMEN	T PSI	MIX PSI		RATE_5.5	bom	
EMARKS: he	ld safety	meeting	establi	Shed circ	ration, m	ixed + pour	ad los # I	femium
sel follo	wed by	10 bbls to				125 sts 50/	5	Gener
	sel per st	cerver				e clean p		6" ruber
	Casing TD			fresh we			D'PSI R	Incod
pressure ,	shut in	casing.						
					· · · · · · · · · · · · · · · · · · ·		$\overline{\Lambda}$	
							t∕──	
		·····				++ +	~	
	· · · · · · · · · · · · · · · · · · ·					1-1-		
	· · · · · · · · · · · · · · · · · · ·					$\rightarrow - + -$		
ACCOUNT CODE	QUANITY	or UNITS	DE	SCRIPTION of	SERVICES or PR	ODUCT	UNIT PRICE	TOTAL
52MI	1		PUMP CHARG	26				10 20 00

AUTHORIZTION	100 CO. 1160. 80	TITLE		DATE	
	No Co. Rep. or	lacoli		ESTIMATED TOTAL	2915.87
Ravin 3737	,		7.8%	SALES TAX	114,02
			<u></u>		
					<u></u>
4402		D'S" rubber plug			2800
1118B	310 #	Premium 6.00		L	(5,10
1124	125 sks	50/50 Poznix cement		·	1368. 75
		51/ 2			
55026	1.5 hrs	80 Vac			135.00
5407	1/2 minimum	ton Milesse			175.00
5402	851'	casing footage			·
5406	onlesse	MILEAGE			
5401		PUMP CHARGE			1030.00
CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PR	ODUCT	UNIT PRICE	TOTAL

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

