

Confidentiality Requested:					
	Yes	N	lo		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1102747

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from	South Line of Section
City: S	tate: Zi	p:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NV	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
New Well Re	-Entry	Workover	Field Name:		
	_	_	Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground: Kelly Bushing:		
☐ OG	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	тетір. Ава.	Amount of Surface Pipe Se	et and Cemented at:	Feet
Cathodic Other (Con	e. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well In			If yes, show depth set:		Feet
Operator:			If Alternate II completion, of	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:	Original To	otal Depth:			
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Manageme	nt Plan	
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from t		
O constitued and	D		Chloride content:	ppm Fluid volume:	bbls
CommingledDual Completion			Dewatering method used:		
SWD			Location of fluid disposal if	f haulad offsita:	
☐ ENHR			Location of fluid disposal fi	nauled Olisite.	
GSW Permit #:		Operator Name:			
_			Lease Name:	License #:	
Spud Date or Date Rea	ached TD	Completion Date or	QuarterSec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I III Approved by: Date:				

Page Two



Operator Name:				Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whet vith final c	ther shut-in pre hart(s). Attach	essure reac extra shee	hed stati t if more	c level, hydrosta space is neede	tic pressures, bod.	ottom hole temp	erature, fluid re	ecovery,
Final Radioactivity Lo files must be submitte						gs must be ema	liled to kcc-well-	ogs@kcc.ks.go	v. Digital electi	ronic log
Drill Stem Tests Taker (Attach Additional		Ye	es No			J	on (Top), Depth		Samp	
Samples Sent to Geo	logical Survey	Ye	es No		Nam	e		Тор	Datum	1
Cores Taken ☐ Yes ☐ No Electric Log Run ☐ Yes ☐ No			=							
List All E. Logs Run:										
				RECORD	Ne					
	0: 11.1					ermediate, product		" 0 1	T 15	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive	
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	s Used Type and Percent Additives					
Perforate Protect Casing	Top Detterm									
Plug Back TD Plug Off Zone										
1 lug 0 li 20 lio										
Did you perform a hydrau	ulic fracturing treatment of	on this well?	•			Yes	No (If No, s	kip questions 2 a	nd 3)	
Does the volume of the t			_		-		= ` `	kip question 3)		
Was the hydraulic fractur	ing treatment information	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, f	ill out Page Three	of the ACO-1)	
Shots Per Foot			D - Bridge Plug Each Interval Perf			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth)epth	
								_		
TUBING RECORD:	Size:	Set At:		Packer A		Liner Run:				
		0017111				[Yes N	0		
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gra	avity
DIODOCITI	01.05.040			4ETUOD 05	001451	TION		DDODUCT	ONLINITED (A)	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF ☐ Perf.			nmingled	PRODUCTION	ON INTERVAL:	
				(Submit		mit ACO-4)				

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

November 27, 2012

Chris Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1

API 15-003-25567-00-00 Pedrow 11-T NE/4 Sec.28-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Chris Martin



TICKET NUMBER	37511
LOCATION OHave	a ICS
FOREMAN Case	toungely

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

AUTHORIZTION_

FIELD TICKET & TREATMENT REPORT

620-431-9210 (or 800-467-867	5		CEMEN	t			
DATE	CUSTOMER#	WELL	NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
915/12	7806	Pedro	# 117		NW 28	20	20	AN
CUSTOMER							***************************************	
Jailu	votes Inc			_	TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRI	FSS				481	Casken	ck	
16421 A	vondale D	-, Suite 2	<u> </u>		lelele	GarMao	GH	
CITY		STATE	ZIP CODE		510	Set Tuc	ST	
Oklahon	na City	OK	73116	_	SOSTION	Jas Ric	JR	
JOB TYPE	7	HOLE SIZE 5	5/8"	_ HOLE DEPTI	н <u>892'</u>	CASING SIZE & V	VEIGHT 2%	" EVE
CASING DEPTH	16821	DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH	HT	SLURRY VOL_		WATER gal/s	sk	CEMENT LEFT in	CASING	
DISPLACEMEN	T 5,13 665	DISPLACEMEN	T PSI	MIX PSI		RATE 4.56	ph	
						ent tours	ad 1614 Pre	emium Ca
followed		de fresh u	sater, mi	xed + a	ruped 119	ets 50/50 Pb	zmixcen	et w/ 27
ad per	sk/ ceme	ent to sur	face flu	shed pun	o clean,	surred 27	» " rubber	plug to
gel per 1	D.W/ 5.1	3 blos fre	sh water	r, pressu	ired to 2	300 PSI, re	leased pre	struce.
shot in co	29 Ive.					$\overline{}$		<u></u>
							I()	
							12	
						1-		


ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401		PUMP CHARGE		1030,00
40Ce	on lease	MILEAGE		
5402	882'	casing too tage		
5407	1/2 minimum	ton mileage		175,00
5501C	1.5 hrs	Transport		168.00
1124	119 stes	50/a Paris courset		1303.05
11188	300 #	5950 Poznix canest Premium Gel		63.00
4402	1	21/2" Nober plug		28.00
		7.9	SALES TAX	108.7.3
vin 3737	.1)		ESTIMATED TOTAL	2875.79

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

TITLE__

252668

DATE_



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG

Paola, KS 66071

Tailwater, Inc. Pedrow #11-T API#15-003-25,567

September 4 - September 5, 2012

Thickness of Strata	<u>Formation</u>	<u>Total</u>
14	soil & clay	14
4	clay & gravel	18
64	shale	82
28	lime	110
69	shale	179
10	lime	189
6	shale	195
35	lime	230
6	shale	236
23	lime	259
3	shale	262
21	lime	283 base of the Kansas City
175	shale	458
4	lime	462
3	shale	465
8	lime	473 oil show
7	shale	480
13	oil sand	493 green, good bleeding
1	coal	494
6	shale	500
23	sand	523 grey, no oil
1	coal	524
5	shale	529
8	lime	537
14	shale	551
5	lime	556
17	shale	573
4	lime	577
3	shale	580
10	lime	590
39	shale	629
10	broken sand	639 brown & green, light bleeding
30	shale	669
1	lime & shells	670
6	oil sand	676 brown, ok bleeding
53	shale	729
6	broken sand	735 brown & grey, no oil show
10	shale	745

18	broken sand	763 brown, gassey, no show
5	broken sand	768 brown & grey sand, light bleeding
3	shale	771
6	broken sand	777 brown & grey, no oil
24	silty shale	801
45	broken sand	846 white & grey, no oil
46	shale	892 TD

Drilled a 9 7/8" hole to 21.1' Drilled a 5 5/8" hole to 892'

Set 21.1' of 7" surface casing cemented with 6 sacks of cement.

Set 882.7' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.