





**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Russell Oil Inc

**10-11s-23w-Trego**

Po Box 8050  
Edmond Ok 73083

**Bollig N 1-10**

Job Ticket: 47787

**DST#: 4**

ATTN: Leroy Holt

Test Start: 2012.06.20 @ 12:20:41

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 56.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.79 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1700.00 ppm

Filter Cake: inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
1.00	Mud	0.014

Total Length: 1.00 ft      Total Volume: 0.014 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 8321

Inside

Russell Oil Inc

Bolig N-1-10

DST Test Number: 4



20 Wed Jun 2012

Triobite Testing, Inc

Ref. No: 47787

Printed: 2012.06.21 @ 08:08:56