



BASICSM
ENERGY SERVICES
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.
P.O. Box 129
Liberal, Kansas 67905
Phone 620-624-2277

FIELD SERVICE TICKET
1717 02932 A

DATE _____ TICKET NO. 2932A

DATE OF JOB <u>7-10-12</u>	DISTRICT <u>1717</u>	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:
CUSTOMER <u>OXY USA</u>	LEASE <u>FEIGHT A</u>	WELL NO. <u># 8</u>					
ADDRESS	COUNTY <u>HASKELL</u>	STATE <u>Ks</u>					
CITY	STATE	SERVICE CREW <u>LIZBEN TOGO JERRY Eddie Carlos John</u>					
AUTHORIZED BY <u>Jerry Bennett JRB</u>	JOB TYPE: <u>242 85/8 Surface</u>						
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE <u>7-9-12</u> AM/PM <u>12:00</u> TIME
<u>71183</u>	<u>8</u>	<u>AP LOCATION/DEPT. 1-b/cap</u>		<u>D02</u>	<input type="checkbox"/> NON D02 <input type="checkbox"/>	ARRIVED AT JOB	<u>7-9-12</u> AM/PM <u>11:30</u>
<u>27462</u>	<u>10</u>	<u>LEASE/WELL/FAC FEIGHT A-B</u>				START OPERATION	<u>7-10-12</u> AM/PM <u>9:15</u>
<u>30464</u>		<u>MAXIMO / WSM #</u>				FINISH OPERATION	AM/PM <u>12:20</u>
<u>37547</u>		<u>TASK 0102</u>		<u>ELEMENT 5501</u>		RELEASED	AM/PM <u>1:00</u>
<u>19827</u>		<u>PROJECT # 1145963</u>		<u>CAPEX / OPEX - Circle one</u>		MILES FROM STATION TO WELL	<u>35</u>
<u>12566</u>		<u>SPO / BPA</u>		<u>UNSUPPORTED</u>	<input type="checkbox"/>		

PRINTED NAME Daryl Inoco

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).
The undersigned is authorized to execute this contract as an agent of the customer. At such time the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNATURE: [Signature]
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
CL 101	A-Con	✓ SK	335	13 95	4673 25
CL 110	Premium Plus CEMENT	✓ SK	245	12 23	2996 35
CC 109	Calcium CHLORIDE	✓ lb	1407	79	1111 53
CC 102	CELLOFLAKE	✓ lb	146	2 78	405 88
CC 130	C-51	✓ lb	63	18 75	1181 25
CF 253	GR. DR SHOE REG 85/8	✓ EA	1		285 00
CF 1403	ISFV FLAPPER TYPE 85/8	✓ EA	1		371 25
CF 105	T. Rubber Plug 85/8	✓ EA	181		168 75
CF 4109	STOP Collar 85/8	✓ EA	1		75 00
CF 4556	MT BSKT Annular 85/8	✓ EA	181		787 50
CF 4405	Economizer Hinged 85/8	✓ EA	15	108 75	1631 25
E 101	HEAVY Veh M. LEAGS	m.	105	5 25	551 25
CE 240	Blending & mixing SERVICE CHARGES	SK	580	1 05	609 00
E 113	Resppant Bsk DELIVERY CHARGES	TM	955.5	1 20	1146 60
CE 202	DEPTH CHARGE 1001-2000	4 hrs	1		1125 00
CE 509	Plug Cut CHARGES	JOB	1		187 50
E 100	Un. F M. LEAGS CHARGES	m.	35	3 19	111 65
S 003	SERVICE SUPERVISOR CHARGES	1	EA		131 25
T 105	OUT DATA Acq. Monitor	1	EA		
SUB TOTAL					20,024 26

CHEMICAL / ACID DATA:			

SERVICE & EQUIPMENT	%TAX ON \$	
MATERIALS	%TAX ON \$	
TOTAL		20,561 21

SERVICE REPRESENTATIVE T. CERA

THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: [Signature]
(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.

Customer	Oxy USA	Lease No.		Date	7-10-12
Lease	FEIGHT	Well #	A + B	Service Receipt	2932A
Casing	8 5/8	Depth	1816	County	Haskell
Job Type	242	Formation		State	K1
		Legal Description	B-27-29		

Pipe Data		Perforating Data		Cement Data
Casing size	8 5/8	Tubing Size		Lead 3355x
Depth	1816	Depth		A. Con
Volume	112.86 Bbls	Volume		3 1/2 CC 2% WCA-1
Max Press	25000	Max Press		1 1/4" CF 12.1 #/gal 2.40 ft
Well Connection	8 5/8	Annulus Vol.		Tail in 2455x
Plug Depth	1774.50	Packer Depth		PCEN Plus CMT
				2 1/2 CC 1 1/4" CF
				14.8 #/gal 1.34 ft

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
					Called out
					on Loc w tek's
					Hold SAFETY MTG
					Run 49 ft's 8 7/8 24" CSS
					Req G SHWB! AFU Insert 1 ft- 44.50
					STOP Callout! Cent 1/2 WCA-1 ft- 1-3-5-7-10-13-16
					19-22-25-28-31-34-37 Cut Bot 40
9:15					CSS on Bottom
9:25					Hook up to CSS & BREAK CIRC w/215
					TAQ Bottom & Hold SAFETY
9:52					SHUT DOWN Rig up to CSS! Drop Ball
12:01				5.5	START Pumping H ₂ O PSI TEST L18 3000
			5		START MIX LEAD CMT 3355x 12.1 #/gal
			140		START MIX TAIL CMT 24.5 BK A. B #/gal
			206		SHUT DOWN
11:06	100			7.0	START DISO
	550		102	2	102 out Slow Rate
11:31	700		112.4		Plug down
11:36	1300				PSI up CSS HELD 5min! RELEASE
11:40	2500		1	1	PSI up CSS 1500 30min HELD! RELEASE
12:20	RELEASE				Rack up! 503 Complete
					Circ Cut TO RT thanks PLEASE call
					TOOD J224 Eng. & Julian & Carlos

Service Units	71183	27462	37547	30464	15827	195466
Driver Names	TOOD	Edd. E	Carlos		Julian	

Customer Representative

Station Manager

Cementer

Taylor Printing, Inc.