

## FIELD SERVICE TICKET 1717 03856

			SERVICES Ph	one 620-62	24-2277					DATE	TICKET NO	boto : Torr	eres of service. If	
DATE OF 7/20/07 DISTRICT /7/7					NEW OLD PROD INJ WDW CUSTOMER ORDER NO.:									
CUSTOMER OXY VSA					LE	LEASE BOZWONTH B 1 WELL NO.							JIE LTG	
ADDRESS						COUNTY FINNELL STATE (							29	
CITY STATE						SI	SERVICE CREW ROUCE, Wictor, Saul							61
AUTHORIZED BY TUCO JRB						JC	ОВ ТҮРЕ	7	47	Surf	500		e noeuni bigmose. I beineger nevil i	60 60
EQUIPMEN'		HRS	EQUIPMENT#	HRS	EC		IENT#	THU!	HRS	TRUCK CALL	1 /	DATE	TIME TIME	e in Sib
19888 15			int description	A RESERVE	ESP on suculos 1 and			M 11 1251 1 1 1 1	ARRIVED AT JOB					
37113 37	3922339976/5		TOTAL PROPERTY OF THE PARTY OF	W Z-H2 S	STALL ST	m apribici is sopponemino is			12 3898	START OPERATION AM/2:0/				
38750 379	775	5	was tank na Sv		The No.	al lo	FINISH OPERA				RATION	RATION AMG. 30		
	10 17503	Best Dist	n some elle yek somen elle	STAU SKE	NUMBERDADIONS DA		WEST PAR NEW CONTROL		65411487 TO	RELEASED			EM 7:00	
				14 1 14 14 14 14	00 BA	14 0	HIONE	9 8	70-U154	MILES FROM	1 STATION TO	WELL	70	THE .
ITEM/PRICE REF. NO.	A	MA	TERIAL, EQUIPMENT	AND SERV	/ICES U	SED	phores	evise integrally	UNIT	(WELL OWNE	UNIT PRIC		RACTOR OR AGEN	VT)
CLIOI	A-C	on	elogatore was to bi		1 1 1	0	пІ	lo	SK	345	13	95	4812 7	5
CCIIO	Prev	niv	n Plus,		2	00	<u>a</u> \	eceive	SK	215	12	23	29963	5
C109	Calc	my	Chloride	9	2	Circle	E	- un	46	1457	2	79		13
(C136)	6-5	Tia	CQ.	2	1 5	×	PP 2	have	16	65	18	18	Part of the second of the seco	4
CF 253	Guid	le sh	oc ,	D02	. 8	PE	NS.	anials.	EA	1		13		0
CF 1403	Flag	per:	Float Valve	Q		- 25	25	s/Mat	EA	(	The trades	-		5
CF 4405	Court	rali ,	cers	07		APE	2	envice	EA EA	15	108	3	THE RESERVE THE PARTY OF THE PA	5
CF105	TOO	Plux	TMEMALL REA	OCK	2	O	0	8	EA	/ m bmm vbso	to the lieu	dans dans	168 75	50
CF4109	500	Col	lar		5	29	7	Tal.	EA	1	CLA populated M	S SHITEH W ABOTH		0
E101	Heac	19E	guip Muleau	H .		35	or (a dw	sertify	Mi.	210	5	25	1102 5	0
E 113	Den	dine	ivery	Charle	1 1	15	18 10 5	=	SK	1911		20	6195	0
CEZOZ	Don	th CI	revel	N	SN	,	N N		Uhr	1796		all .	11250	0
CE504	Plug	Cor	Hainer	E	<b>₩</b>	#	<b>∀</b> åŽ	X X	EA	1	e i nu bne jed	3 3	18750	0
E100	Pick	-UP	M. Gage	20	N O Y	EC.	O I	<u> </u>	mi	70	3	19	223 30	0
7000	Perc	vce	2000001500	, ,	AX	NO.	O SE	5	EA	/	Telepher	g atrig	131 2	S
1100	Come	in.	fur Hog		ad 65 C	tilla	OPOLE (	#3	EH	/ White Selfie	SUB TO	OTAL	4120	
CH	IEMICAL / A	ACID DATA	A: 10 10 10 10 10 10 10 10 10 10 10 10 10	Warrist of the control of the contro	Secure as	HOLE	ise or fo	17. ISB	de Tisti	- grad acts yet	306 10	JIAL	20,2550	32
arting of beauty rop 6	Unens n 2	ADD DOE	ennel bade oue	s tentage by		ERVICE & EQUIPMENT %TAX ON \$					o arrây	164 - 1 507 101	[35]	
261.	MA						ATERIALS %TAX ON \$  TOTAL						Albertades the tips de	100

REPRESENTATIV

THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY

(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.

SERVICE



1700 S. Country Estates Rd. P.O. Box 129 Liberal, Kansas 67905 Phone 620-624-2277

## FIELD SERVICE TICKET CONT.

TICKET NO. 171703856 A

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT	
CE503	High Head Charge	eg	)		225 0	
	High hour of st. Je		,			
	**************************************					
8						
		X				
74						
37						



**Cement Report** Liberal, Kansas Lease No. Customer Service Receipt Well # Lease State // County Depth Casing 819 FINNEL Legal Description Job Type Formation -22-39 **Perforating Data Cement Data** Pipe Data Lead 345 St ACON Tubing Size Casing size Shots/Ft From Depth Depth From To Volume Volume Max Press From To Max Press To From Annulus Vol. Well Connection Packer Depth From To Plug Depth Tubing Casing Service Log Bbls. Pumbed Rate Time Pressure Pressure 90 Service Units

Customer Representative

**Driver Names** 

Station Manager

Cementer

Taylor Printing, Inc.



## FIELD SERVICE TICKET 1717 03857

	PRESSURE PUMP		one 620-624-22	17 yana		DATE	TICKET NO	At sales of enumes Energy Senses UP				
DATE OF 7	NEW DOLD PROD □INJ □ WDW □ CUSTOMER WELL □ ORDER NO.:											
CUSTOMER	LEASE ANSLASTZ A - 7 WELL NO.											
ADDRESS	COUNTY HOLD STATE K											
CITY					SERVICE CREWSAUL Juan							
AUTHORIZED E	BY TUCO	TRB	out pur en els groon	JOB TYPE:	PTI	1 7	47	The sound standard				
EQUIPMEN	1900	HRS E	EQUIPMENT#	HRS TRUCK CALLED TO THE PARTY OF SC								
19886	75	de lacembles une se 2	Heisel tracks are sta	h manta	ARRIVED AT		AM 9:30					
3422337	3922337976 7.5				9 10 1,7164	START OPE	RATION	AM 23:00				
30463 37	7247.5	Luteran end live	and a second re	ultinalism films tel	-	FINISH OPERATION AND 1/3						
AND AREAS AND A VALUE OF THE STATE OF THE ST	PRIME CHARLET, 12000	On og Bus de Holm	Dalicon Signification	Biomot to more underly	401111111111111111111111111111111111111	RELEASED	to a sity Pederal. Stat	EM 5/00				
the owner abadele	to Insoan on severing	tue on au ton lens FLO 30 OM (	DE LA YEAS ACC SE	T VE CHECKE	2 B ( 10 V F) 2 (	MILES FROM	1 STATION TO WELL					
man chique and					110 (100)			73				
ITEM/PRICE		ATERIAL, EQUIPMENT	AND SERVICES	HSED			ER, OPERATOR, CONT					
REF. NO.	10116	ATERIAL, EQUIPMENT	AND SERVICES	USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT				
00.700	60/40	106	a el metern la mos	of projective a	SK	20	900	225000				
200	Genous	Gel de la			40	200	19	81 70				
207	Calcion	Chlorice	oatel		111	307	- 79	305 73				
CF 240	Bowle	10 ST WAY	ouge	tong manara pro-	10V	250	105	472 50				
F113	13,111	130 LIPINI	7 Chury	1950	TIM	463.7		580 50				
CF 202	Donta	Charcel	001 to2	000	EA	Un		1125 0				
FLOO	Pickel	P Malo aen	9	SHAY DO SHA	mi	45	3 19	143 55				
5003	Courtic	10 5 100 PC	11201	THE COLUMN TO SERVICE AND ADDRESS OF THE SERVICE AND ADDRESS OF THE COLUMN TO SERVICE AND ADDRESS OF THE SERVIC	EA	- 1	The same of the sa	131 25				
CE403	Adol +	15	MAL NON I	0020	AA	4	37500	1500 0				
ageann bru yndag. Is ie acaa rizinnut na a	AP LOCATION	DEPT. LIB CA	2 D02 DMC	M-D02C3		100-11160	STATE OF THE ACT OF THE	oficials selected was most of				
1 ylaudivetë athure	The state of the s	FAC Anish	itz Al		de la phier	10 MALE OF THE PARTY OF THE PAR	16 M 141 238 d 56	tuoni amili "iydda sale"				
R - R 29 L - 200 K	MAXIMO / WS	M#		2021	us rispetos:	7	v tell o n da aso	o description and tender of				
and the state of state of	The second of th		ELEMENT_	3025	II III II III III	-1,111,011,011	Company of the second section of the section of the second section of the section of the second section of the secti	MANAGEMENT OF THE SAFETY STATES OF THE SAFETY OF THE SAFET				
The latest to Ale	PROJECT #_	/150739 CAI			The state	30,0101	3	stapulation no life a				
	SPO / BPA Circle Doc Type PRINTED NAM	TECH	MSUPPO	RIED Co.d	LC 201-12							
internal area qui	SIGNATURE:	See See			0.000		and domining park	and the second second second				
reministra en la re		I certify that these Ser	ices/Materials have be	en received	1 -1 11	00 10 1		o no o tabric itaw				
	1,50			introduction and in-	of mittues		SUB TOTAL	11-2-milen				
CH	EMICAL / ACID DAT	TA:	In Dia not electroca		in a to 25 miles	- 1,41 g - 1,6	to an increase and the res	685273				
et operas es a	en diam mark	remed ballmage C. All			ERVICE & EQUIPMENT %TAX ON \$ IATERIALS %TAX ON \$							
THE GREET	DI 1968   1850(1 1 1 5	R 4 BRITTO BWS	TABLE OF THE VINE IN	MATERIALS								
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1901 1320 171 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1	these	gradus seuseb		TOTAL							

THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY

(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.

SERVICE REPRESENTATIVE



Liberal, Kansas Cement Report										
Customer OXU USA				Lease No.				Date 7/21/12		
Lease AMS(AN) F A			4	Well # 1			Service Recei	Service Receipt		
Casing 4 5/6 Depth				County Haskell			State			
Job Type	TA		Formation			Legal Description	on /- <	28 - 33		
		Pipe D	Data			Perforating Data		Cement Data		
Casing size	85/6	-	Tubing Size				/Ft	Lead FOSX 69 @135# 4666 376 Cacc	14	
Depth 1823,51			Depth	From	370 CaCL					
Volume			Volume	From		То	1.54 V 7.5	9		
Max Press (CCO)			Max Press	From		То	Tail in 100 5x 6	01		
Well Connection Swage			Annulus Voi.	From		То	@15,5 490 Ge	(		
Plug Depth			Packer Depth	From		То	1,50 7,5	50		
Time	Casing Pressure	Tubing Pressure	Bbls. Pumbed	Rate			Servic	e Log		
21130					onl	OC, 5PC	sttrock	S, R.V, Sattun	10	
23:05	100		10	9	151	0 @ 18	70'	V	/	
23:08	808	v	0	5	Mix	60/40	@ 13,5	5 150 5x		
23120	60		41	4	1/20	)				
23:22	0		2	e jagandasin anaka	Shi			off to 910'		
02:36	1000				Tes	A Plu	<u> </u>			
02153	940				Rol.	Psi	, 			
02153	190		1.0	5	H20	00,9	10'			
02:55	460		0	4	Mix	60/40	(a) 13 c	5 60 5%		
03:03	60		16	4	Fini	sh mexic	G 00	HZO,		
03105	Ð		2	4	Sho	+ Dows	100	Toot to 60'		
04:04	10		5.3	5.	Plu	g (a) 60	( 20	SKI		
04:13	10		5.3	2	Plug	Mouse		SKS Washuf	)	
04:30					50	6 C87	plet	Ø		
					-					
					-					
									_	
									_	
									_	
						//				
Service Un	its 1966 es CA	6	372233992	30463	37726					
Driver Nam	es CH	17	372233792 S. Redriguez	5. Ga	rcia					
						1		1		

Customer Representative

Taylor Printing, Inc.