



P.O. BOX 3660  
HOUMA, LA 70361-3660

Customer : SAN400

BILL TO : SANDRIDGE ENERGY  
123 ROBERT S KERR AVENUE  
OKLAHOMA CITY, OK 73102-6406  
PHONE: (405) 753-5500 FAX: ()

Division : 0701  
Delivery Ticket : 3058  
Delivery Date : 11/5/2012  
Office : 12/1/1901

Ordered By :  
Lease/Well : MARIE 3418 #1-5H  
Rig Name/Number : LARIATE 38  
AFE Number :  
Site Contact :  
:  
:  
:

Qty	Description	Min / Standby / Usage Charge	Add Day	Unit Price	Start Date / Stop Date	Extended Line Total
1	MARIE 3418 #1-5H	\$24,575.00	\$0.00	\$24,575.00	10/31/2012 10/31/2012	\$24,575.00
120	DRILLED 30" CONDUCTOR HOLE	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
120	20" CONDUCTOR PIPE (.250 WALL)	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
1	6'X6' CELLAR TINHORN WITH PROTECTIVE RING	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
1	DRILL & INSTALL 6'X6' CELLAR TINHORN	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
75	DRILLED 20" MOUSE HOLE (PER FOOT)	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
75	16" CONDUCTOR PIPE (.375 WALL)	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
1	MOBILIZATION OF EQUIPMENT & ROAD PERMITTING FEE	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
1	WELDING SERVICES FOR PIPE & LIDS	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
1	PROVIDED EQUIPMENT & LABOR FOR DIRT REMOVAL	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
1	PROVIDED METAL LIDS (1 FOR CONDUCTOR & 2 FOR THE MOUSEHOLE PIPE)	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
15	CEMENT 10 SACK GROUT	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
1	8' HAY FEEDER	\$0.00	\$0.00	\$0.00	10/31/2012 10/31/2012	
Sub Total:		\$24,575.00	\$0.00			\$24,575.00

Print Name

Signature

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK2086</b>	TICKET DATE <b>11/09/12</b>
COUNTY <b>COMANCHE</b>	State <b>KANSAS</b>	COMPANY <b>Bridge Exploration &amp; Produc</b>	CUSTOMER REP <b>FELIX ORTIZ JR.</b>	
LEASE NAME <b>MARIE</b>	Well No. <b>3418 1-5H</b>	JOB TYPE <b>Surface</b>	EMPLOYEE NAME <b>Larry Kirchner Jr.</b>	

EMP NAME	Larry Kirchner Jr.	Kevin Johnson				
	John Hall					
	Wallace Berry					
	Vontray Watkins					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At 0

Bottom Hole Temp. 80 Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth 900

Date	Called Out <b>11/8/2012</b>	On Location <b>11/8/2012</b>	Job Started <b>11/9/2012</b>	Job Completed <b>11/9/2012</b>
Time	<b>3:00PM</b>	<b>8:00PM</b>	<b>12:10AM</b>	<b>1:30AM</b>

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	1	IR
HEAD	1	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing	New	36#	9 5/8"		Surface	875'	1,500
Liner							
Liner							
Tubing			0				
Drill Pipe							
Open Hole			12 1/4"		Surface	875'	Shots/Ft.
Perforations							
Perforations							
Perforations							

Materials			
Mud Type	WBM	Density	<u>9</u> Lb/Gal
Disp. Fluid	Fresh Water	Density	<u>8.33</u> Lb/Gal
Spacer type	resh Water	BBL.	<u>10</u> 8.33
Spacer type	BBL.		
Acid Type	Gal.	%	
Acid Type	Gal.	%	
Surfactant	Gal.	In	
NE Agent	Gal.	In	
Fluid Loss	Gal/Lb	In	
Gelling Agent	Gal/Lb	In	
Fric. Red.	Gal/Lb	In	
MISC.	Gal/Lb	In	
Perfpac Balls	Qty.		
Other			
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
11/8	4.0	11/9	1.5	Surface
11/9	1.5			
Total		Total		
5.5		1.5		

Pressures			
MAX	1,500 PSI	AVG	80
Average Rates in BPM			
MAX	6 BPM	AVG	5
Cement Left in Pipe			
Feet	46.3'	Reason	SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	330	EX Lite Premium Plus 65	(6% Gel) 2% Calcium Chloride - 1/4pps Cello-Flake - .5% C-41P	10.88	1.84	12.70
2	160	Premium Plus (Class C)	1% Calcium Chloride - 1/4pps Cello-Flake	6.32	1.32	14.80
3	*100	Premium Plus (Class C)	*2% Calcium Chloride on side to use if necessary	*6.32	*1.32	*14.8

Summary					
Preflush Breakdown	Type: _____	MAXIMUM _____	1,500 PSI	Preflush: BBI _____	10.00
	Lost Returns-N _____	NO/FULL _____	SURFACE	Load & Bkdn: Gal - BBI _____	N/A
	Actual TOC _____	Bump Plug PSI: _____	15 Min _____	Excess /Return BBI _____	74
Average	ISIP _____	5 Min _____	10 Min _____	Calc. TOC: _____	SURFACE
				Final Circ. PSI: _____	250
				Cement Slurry: BBI _____	146.0
				Total Volume BBI _____	220.00

CUSTOMER REPRESENTATIVE \_\_\_\_\_ *Felix Ortiz Jr.* SIGNATURE

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 2145</b>	TICKET DATE <b>11/22/12</b>
COUNTY <b>Comanche</b>	State <b>Kansas</b>	COMPANY <b>Sandridge Exploration &amp; Production</b>	CUSTOMER REP <b>Roger Barber</b>	
LEASE NAME <b>Marie 3418</b>	Well No. <b>1-5H</b>	JOB TYPE <b>Intermediate</b>	EMPLOYEE NAME <b>LOUIS ARNEY</b>	

EMP NAME					
<b>LOUIS ARNEY</b>					
<b>JASON JONES</b>					
<b>MARCOS QUINTANA</b>					
<b>GALE WOMACK</b>					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At **0**

Bottom Hole Temp. **155** Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth **5812**

Date	Called Out <b>11/22/2012</b>	On Location <b>11/22/2012</b>	Job Started <b>11/22/2012</b>	Job Completed <b>11/22/2012</b>
Time	<b>5:00</b>	<b>11:00</b>	<b>15:20</b>	<b>1700</b>

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data							
	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		26#	7"		Surface		5,000
Liner							
Liner							
Tubing			0				
Drill Pipe							
Open Hole			8 3/4"		Surface	5,812'	Shots/Ft.
Perforations							
Perforations							
Perforations							

Materials			
Mud Type	WBM	Density	<b>9</b> Lb/Gal
Disp. Fluid	Fresh Water	Density	<b>8.33</b> Lb/Gal
Spacer type	resh Wate BBL.		<b>20</b> 8.33
Spacer type	Caustic BBL.		<b>10</b> 8.40
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		In
NE Agent	Gal.		In
Fluid Loss	Gal/Lb		In
Gelling Agent	Gal/Lb		In
Fric. Red.	Gal/Lb		In
MISC.	Gal/Lb		In

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
<b>11/22</b>	<b>6.0</b>	<b>11/22</b>	<b>1.6</b>	Intermediate
Total	<b>6.0</b>	Total	<b>1.6</b>	

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Pressures	
MAX	5,000 PSI
AVG.	400
Average Rates in BPM	
MAX	8 BPM
AVG	5
Cement Left in Pipe	
Feet	42'
Reason	SHOE JOINT

Cement Data							
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal	
1	135	50/50 POZ PREMIUM	4% Gel - 0.4% C-12 - 0.1% C-37 - 0.5% C-41P - 2 lb/sk Phenoseal	6.77	1.44	13.60	
2	100	Premium	0.4% C-12 - 0.1% C-37	5.20	1.18	15.60	
3	0	0		0	0.00	0.00	0.00

Summary							
Preflush	<b>10</b>	Type:	Caustic	Preflush:	BBI	<b>30.00</b>	Type: WEIGHTED SP.
Breakdown		MAXIMUM	5,000 PSI	Load & Bkdn:	Gal - BBI	N/A	Pad:Bbl -Gal N/A
		Lost Returns-N	NO/FULL	Excess /Return	BBI	N/A	Calc.Disp Bbl 221
		Actual TOC		Calc. TOC:		3797'	Actual Disp. 220.00
Average		Bump Plug PSI:	1,600	Final Circ. PSI:		800	Disp:Bbl
ISIP	5 Min.	10 Min	15 Min	Cement Slurry: BBI		55.6	
				Total Volume	BBI	306.60	

CUSTOMER REPRESENTATIVE \_\_\_\_\_ SIGNATURE \_\_\_\_\_

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 2172</b>	TICKET DATE <b>11/28/12</b>
COUNTY <b>Comanche</b>	State <b>Kansas</b>	COMPANY <b>Bridge Exploration &amp; Produc</b>	CUSTOMER REP <b>Felox Ortiz Jr.</b>	
LEASE NAME <b>Marie 3418</b>	Well No. <b>1-5H</b>	JOB TYPE <b>Liner</b>	EMPLOYEE NAME <b>NATHAN COTTA</b>	

EMP NAME <b>NATHAN COTTA</b>		<b>0.00</b>					
<b>ARTHOR S.</b>							
<b>VONTREY</b>							
<b>GALE</b>							

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At **5,808**

Bottom Hole Temp. **160** Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth **9770**

	Called Out	On Location	Job Started	Job Completed
Date	<b>11.28.12</b>	<b>11.28.12</b>	<b>11.28.12</b>	<b>11.28.12</b>
Time	<b>1000</b>	<b>1700</b>	<b>1900</b>	<b>2100</b>

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	<b>0</b>	<b>Weatherford</b>
Insert Float Val	<b>0</b>	
Centralizers	<b>0</b>	
Top Plug	<b>0</b>	
HEAD	<b>0</b>	
Limit clamp	<b>0</b>	
Weld-A	<b>0</b>	
Texas Pattern Guide Shoe	<b>0</b>	
Cement Basket	<b>0</b>	

Well Data					
	New/Used	Weight	Size	Grade	
Casing		<b>11.6</b>	<b>4 1/2</b>		
Liner Tool					
HWDP					
Drill Pipe			<b>3 1/2"</b>		
Drill Collars					
Open Hole			<b>6 1/8"</b>	Surface	<b>9,770</b> Shots/Ft.
Perforations					
Perforations					
Perforations					

Materials			
Mud Type	<b>WBM</b>	Density <b>9.1</b>	Lb/Gal
Disp. Fluid	<b>Fresh Water</b>	Density <b>8.33</b>	Lb/Gal
Spacer type	<b>Fresh Water BBL.</b>	<b>20</b>	<b>8.33</b>
Spacer type	<b>Caustic BBL.</b>	<b>10</b>	<b>8.40</b>
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		In
NE Agent	Gal.		In
Fluid Loss	Gal/Lb		In
Gelling Agent	Gal/Lb		In
Fric. Red.	Gal/Lb		In
MISC.	Gal/Lb		In

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
<b>11.28.12</b>	<b>4.0</b>	<b>11.28.12</b>	<b>1.0</b>	Liner
Total	<b>4.0</b>	Total	<b>1.0</b>	

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Pressures		
MAX	<b>5000</b>	AVG <b>600</b>
Average Rates in BPM		
MAX	<b>6 BPM</b>	AVG <b>5</b>
Cement Left in Pipe		
Feet	<b>94</b>	Reason <b>SHOE JOINT</b>

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
<b>1</b>	<b>470</b>	<b>50/50 Premium Poz</b>	<b>(4%Gel) -.4% C12 - .1% C37 - 0.5% C-41P - 2 Lb/Sk Phenoseal</b>	<b>6.77</b>	<b>1.44</b>	<b>13.60</b>
<b>2</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0.00</b>	<b>0.00</b>
<b>3</b>	<b>0</b>	<b>0</b>		<b>0</b>	<b>0.00</b>	<b>0.00</b>

Summary					
Preflush	_____	Type: _____	Preflush: BBI	<b>30.00</b>	Type: <b>8.59#SPACER</b>
Breakdown		<b>MAXIMUM</b>	Load & Bkdn: Gal - BBI	<b>N/A</b>	Pad:Bbl -Gal <b>N/A</b>
		<b>Lost Returns-N</b>	Excess /Return BBI	<b>N/A</b>	Calc. Disp Bbl <b>220</b>
		<b>Actual TOC</b>	Calc. TOC:	<b>4.697"</b>	Actual Disp. <b>220.00</b>
Average		<b>Bump Plug PSI:</b>	Final Circ. PSI:	<b>600</b>	Disp:Bbl <b>220.00</b>
ISIF _____ 5 Min.		<b>10 Min.</b>	Cement Slurry: BBI	<b>120.5</b>	
		<b>15 Min.</b>	Total Volume BBI	<b>370.54</b>	

CUSTOMER REPRESENTATIVE *X Felox Ortiz Jr.* SIGNATURE \_\_\_\_\_

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 2118</b>	TICKET DATE <b>11/15/12</b>
COUNTY <b>Comanche</b>	State <b>Kansas</b>	COMPANY <b>Sandridge</b>	CUSTOMER REP <b>Roger Barber</b>	
LEASE NAME <b>Marie</b>	Well No. <b>3418 1-5H</b>	JOB TYPE <b>Plug Back</b>	EMPLOYEE NAME <b>Nate Cotta</b>	

EMP NAME					
Nate Cotta		0			
Mike Chalfant					
Jayson Seyfried					
Vontray					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_  
 Packer Type \_\_\_\_\_ Set At **0**  
 Bottom Hole Temp. \_\_\_\_\_ Pressure \_\_\_\_\_  
 Retainer Depth \_\_\_\_\_ Total Depth \_\_\_\_\_

	Called Out	On Location	Job Started	Job Completed
Date	<b>11.15.12</b>	<b>11.16.12</b>	<b>11.16.12</b>	<b>11.16.12</b>
Time	<b>2200</b>	<b>230</b>	<b>400</b>	<b>500</b>

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data					
	New/Used	Weight	Size	Grade	From To
Casing					Surface
Liner					
Liner					
Tubing			3 1/2		
Drill Pipe					
Open Hole			8 3/4"		Surface 3,230
Perforations					Shots/Ft.
Perforations					
Perforations					

Materials			
Mud Type	WBM	Density	<b>9</b> Lb/Gal
Disp. Fluid	Fresh Water	Density	<b>8.33</b> Lb/Gal
Spacer type	mud wash BBL.		<b>20</b> <b>8.40</b>
Spacer type	H2O BBL.		<b>10</b> <b>8.33</b>
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		In
NE Agent	Gal.		In
Fluid Loss	Gal/Lb		In
Gelling Agent	Gal/Lb		In
Fric. Red.	Gal/Lb		In
MISC.	Gal/Lb		In

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
<b>11.16.12</b>	<b>15.0</b>	<b>11.16.12</b>	<b>1.0</b>	<b>Plug Back</b>
Total	<b>15.0</b>	Total	<b>1.0</b>	

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_  
 Other \_\_\_\_\_  
 Other \_\_\_\_\_  
 Other \_\_\_\_\_  
 Other \_\_\_\_\_

Pressures	
MAX	2000PSI
AVG	
Average Rates in BPM	
MAX	4.5 BPM
AVG	4.5
Cement Left in Pipe	
Feet	0
Reason	

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	250	Premium H	0.3% C-37	3.90	0.99	17.00
2			Front Pot has Top Out on bulk truck do not use			
3	0	0		0	0.00	0.00

Summary					
Preflush	_____	Type: _____	Preflush: BBI	<b>20.00</b>	Type: h20
Breakdown	_____	MAXIMUM	5,000 PSI	Load & Bkdn: Gal - BBI	<b>N/A</b>
	_____	Lost Returns-N	NO/FULL	Excess /Return BBI	<b>N/A</b>
	_____	Actual TOC	_____	Calc. TOC:	<b>4.062</b>
Average	_____	Bump Plug PSI:	_____	Final Circ. PSI:	<b>200</b>
ISIP	5 min. _____	10 min. _____	15 min. _____	Cement Slurry: BBI	<b>44.0</b>
				Total Volume BBI	<b>101.00</b>

CUSTOMER REPRESENTATIVE \_\_\_\_\_  
 SIGNATURE \_\_\_\_\_