

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1103770

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E \(\bigcap \)
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water:
Seismic ; # of Holes Other Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
g	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AEE	IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	
	gging of this well will comply with K.S.A. 33 et. seq.
t is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	delle and a
	0 0,
2. A copy of the approved notice of intent to drill shall be posted on each	ay aired lating coment to the tent in all comes ourfoce nine about he act
3. The minimum amount of surface pipe as specified below shall be set to	, , , , , , , , , , , , , , , , , , , ,
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	underlying formation.
3. The minimum amount of surface pipe as specified below shall be set to	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i>
 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distribution 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Loc	cation of W	/ell: County:
Lease:							- —		feet from N / S Line of Section
Well Number									feet from E / W Line of Section
Field:					_ Se	C	TwpS. R L E L W		
Number of A							15 3	Section:	Regular or Irregular
								Section is to ction corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
le					d electrica	the neares	required b		dary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). red.
			:	:		:	:	:	LEGEND
									O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
				1			: : :		EXAMPLE
				: 	•••••				
		•••••		:	••••		:	:	1980' FSL
	: :	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	: ::	••••	:	:	: :::::::::::::::::::::::::::::::	

NOTE: In all cases locate the spot of the proposed drilling locaton.

330 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

103770

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A		Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?		
	Length (fee		Width (feet)		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	nei		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	pe closed within 365 days of spud date.		
Submitted Electronically					
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1103770

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

				The state of the s
G/q5-3c pc K 13				
G/qs:scpck 13				
Glasscock 13	NAMES OF THE OWNER OWNER OF THE OWNER			
Glasscock 13				
Glasscock 13				
Glasscock 13				'
Glasscock 13		No. of the last of	And the second s	- Security of Paris Security S
Glasscock 13				
Glasscock 13			The second secon	
Glasscock 13				
Glqs:3cock 13				
Glasscock 13	Acres de la constante de la co			
Glasscock 13				
Glasscock 13				
Glasscock 13				
Glasscock 13	-			
Glasscock 13				
Glasscock 13	Andrewson to the second	A man annual ann		
Glasscock 13				
Glasscock 13				
Glasscock 13	1.	8		The state of the s
Glasscock 13	NAMES OF THE OWNER OWNER OF THE OWNER OWN	Company of the Compan		
Glasscock 13				
				Glasscock 13
				9

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CP-4 December 2003 Type or Print on this Form Form must be Signed All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

Lease Operator: TAR 012	. Co.	1 /		API Number: 15 - (049-22477-00-0
Address: P.O. Box 92 /	MOLINE, K	c. 6%	7353		ISSCOCK. SWARTZ Schwa
Phone: (430) 647 3352 Operat				Well Number:	KCC PICT POPE
	PKT Docket #:_				: <u>₩</u> - <u>\$₩</u> - <u>\$£</u> - <u>\$£</u> North / ¾ South Section Line
The plugging proposal was approved on:		,			•
by: MIKE HEFFRAN					East / West Section Line S. R. / KEast West
Is ACO-1 filed? Yes No If not, is	well log attached?	Yes]No (County: ELK	-
Producing Formation(s): List All (If needed attach a	nother sheet)			Date Well Completed:	1-5-08
Depth to Top:					1-5-08
Depth to Top:	Bottom:	T.D.		Tugging Commenced.	1.5-08
Depth to Top:	Bottom:	T.D.	F	Plugging Completed:_	7 8 -0
Show depth and thickness of all water, oil and ga	as formations.				
Oil, Gas or Water Records		Cas	ing Record (Surf	face Conductor & Produc	tion)
Formation Content	From To		Size	Put in	Pulled Out
	SURFARE	40'	x 5/11	40'	0
	0,17,00				
SEE ATTACHMENT	. [
Name of Plugging Contractor:	OHTED ML	JELL -	SERVICE	License #:	JA 33961
Address: 20. 130 x 884 - (MANUTE	,	GG-7	_	
	_	_		<u> </u>	Kectr
Name of Party Responsible for Plugging Fees:	14K011	s Co)		
State of XANSAS County,	ELK		, ss.		
		,	(Employee of On	perator) or (Operator) o	n above-described well, being first duly
sworn on oath, says: That I have knowledge of th	e facts statements, an				
same are true and correct, so help me God.		\supset $_{\neq}$	1_		
JES O	(Signature)	. //	ATTESOM	,	
E COMP	(Address)	× 9	2 Mox	INE XE.	67353
CITION AS SARSCEIRED and	SWORN TO before m	_	. <i>I</i> .h	august	20 / 8
Kan Mr Man Sharry and	July 1 Poeldie III	110	uruay UI	vary voo '	, 20 0
N / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	A . ///////////////////////////////////	10		. 0	
same are true and correct, so help me God.	Notary Public	10		ommission Expires:	A. CINDY L. SLINKARD Notary Public - State of Kansas



Description

P & A NEW WELL

TON MILEAGE DELIVERY

502

520

520

REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

419.50

1.00

50.00

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE	Invoice # 219519
Invoice Date: 01/09/2008 Terms:	Page 1
T & R OIL	WEBB #13
TOM OR ROGER PATTESON	13440
BOX 92	01-05-08
MOLINE KS 67353	
() -	
Part Number Description	Qty Unit Price Total
1131 60/40 POZ MIX	195.00 10.8000 2106.00
1118A S-5 GEL/ BENTONITE	

pl. - 1-17-08 4 3878.36 cl. # 3623

EQUIPMENT MILEAGE (ONE WAY)

-- RECEIVED KANSAS CORPORATION COMMISSION

1.14

3.45

875.00

Hours Unit Price

107.20

Total

478.23

875.00

172.50

						CONSERV	0 4 2008 ATION DIVISION HITA, KS
======================================	======= 2212 20	 Freight:	.========	======= Tax:	======================================	:	 3878.36
Labor:	.00	Misc:		Total:	3878.36	AN	3878.30
Sublt:	.00. 	Supplies:	.00.	Change:	.00		=======
Signed	·			***************************************	Da	ate	•
BARTLESVILLE, OK 918/338-0808	ELDORADO, KS 316/322-7022	Eureka, Ks 620/583-7664	GILLETTE, WY 307/686-4914	McALESTER, OK 918/426-7667	OTTAWA, Ks 785/242-4044	THAYER, Ks 620/839-5269	Worland, Wy 307/347-4577

CONSOLIDATED OIL WELL SERVICES, LLC P.O. BOX 884, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER	13440
LOCATION EULEKA	
FOREMAN ROCK L	(C) PRINCO

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	CUSTOMER#	WE	LL NAME & NUN	1BER	SECTION	TOWNSHIP	RANGE	COUNTY
1-5-08	8080	WEBB	4/3		11	3,	108	ETK
CUSTOMER				<u> </u>			NEW CO.	
ļ	T+R	OZL		C+6	TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRE	ESS				520	Cliff		
	Box 92			_ L	502	John		
CITY		STATE	ZIP CODE					
1	Poline	KS	67353					
JOB TYPE	P.T.A	HOLE SIZE		_ HOLE DEPTH_		CASING SIZE & W	EIGHT	
CASING DEPTH	<u> </u>	DRILL PIPE		TUBING			OTHER	
SLURRY WEIGH	IT			WATER gal/sk 7. CEMENT LEFT in CASING				
DISPLACEMENT	r <u> </u>	DISPLACEME	NT PSI	MIX PSI	- •	RATE	•	÷
REMARKS:	Safety m					בחם פתופפעום		lleus:
	7		7 7			7 " 7		
		·	15 345	@ 196	0'			
			15 545	@ /280				
			150 SKS		to surface	2		72.11.1
			15 SES	e rati			,	
			***************************************				·	•
								
			"Th	ANK YOU"			***	
************************************			1.2.2					

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5405n	/	PUMP CHARGE	875.00	975. w
5406	50	MILEAGE	3.45	178.50
1/31	195 SES	60/46 Pozmir Cement	10. 26	2186.00
1118A	670=	470 gel	. 16	107.20
SYONA	8.31	ton-mileage bulk trk	1.14	478, 23
		RECEIVED KANSAS CORPORATION COMPUSSION		
		SEP 0 4 2008		
		CONSERVATION DIVISION WICHITA, KS		
			Schedul	3738.93
			SALES TAX	139-49

TITLE Tool Asker

ESTIMATED TOTAL

3819 3c

AUTHORIZATION Called by Cotton Culicia

DATE_