

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KC0	C Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	SecTwpS. R
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County:
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
Ovvvvo. old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	
Bottom Hole Location:	DWK Permit #.
CC DKT #:	(Note: Apply for Fernite With EVIV.
	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventua	I plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met.	
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be posted on the shall be pos	each drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> 	set by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 	set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on a The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the 	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on a The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p 	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on a The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cementary 	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the surface of t	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the surface of t	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the surface of t	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. 	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of the appropriate district office will be notified before well is either post. The appropriate district office will be notified before well is either post. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the control of the control of the spud date or the well shall be completed. 	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the second of the	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **District Completed	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the second of the	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended. If the well is dry hole, an agreement between the operator and the specified before well is either part of the specified before the specified be	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the through appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate of the well of the appropriate of the well of the appropriate of the well of the well of the appropriate of the well of the well of the well of the appropriate of the well	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte. 4. If the well is dry hole, an agreement between the operator and the form the appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **DIMMITTALL COMPLETION** **DIMITTALL COMPLETION** **DIMMITTALL COMPLETION** **DIMITTALL COMPLETION** **DIMMITTALL COMPLETION** **DIMMITTALL COMPLETION** **DIMITTALL COMPLETION** **DIMITTAL	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

_ Agent: .

Side Two



For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator.								Janoii oi vve	ii. County				
Lease:							_			_ feet from	N /	S Line	of Section
Well Numb	per:									feet from	E /	W Line	of Section
Well Number:					Sec Twp S. R E W								
	f Acres attrib						13 (Section:	Regular or	Irregula	r		
		J					If S		r egular, locat used: Ni			rner boun SW	dary.
				ipelines an	d electrica	l lines, as	required b		ary line. Show a s Surface Owr ed.	•			
			:			:	:			LEG	END		
									[- -	Tank Pipeli	Location Battery Line Locati Fic Line Locati	ion	
2310 ft		•••••					: 		-	Lease	e Road Lo	ocation	
201011.			: : :	<u> </u>		: : :	<u>:</u> :		EXAM	MPLE :		:	
				: :			· · · · · · · · · · · · · · · · · · ·						
				: :			 :		••••	0 -7		:	1980' FSL
				: :			: : :						
				:		:	:		SEWARI	CO. 3390'FE	L	•	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

103798

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth from If the pit is lined give a brief description of the limaterial, thickness and installation procedure.	Artificial Liner? Yes N Length (fee	(bbls) No lo epest point:	SecTwpRBast WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits				
Distance to nearest water well within one-mile of	of pit:		west fresh water feet.				
feet Depth of water well	feet	Source of information: measured well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:	1001	Drilling, Work	over and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all specified into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
KCC OFFICE USE ONLY							
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No				



Kansas Corporation Commission Oil & Gas Conservation Division

1103798

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R East					
Address 1:	County:					
Address 2:	Lease Name: Well #:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o					
Contact Person:	the lease below:					
Phone: () Fax: ()						
Email Address:						
Surface Owner Information:						
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City:						
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.					
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this					
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1					
Submitted Electronically						

L.D. DRILLING, INC. PETERS LEASE

NW.1/4, SECTION 8, T20S, R11W BARTON COUNTY, KANSAS

Directions;

From the intersection of Highway 281 and Highway 56-156-96 (in Great Bend, Ks.) go 2.0 miles South on Highway 281, then go 10.5 miles East to the NW. corner of Section 8, then go 0.31 miles South, then go 0.43 miles East to location.



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Elevations derived from National Geodetic Vertical Datum

October 31, 2012

section of lond containing and octas, and approximate social lines were determined using the normal standard of care of allfield surveyors practicing in the state of Konsos. The section corners, which establish the precise section lines were not necessarily logated, and the exact logation of the drillishe location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Konsos Diffield Services, Inc. its officers and explayers formiles from all cases, costs and expenses and said entities released from any liability from incidental or consequential dampes.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

December 07, 2012

L. D. DAVIS L. D. Drilling, Inc. 7 SW 26TH AVE GREAT BEND, KS 67530-6525

Re: Drilling Pit Application PETERS 2-8 NW/4 Sec.08-20S-11W Barton County, Kansas

Dear L. D. DAVIS:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.