

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	e:		Spot Description:
	month day	year	Sec Twp S. R T V
OPERATOR: Licens	se#		feet from N / S Line of Section
			feet from E / W Line of Sectio
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		,
Contact Person:			County: Well #:
Phone:			Field Name:
CONTRACTOR: Lic	cense#		Is this a Prorated / Spaced Field?
Name:			·
			Target Formation(s):
Well Drilled	For: Well Class: Type	e Equipment:	Ground Surface Elevation:feet MS
Oil	Enh Rec Infield	Mud Rotary	
Gas	Storage Pool Ext.	Air Rotary	Water well within one-quarter mile: Yes N
	Disposal Wildcat	Cable	Public water supply well within one mile: Yes N
Seismic ;	# of Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OW/WO: o	old well information as follows:		Surface Pipe by Alternate: II III
	nd well information as follows.		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
Original Complet	etion Date: Original Total	Depth:	
		□ v □ N-	Water Source for Drilling Operations:
	d or Horizontal wellbore?	Yes No	Well Farm Pond Other:
	epth:on:		DWR Permit #:
			(Note: Apply for Permit with DWR)
KCC DK1 #			vviii cores de taken:
			If Yes, proposed zone:
		AF	FIDAVIT
The undersigned h	ereby affirms that the drilling, comple	etion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
•	e following minimum requirements wi		
_			
	propriate district office <i>prior</i> to spude approved notice of intent to drill <i>sh</i> e		h drilling rig:
1,	• • •		t by circulating cement to the top; in all cases surface pipe shall be set
The minimun			7 0 17
	nconsolidated materials plus a minin		
through all ur	·	operator and the dis	trict office on plug length and placement is necessary prior to plugging;
through all ur 4. If the well is of 5. The appropri	dry hole, an agreement between the iate district office will be notified before	ore well is either plug	trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN	dry hole, an agreement between the iate district office will be notified befon NATE II COMPLETION, production p	ore well is either plug pipe shall be cemente	trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date.
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas su	ore well is either plug pipe shall be cement urface casing order #	trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas su	ore well is either plug pipe shall be cement urface casing order #	trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date.
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas su	ore well is either plug pipe shall be cement urface casing order #	trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant if must be com	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas surpleted within 30 days of the spud da	ore well is either plug pipe shall be cement urface casing order #	trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant if must be com	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas surpleted within 30 days of the spud da	ore well is either plug pipe shall be cement urface casing order #	trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the spud date.	ore well is either plug pipe shall be cement urface casing order #	trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com ubmitted Electors For KCC Use ONL	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud datectronically	ore well is either plug pipe shall be cement urface casing order # tte or the well shall b	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Terms of the Compliance with the Kansas Surface Owner Notification
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the spud date.	ore well is either plug pipe shall be cement urface casing order # tte or the well shall b	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant of must be com ubmitted Elector For KCC Use ONL API # 15 -	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud datectronically	ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com ubmitted Elector For KCC Use ONL API # 15 Conductor pipe req	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the complete of the spud date. The complete of the spud date of the	ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com ubmitted Elector For KCC Use ONL API # 15 - Conductor pipe req Minimum surface p	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the	ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration roses are provided from CDP-1 with Intent or orders;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com ubmitted Elector For KCC Use ONL API # 15 - Conductor pipe required Minimum surface possible and a contract of the contract	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the complete ctronically the complete of the spud date of the spud d	ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com ubmitted Elector For KCC Use ONL API # 15 - Conductor pipe req Minimum surface p Approved by: This authorization	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production p to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the	ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com Ubmitted Elector For KCC Use ONL API # 15 - Conductor pipe req Minimum surface p Approved by: This authorization	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the complete ctronically the complete of the spud date of the spud d	ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



500 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

1104697 Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	 SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit				
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes 1	No		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the limaterial, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
, F			gy	
		Depth to shallo Source of infor	west fresh water feet.	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
			and the second s	
Submitted Electronically				
Submitted Electronically				
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Numl	ber:	Permi		



1104697

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: sheet listing all of the information to the left for each owner information can be found in the records of the	
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

ONLY	
or KCC Use ONLY	NPI # 15 -

IN ALL CASES PLOT THE ANGENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this sige of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Gove 500 Theo feet from N / N S Line of Section See 36 Twp. 15 S. R. 28 If Section: Regular or Irregular If Section corner used: NE NW SE Sw Section corner used: NW SE Sw If Section soundary line. Show the predicted locations of ired by the Kansas Surface Owner Notice Act (House Bill 2032). AT	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	EXAMPLE 1750 ft.
Coexition of Well: County: Gove Lease: Bertiley Well Number: 36-2 Field: Shanline Northeast Number of Acres attributable to well: 40 Number of Acres attributable to well: 40 If Section: Regular or lirrigular OTR/OTR/OTR/OTR/OTR of acreage: NW - St - SW - SW		

NOTE: In all cases locate the spot of the proposed drilling locaton.

$500\ ft.$ In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
 - 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
 - 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

January 04, 2013

Charles R. Ramsay H & C Oil Operating Inc. PO BOX 86 PLAINVILLE, KS 67663-0086

Re: Drilling Pit Application Bentley 36-2 SE/4 Sec.36-15S-28W Gove County, Kansas

Dear Charles R. Ramsay:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.