

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

•	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
o.a udy you.	Sec Twp S. R E
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
A E.	EIDAV/IT
	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	agging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office <i>prior</i> to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each	9 0,
The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th	
4. If the well is dry hole, an agreement between the operator and the dis	
5. The appropriate district office will be notified before well is either plugg	, , , , , , , , , , , , , , , , , , , ,
6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	d from below any usable water to surface within 120 DAYS of spud date.
• • • • • • • • • • • • • • • • • • • •	133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	e plugged. In all cases, NOTIFY district office prior to any cementing.
1 20 1 = 1 2 1	
ubmitted Electronically	
For KCC Use ONLY	Remember to:
For KCC Use ONLY	- File Certification of Compliance with the Kansas Surface Owner Notification
API # 15	Act (KSONA-1) with Intent to Drill;
Conductor pipe requiredfeet	- File Drill Pit Application (form CDP-1) with Intent to Drill;
Minimum surface pipe requiredfeet per ALT.	- File Completion Form ACO-1 within 120 days of spud date;
	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Approved by:	- Notify appropriate district office 46 flours prior to workover of re-entry, - Submit plugging report (CP-4) after plugging is completed (within 60 days);
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	Obtain written approval before disposing or injecting salt water.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

2440 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued. Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to nearest water well within one-mile of	of nit-	Donth to challe	west fresh waterfeet.
Distance to nearest water well within one-fille t	л рп.	Source of inform	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: xing pits to be utilized: procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	·	e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No



1104951


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

December 17, 2012

Lance Town R.T. Enterprises of Kansas, Inc. PO BOX 339 LOUISBURG, KS 66053-0339

Re: Notice of Intent to Drill Pearson 32 SE/4 Sec.11-15S-20E Douglas County, Kansas

Dear Mr. Town:

Records indicate that two domestic water wells are located less than 660 feet from this proposed location. Eastern Kansas Surface Casing Order #133,891-C for Area 3, paragraph 2 states, "No well shall be drilled closer than 660 feet of an existing domestic or municipal water well without written owner notification, a copy of which must be attached to the drilling intent form during filing. Special casing and cementing requirements may be imposed in those areas producing fresh and usable water."

Please provide us with a copy of the owner notification to further the processing of your notice of intent to drill. Copies of the water well records are attached.

I may be contacted at 316-337-6200 if you need additional information.

Rick Hestermann Production Department

	Commence of the Commence of th		TER WELL RECORD FO	xm WWC-5	KSA 82			
LOCATION OF W	-	Fraction	Ur er		tion Number			Range Number
County: Doy	2/25		" NE " SE	V4	//	1 /5	s	R 20 (E)W
	from gearest to	wn or city street	address of well if located v	within city?				
15047	125	ot wa	ldwin					
WATER WELL C	WNER: T	n Wal	kov					
R#, St. Address, 6	30x # :	2004	,			Board of Ag	riculture, D	ivision of Water Resource
lty, State, ZIP Cod		Baldw	in . 55. 660	06		Application I		
LOCATE WELL'S	LOCATION WITH	4 DEPTH OF	COMPLETED WELL 7.	7	. ft. ELEV	ATION:		
AN A 111 SECTI	N BOX.	Depth(s) Grou	indwater Encountered 1	3 0	tt.	2	ft. 3.	
!	1	WELL'S STAT	TIC WATER LEVEL 34	ft. b	elow land so	urface measured on r	no/day/yr	3/25/87
L - 50V -	NE	Pu	mp test data: Well water v	was	ft.	after	hours pun	nping gpr
1411	-	Est. Yield 5	gpm; Well water v	was	ft.	after	hours pun	nping gpr
l i	1 1 1.	Bore Hole Dia	meterin. to	24		and	in.	to
W	1, 1,	WELL WATER	R TO BE USED AS: 5	Public water	r supply	8 Air conditioning	11 1	njection well
1	1 1/1	(f)Domest	tic 3 Feedlot 6	Oil field wat		9 Dewatering		other (Specify below)
sw -	SE F-	2 Irrigatio	n 4 Industrial 7	Lawn and g	arden only	10 Monitoring well .		
1 :	1 1 1	Was a chemic	al/bacteriological sample sub	mitted to De	epartment?	Yes No X	; If yes,	mo/day/yr sample was su
	3	mitted	•			ater Well Disinfected		Y No
TYPE OF BLANK	CASING USED:		5 Wrought Iron	8 Concre				
1 Steel	3 RMP (S	SR)	6 Asbestos-Cement		(specify bek			d
(2)PVC	4 ABS	100	7 Fiberglass					fed
lank casing diamet		in to 30						
asing height above			in., weight		Bue	At Wall thickness or	nauna No	51826
YPE OF SCREEN			woga	(Dev	^		stos-cemer	
			5 Fiberglass	_				
1 Steel	3 Stainles			9 AB	IP (\$R)		(specify)	
2 Brass	4 Galvani		6 Concrete tile		5		used (ope	
	ORATION OPENII		5 Gauzed			8 Saw cut		11 None (open hole)
1 Continuous		Mill slot	6 Wire wr			9 Drilled holes		
2 Louvered sh		Key punched	7 Torch c	N 1				
SCREEN-PERFORA	ATED INTERVALS	From						
		From						
GRAVEL I	PACK INTERVALS	: From						
	17	From	tt. to		ft., Fr			
GROUT MATER		cement 0/	@Cement grout					
irout Intervals: P	rom	.t. to	ft., From	ft.	to	ft., From		. ft. 10
Vhat is the nearest	source of possible	contamination:			10 Live	stock pens	14 Ab	andoned water well
Septic tank	4 Late	eral lines	7 Pit privy		11 Fue	storage	15 Oil	well/Gas well
2 Sewer lines	5 Ces	s pool	8 Sewage lagoo	n	12 Fert	ilizer storage	16 Ot	her (specify below)
3 Watertight s	ewer lines 6 See	page pit	9 Feedyard		13 Inse	cticide storage .		
Pirection from well?	East		0.000.000		How m	any feet? 200	+	
FROM TO		LITHOLOG	IC LOG	FROM	TO		GGING IN	TERVALS
77-	7-6			37.515.5				
3 19								
0 22	REALUN	Canty	and soft					
29 7/2	Beren	Salar I	ne solid					
27 77	111111111111111111111111111111111111111	200121	30119					
7/2 1	130							
7/ //	Jhaic							
						7.		
	2 10 10 10000					100 100	1900	
CONTRACTOR	C OD I ANDONANIE	DIS CEDITION	ATION: This water well	65	ated (2) co	constructed as (6) at	annadad	se em juripeliation and
ampleted as for it	1 - 2	C- 19	ATION: This water well was	Comment	and this	and in term to the hour	agged unde	a my junisuscitori and Wi
		216					2 2 C	- Con Delet, Names
otor Wall Contract	tor's License No.	5.1.6	This Water Wel	Record wa	is completed	on (mo)dey/yr)	1.7	. 6 /
and their Commide		1	N .// "					

2 of 3 12/17/2012 7:58 AM

LOCATION OF WATER WELL:										
	Fraction			Section Number	Towns				ange Nu	2
ounty: Douglas				11	Т	15	S	B	20	(E)W
istance and direction from nearest town		ess of well it lo	cated within c	NOV?						_
2 miles east of Bal	deven !				22					
WATER WELL OWNER: 170 -450	e venace									
R#, St. Address, Box # : 1954 N	100 Rd.	0.000			Board	of Agric	culture, (Division	of Water	Resour
ty, State, ZIP Code : 12 oll	vie, 185.6	6006				cation No				
LOCATE WELL'S LOCATION WITH 4	DEPTH OF COM	PLETED WELL	80	ft. ELEVAT	TION:					
AN "X" IN SECTION BOX:	Depth(s) Groundwat	er Encountered	155				ft. 3			
	WELL'S STATIC W	ATER LEVEL .	35	ft. below land surf	ace measure	ed on me	o'day/yr	5 1	15 - 9	.7
1 1 1 1 1 1				ft. at						
NW NE	Est. Yield / D. T.									
	Bore Hole Diameter	2	. 80		and		io.	to.		34
	WELL WATER TO				8 Air conditi			Injection		
	Domestic	3 Feedlot			9 Dewaterin	_			Specify b	alam)
SW SE		4 Industrial		and garden only 1						
1 1 1 1 1	2 Irrigation									
	Was a chemical bact	teriological sam	ple submitted							ole was :
	mitted				or Well Disir				No	
TYPE OF BLANK CASING USED:	5	Wrought iron	8 C	oncrete tile	CASIN	3 JOINT	S: Glue	d . X	. Clamps	ed
1 Steel 3 RMP (SR) 6	Asbestos-Cem	ent 9 C	ther (specify below)		Weld	ed		
2 PVO _4 ABS	, 7	Fiberglass					Thres	aded		
ank casing diameter	in to 60	ft., Dia		n. lo	n., Dia .			in. to .		
asing height above land surface	.16in.	weight		lbs./f	t. Wall thick	ness or o	gauge N	مبيره	201	0
YPE OF SCREEN OR PERFORATION				PVC			los-ceme			
1 Steel 3 Stainless		Fiberglass	1	8 RMP (SR)						
2 Brass 4 Galvanize		Concrete tile		9 ABS			used (op			
CREEN OR PERFORATION OPENING	-		auzed wrapp		8 Saw cut				ne (oper	a hetel
SHEEN ON PERFORMITION OPENING		5 0	аихео міарр	00	O Saw Cus	,		11 140	us (obei	i note)
4 0					0.00.00.4 5	-1				
1 Continuous slot 3 Mil			Vire wrapped		9 Drilled h					
2 Louvered shutter 4 Ke	From 8.0	7 T	orch cut o 80		10 Other (s	pecify) .	ft. t	o		
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 7 Neat of	From 80	7 T	orch cult o 80 to 53	tt, Fron	10 Other (s	pecify) .	ft. t	o o		
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat corout Intervals: From.	y punched From. 66 From. 86 From. 86 From. 20 It to 43	7 T	orch cult o 80 to 53	ft, Fron ft, Fron ft, Fron ft, Fron ft, Fron ft, Fron	10 Other (s	pecify) .	ft. t	0	 نې	
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat conduction of possible of the procession o	y punched	7 T h. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	orch cut to 80 to 53 to	### ft. From the From	10 Other (s	pecify) .	ft. t	o	o	
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 7 Neat of	y punched	7 T	orch cut to 80 to 53 to	ft, Fron ft, Fron ft, Fron ft, Fron ft, Fron ft, Fron	10 Other (s	pecify) .	ft. t	0	o	
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat conduction of possible of the procession o	From 80 From 2 (From	7 T h. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	orch cut o 80 io 53 io		10 Other (s	pecify) .	14 A	to	o	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: rout Intervals: From 5 hat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Waterdight sewer lines 6 Seepir	ry punched From. 66 From. 86 F	7 T t. ft. ft. ft. ft. ft. ft. ft. ft. ft.	orch cut to \$0 to 53 to	tt., From tt., From tt., From tt., From tt., From tt. to. XX 10 Livest 11 Fuel s	10 Other (s	pecify) . 3	14 A	to	ed water	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: rout Intervals: From 5 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Wateright sewer lines 6 Seepic	ry punched From. 66 From. 86 F	7 T ft.	orch cut to \$0 to 53 to	tt., Fron tt., Fron tt., Fron tt., Fron tt., Fron tt., Fron tt. to. XX 10 Livest 11 Fuel s 12 Fertik.	10 Other (s	pecify) . 3	14 A 15 C 16 C	to	ed water	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: From 5 Neat or rout Intervals: From 5 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps inection from well?	ry punched From. 66 From. 86 F	7 T ft.	orch cut to \$0 to 53 to	tt., Fron tt., Fron tt., Fron ft., Fron ft., Fron ft. to. 10 Livest 11 Fuel s 12 Fertik 13 Insect How man	10 Other (s	pecify) .	14 A 15 C 16 C	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat or rout Intervals: From 5 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps rection from well? Christian	proportion of the second of th	7 T ft.	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat crout Intervals: From. 5 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Wateright sewer lines 6 Seeps rection from well? Oksillar	py punched From. 6 6 From. 7 8 6 From. 8 6 Fro	7 T ft.	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat or rout Intervals: From 5 The shat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps rection from well? Christland FROM TO 0 4 Jopuse 2 8 0 noun	proported From. 6.6 From. 8.6 From. 8.6 From. 9.6 From.	7 T ft.	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat or rout Intervals: From 5 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Wateright sewer lines 6 Seeps rection from well? Oxiolary FROM TO 0 1 1 700 January 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	propunched From. 6.6 From. 8.6 From. 8.6 From. 9.6 From.	7 T ft.	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: hat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepsirection from well? Obs. Decim. TO 0 L Joo. 15 Process 15 Cess 15 Room. 8 15 Room.	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat control intervals: From 5 mat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps inciden from well? Christian TO 0 2 Japan 15 Japan 15 Room 15 LS Broom 15 LS Room 15 R	propunched From. 6.6 From. 8.6 From. 8.6 From. 9.6 From.	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat control intervals: From 5 mat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps inciden from well? Christian TO 0 2 Japan 15 Japan 15 Room 15 LS Broom 15 LS Room 15 R	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat control intervals: From 5 mat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps inciden from well? Christian TO 0 2 Japan 15 Japan 15 Room 15 LS Broom 15 LS Room 15 R	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Out Intervals: From. 5 hat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepting to 1 To 0 0 2 Japan 10 Japan	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat cout Intervals: From 5 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Wateright sewer lines 6 Seep; rection from well? Obsidered. FROM TO 0 A Jopoula 2 8 8 0 noun 3 15 8 noun 4 S 77 wireles	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Out Intervals: From. 5 hat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepting to 1 To 0 0 2 Japan 10 Japan	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat cook intervals: From 5 September 1 Septemb	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat cook intervals: From 5 September 1 Septemb	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat crout Intervals: From 5 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Waterfight sewer lines 6 Seep; rection from well? Object of the control of the	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat crout Intervals: From 5 That is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Waterfight sewer lines 6 Seep; irection from well? Object of 1 Septic tank 1 Latera 2 Sewer lines 5 Cess 3 Waterfight sewer lines 6 Seep; irection from well? Object of 1 Septic tank 1 Latera 2 Septic tank 2 Latera 2 Sewer lines 5 Cess 3 Waterfight sewer lines 6 Seep; irection from well? Object of 1 Septic tank 1 Latera 2 Septic tank 1 Latera	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat or rout Intervals: From 5 ST that is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Waterfight sewer lines 6 Seep; irrection from well? Object of 0 A Jop Jac 2 8 0 rocum 8 15 0 rocum 15 25 0 rocum 17 7 80 June 17 7 80 June 17 7 80 June 18 18 18 18 18 18 18 18 18 18 18 18 18 1	proposed from 6 6 From From 8 6 From From 9 2 0 1t. to 43 contamination: at lines pool age pit LITHOLOGIC LO	7 Th	lagoon	it., Fron	10 Other (s	pecify) .	14 A 15 O 16 O	to	o ed water sas well	well
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat crout Intervals: From 5 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seept incition from well? Obscience 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seept incition from well? Obscience 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seept incition from well? Obscience 1 Septimental Septimental Seept incition from well? Obscience 2 Septimental Sept	ry punched From. 60 From. 80 F	7 T t. ft. ft. ft. ft. ft. ft. ft. ft. ft.	lagoon	tt., From tt., From tt., From tt., From tt., From tt., From tt. to. 10 Livest 11 Fuel s 12 Fertik 13 Insect How mar	10 Other (sin)	pecify)	14 A 15 O 16 O	io	o ed water sas well secify bel	well low)
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat or rout Intervals: From 5 That is the nearest source of possible or 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Waterfight sewer lines 6 Seep; irrection from well? Objection 0 L Jop Jac 2 8 0 nocum 15 25 8 nocum 15 25 8 nocum 17 7 7 0 Luce 17 80	ry punched From. 60 From. 80 F	7 T t. ft. ft. ft. ft. ft. ft. ft. ft. ft.	lagoon	tt., From tt., From tt., From tt., From tt., From tt., From tt. to. 10 Livest 11 Fuel s 12 Fertik 13 Insect How mar	10 Other (sin)	pecify)	14 A 15 O 16 O	io	o ed water sas well secify bel	well low)
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat or rout Intervals: From 5 hat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Waterfight sewer lines 6 Seep; inction from well? Obsided FROM TO 0 A Jopuse 1.5 Brown 1.5 2.5 Brown 2.5 9.7 willing 2.7 9.0 Line 2.8 CONTRACTOR'S OR LANDOWNER emploted on (mo'day'year) \$ - (3)	y punched From. 6 6 From. 8 6 From. 8 6 From. 8 6 From. 9 6 From.	7 This water we	lagoon d	tt., From tt., F	10 Other (sind a contract of the contract of t	pecify) 3 PLUC (3) plug he best	ft. t. ft. f	io	o ed water sas well secify bel	well low)
2 Louvered shutter 4 Ke CREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: Neat crout Intervals: From. 5 hat is the nearest source of possible of 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 5 Seeps rection from well? Object of the 15 Septiment of 15 Septiment	ry punched From. 60 From. 80 F	7 This water we	lagoon d	tt., From tt., From tt., From tt., From tt., From tt., From tt. to. 10 Livest 11 Fuel s 12 Fertik 13 Insect How mar	10 Other (ship) n	pecify) 3 PLUC (3) plug he best	ft. t. ft. f	io	o ed water sas well secify bel	well low)

2 of 3 12/17/2012 7:59 AM

RT Enterprises of Kansas P.O. Box 339 Louisburg, KS 66053

Jeanne Spradling 1879 N. 150 Road Baldwin, KS 66006

Ms. Spradling,

This letter is to notify you that R.T. Enterprises of Kansas submitted intents to drill wells within 660 feet of your water well. The wells are located in Sec 11 Twp 15 R20, Well 32 2440 FSL 820 FEL, Well 33 2440 FSL 520 FEL, Well 34 2440 FSL 200 FEL, Well 35 2120 FSL 520 FEL, Well 36 2120 FSL 200 FEL, Well I-27 2280 FSL 680 FEL, Well I-28 2880 FSL 360 FEL. This notification is required by the Kansas Commission Corporation.

If you should have any questions, please do not hesitate to contact me at (913) 710-5400.

Regards,

Lance Town

RT Enterprises of Kansas

RT Enterprises of Kansas P.O. Box 339 Louisburg, KS 66053

Jeanne Spradling 1879 N. 150 Road Baldwin, KS 66006

Ms. Spradling,

This letter is to notify you that R.T. Enterprises of Kansas submitted intents to drill wells within 660 feet of your water well. The wells are located in Sec 11 Twp 15 R20, Well 32 2440 FSL 820 FEL, Well 33 2440 FSL 520 FEL, Well 34 2440 FSL 200 FEL, Well 35 2120 FSL 520 FEL, Well 36 2120 FSL 200 FEL, Well I-27 2280 FSL 680 FEL, Well I-28 2880 FSL 360 FEL. This notification is required by the Kansas Commission Corporation.

If you should have any questions, please do not hesitate to contact me at (913) 710-5400.

Regards,

Lance Town

RT Enterprises of Kansas