

## Kansas Corporation Commission Oil & Gas Conservation Division

1105151

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15			
Name:	Spot Description:			
Address 1:	Sec Twp S. R 🗌 East 🗌 West			
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from East / West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	County:			
Name:	Lease Name: Well #:			
Wellsite Geologist:	Field Name:			
Purchaser:	Producing Formation:			
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:			
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:			
☐ Oil         ☐ WSW         ☐ SIOW           ☐ Gas         ☐ D&A         ☐ ENHR         ☐ SIGW           ☐ OG         ☐ GSW         ☐ Temp. Abd.           ☐ CM (Coal Bed Methane)         ☐ Cathodic         ☐ Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used?			
If Workover/Re-entry: Old Well Info as follows:	·			
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)			
Original Comp. Date: Original Total Depth: Conv. to ENHR	Chloride content: ppm Fluid volume: bbls  Dewatering method used:			
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:			
Commingled Permit #:	Operator Name:			
Dual Completion Permit #:	Lease Name: License #:			
SWD Permit #:	Quarter Sec TwpS. R			
☐ ENHR         Permit #:           ☐ GSW         Permit #:	County: Permit #:			
Spud Date or Date Reached TD Completion Date or Recompletion Date  Recompletion Date  Recompletion Date				

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Side Two



Operator Name:			Lease Name: _			_ Well #:	
Sec Twp	S. R	East West	County:				
time tool open and cl	osed, flowing and shu es if gas to surface te	nd base of formations pe at-in pressures, whether est, along with final chart well site report.	shut-in pressure rea	ched static level,	hydrostatic press	sures, bottom h	nole temperature, fluid
Drill Stem Tests Take		☐ Yes ☐ No		og Formatio	n (Top), Depth ar	nd Datum	Sample
Samples Sent to Geo	ological Survev	☐ Yes ☐ No	Nam	ne		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop	ed Electronically	Yes No Yes No Yes No					
List All E. Logs Run:							
			RECORD No-	ew Used ermediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONA	L CEMENTING / SQI	JEEZE RECORD	1		
Purpose:  —— Perforate —— Protect Casing	Depth Top Bottom	Type of Cement	# Sacks Used		Type and I	Percent Additives	
—— Plug Back TD —— Plug Off Zone							
Shots Per Foot	PERFORATI Specify	ON RECORD - Bridge Plu Footage of Each Interval Pe	gs Set/Type rforated		cture, Shot, Cemen		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or EN	IHR. Producing Me		Gas Lift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wat	er B	bls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF GAS:		METHOD OF COMPL	_		PRODUCTIO	ON INTERVAL:
Vented Sol	d Used on Lease	Open Hole	Perf. Dually (Submit		mit ACO-4)		

Hurricane Services, Inc. 3613 A Y Road Madison, KS 66860 Office # 620-437-2661 Brad Cell # 620-437-6765

Job Type:

Ticket Number_	100154	
Location	Madison	
Foreman	Brad Butter	

Truck #

Driver

## Cement Service ticket

Date	Customer #	Well Name & Number	Sec./Township/Range		ge County
9-27-12		Newby # 15-12	5-245	-16E	Woodson
Customer	Tom King:	Mailing Address	City	State	Zip
King	ENUSY	2 Timber Dr.	Iola	Ks.	66749-1608

019515ing		HUCK #	Dilvei
10 0		201	Kelly
Casing Size:	Displacement: 6.25 Pbls	202	Jerry
Casing Weight:	Displacement PSI: 500	105	Cody
Tubing: 21/8" Cement Left in Casing: 0			
PBTD: /082-			
Description	of Servcies or Product	Pump charge	790,00
Mileage		\$3.25/Mile	113.75
- /- A		1/110	101111 00
	ment		1.744.20
Gel 22		,30	81.00
Flocele		1.85	92.50
	i gnii hili, iii.	zun der greisbei	
Gel > Flush Ahead		,30	60.00
			* 185
water Truck	84.00	294.00	
City water	16.00 per/1000	33,60	
Truck #290		1.50	5250
		50.00	NC
		\$1.15/Mile	273.70
Plugs 278" Top Rub		25.00	50,00
		Subtotal	3585,25
	disamus erisakinis gagamtayar era na qibos isa is unu oʻlas is unus oʻrganis sovera	and the second second	AND THE REAL PROPERTY OF THE P
As 710-	Along with Discour	Sales Tax	150,47
	Casing Weight: Tubing: 278" PBTD: 1082  Description Mileage  70/30 Pozmix ce Gel 27 Flocele  Gel > Flush Al  Water Truck City water  Truck *290 Wite line Charge Bulk Truck	Casing Size:  Casing Weight:  Displacement: 6.25 Bbs  Displacement PSI: 500  Tubing: 27%"  PBTD: 1082  Description of Servcies or Product  Mileage  To/30 formix cement  Gel 22  Flocele  Gel > Flush Ahead  Water Truck  City water  Truck *290  Wite line charge  Bulk Truck  Plugs 278" Top Rubby	Casing Size: Displacement: 2.25 Bls 202 Casing Weight: Displacement PSI: 500 105 Tubing: 278" Cement Left in Casing: 0 PBTD: 1082   Description of Servcies or Product Pump charge \$3.25/Mile  Mileage \$3.25/Mile  70/30 Poznix cement 11.40 G=2 22 30 Flocele 1.85  G=2 > Flush Ahand 30  water Truck 290 1.50 Wite Inc. Charge Bulk Truck \$1.15/Mile  Plugs 278" Top Rubby 25.00 Subtotal

	-
Remarks: Raw wireline down well-Taged Floatshoe or 1082. Rig 40 To 27/8" Tubing, Break chewlation	
	4
with Gresh water. Pumped 10Bb). Gel Flush Ahrand, Circulate Gel around To condition Hole,	
Mixed 153,5Ks. 70/30 Pozmix comert my 22 Gel o Florele, Shutdown - WASh out Rump & Lines.	
Release 2 Top Rubber Pluss - Displace Pluss with 6/4 Bhis warro, Final Pumping or 500 PST	
Bumped Plugs To 1100 PSI - Close Tubing in up 1100 PSI	
Good Comon Televis To Suffer with JBbl Warry	
	会が

`ThanKyou"

Wifussal by Tom Customer Signature

(Rev. 1-2011)