# CORRECTION #1

For KCC	Use:	
Effective	Date:	
District #	·	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1105322

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R DE  W
OPERATOR: License#	feet from N / S Line of Sectio
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I I II
II OWWO. Old Well Information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional Designated as Haristantal well-hand	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:  KCC DKT #:	(Note: Apply for Permit with DWR )
NOO DK1 #	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT
	gaing of this well will comply with I/ C A FF at and
The undersigned hereby affirms that the drilling, completion and eventual plu	aging of this well will comply with K.S.A. 55 et. seq.
	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of th	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Well will not be dri	lled or Permit Expired	Date:	
Signature of Operator	or or Agent:		

For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	
Number of Acres attributable to well:	13 Occilori.     Negulai oi     Irregulai
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
	PLAT
lease roads, tank batteries, pipelines and electrical lines, a	rest lease or unit boundary line. Show the predicted locations of as required by the Kansas Surface Owner Notice Act (House Bill 2032).  The hase parate plat if desired.
	LEGEND
	O Well Location  Tank Battery Location
	Lease Road Location
15	650 EXAMPLE ft.
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

2470 ft.

SEWARD CO. 3390' FEL

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1 1105322

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continued in the pit capacity:	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.
		Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No

CORRECTION #1 KANSAS CORPORATION COMMISSION

1105322

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease helow:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name: When filing a Form T-1 involving multiple surface owners, at			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:       \[     \] I certify that, pursuant to the Kansas Surface Owner Notice A	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form		
	being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

# **Summary of Changes**

Lease Name and Number: GROSDIDIER, FRANCIS E 15-4

API/Permit #: 15-133-27616-00-00

Doc ID: 1105322

Correction Number: 1

Approved By: Rick Hestermann 12/20/2012

Field Name	Previous Value	New Value
Fresh Water Information Source: KDWR	Yes	No
KCC Only - Approved By	Rick Hestermann 12/19/2012	Rick Hestermann 12/20/2012
KCC Only - Approved Date	12/19/2012	12/20/2012
KCC Only - Date Received	12/18/2012	12/19/2012
Lease Name	GRODIDIER, FRANCIS E	GROSDIDIER, FRANCIS E
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 05245	//kcc/detail/operatorE ditDetail.cfm?docID=11 05322