

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1105583

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	h day year	Spot Description:
month	i day year	Sec Twp S. R E'
PERATOR: License#		feet from N / S Line of Section
		feet from E / W Line of Section
ddress 1:		Is SECTION: Regular Irregular?
		(Note: Locate well on the Section Plat on reverse side)
	State: Zip: +	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
ONTRACTOR: License#		Is this a Prorated / Spaced Field?
ame:		Target Formation(s):
	#0/ T 5 : /	Nearest Lease or unit boundary line (in footage):
Well Drilled For: We	ell Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec	Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage	Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal	Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes	Other	Depth to bottom of usable water:
Other:		Surface Pipe by Alternate: I II
If OWWO: old well information	n as follows:	
		Length of Surface Pipe Planned to be set:
•		Length of Conductor Pipe (if any):
	0::17:10 #	Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
irectional, Deviated or Horizontal we	ellbore? Yes No	Water Source for Drilling Operations:
		Well Farm Pond Other:
		DWR Permit #:(Note: Apply for Permit with DWR)
		Will Cores be taken?YesN If Yes, proposed zone:
		FIDAVIT
he undersigned hereby affirms that	at the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minim	ium requirements will be met:	
1. Notify the appropriate district	office <i>prior</i> to spudding of well;	
1,7 1,1	e of intent to drill shall be posted on each	5 5 ,
The minimum amount of surfa		by circulating cement to the top; in all cases surface pipe shall be set
	naterials plus a minimum of 20 feet into the	e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i>
4. If the well is dry hole, an agre		
4. If the well is dry hole, an agree5. The appropriate district office	e will be notified before well is either plugg	ged or production casing is cemented in;
4. If the well is dry hole, an agree5. The appropriate district office6. If an ALTERNATE II COMPLE	e will be notified before well is either plugg ETION, production pipe shall be cemente	
4. If the well is dry hole, an agree5. The appropriate district office6. If an ALTERNATE II COMPLEOr pursuant to Appendix "B"	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Indicate the defendance of the defendance o
 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF PURSUANT TO Appendix "B" 	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
4. If the well is dry hole, an agree5. The appropriate district office6. If an ALTERNATE II COMPLEOr pursuant to Appendix "B"	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 ubmitted Electronically	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 about the complete within	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ubmitted Electronically For KCC Use ONLY	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 -	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Independent of the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 IDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 IDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Independent of the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 UDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Libmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
PLI Show location of the well. Show footage to the nearest lea lease roads, tank batteries, pipelines and electrical lines, as requ You may attach a sep	ase or unit boundary line. Show the predicted locations of ired by the Kansas Surface Owner Notice Act (House Bill 2032).
	LEGEND
	O Well Location
	Tank Battery Location ———————————————————————————————————
	Pipeline Location Electric Line Location
	Lease Road Location
	Lease Road Location
	660[ft:xample : :
24	
	1980' FSL
	SEWARD CO. 3390' FEL

${\it NOTE: In all \ cases \ locate \ the \ spot \ of \ the \ proposed \ drilling \ locaton.}$

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued in the continue	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: (feet) No Pit				
Distance to peacest water well within one mile of	of nit-	Donth to challe	west fresh waterfeet.	
Distance to nearest water well within one-mile of pit: Depth to shallo Source of infort		mation:		
feet Depth of water well	feet	feet measured well owner electric log KDWR		
Producing Formation: Type of material Number of producing wells on lease: Number of work		over and Haul-Off Pits ONLY: al utilized in drilling/workover: rking pits to be utilized: procedure:		
		be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



1105583

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	9	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this	
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1	
Submitted Electronically		

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKIA. CITY, OKIA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219
Certificate of Authorization No. LS-99, Exp. Dec. 31, 2013
STANLEY STANLEY OF STATE (800) 654-3219

SUMNER County, Kansas 2440'FNL-660'FEL Section 24 Township _4W_P.M. __ Range



This Information was gothered with a GPS receiver with Sub-Meter accuracy. STATE PLANE COORDINATES: (US Feet) ZONE: KANSAS SOUTH X:__2234688 181606

I, Michael Blake Brown a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described well location was surveyed and staked on the ground



Donna 3304 1-24H

Sumner Count, KS

Unit Description:

SE/4 of 12-33S-4W

E/2 of 13-33S-4W

NE/4 of 24-33S-4W

Surface Owners:

Carol E. and Terry F. Allen

711 North Lincoln Ave.

Anthony, KS 67003

3	2 Z ^{comens} a i	1	6	1 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
10	∑ ^{50ROO} 1	12 H	7 33S 3W	8 g
15	14 33S 4W	13	SMIL1 18 JANUL2 FRAZER1 FRAZER2	CAROTHERS 1 H 17
22	23	DONNA 3394 1-24H	STEWART STEWART AV 19	20
27	26	25	H H 30	29



December 21, 2012

Carol E. and Terry F. Allen 711 North Lincoln Ave. Anthony, KS 67003

Re: KSONA-1 NOTIFICATION

Please find attached a draft copy of Intent to Drill currently pending with the KCC for approval. We plan to drill the Donna 3304 1-24H well located in Sumner County, Kansas, and you are listed as the current surface owner.

This notice is being provided pursuant to the Kansas Surface Owner Notice Ace (House Bill 2032). If you have any questions, please contact us.

Sincerely,

Tiffany Golay

Regulatory Technician SandRidge Energy

123 Robert S Kerr Avenue Oklahoma City, OK 73102

T: 405.429.6543

E: tgolay@sandridgeenergy.com

/file

Attach.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

January 18, 2013

Tiffany Golay SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Donna 3304 1-24H NE/4 Sec.24-33S-04W Sumner County, Kansas

Dear Tiffany Golay:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 20 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.