



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1104131
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1104131

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Electric Log Run	<input type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	---	---

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Thomas E. Wright, Commissioner
Shari Feist Albrecht, Commissioner

Sam Brownback, Governor

December 07, 2012

Randall L. Trimble
Trimble & Maclaskey Oil LLC
110 SOUTH ST
PO BOX 171
GRIDLEY, KS 66852

Re: ACO1
API 15-111-20451-00-00
Rossillon 7
NE/4 Sec.25-21S-10E
Lyon County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,
Randall L. Trimble



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE

Invoice # 252237

Invoice Date: 08/22/2012 Terms:

Page 1

TRIMBLE & MACLASKEY OIL LLC
BOX 171
GRIDLEY KS 66852
() -

ROSSILLION #7
37796
25-21S-10E
08-19-12
KS



Part Number	Description	Qty	Unit Price	Total
1126A	THICK SET CEMENT	130.00	19.2000	2496.00
1110A	KOL SEAL (50# BAG)	625.00	.4600	287.50
1107A	PHENOSEAL (M) 40# BAG)	30.00	1.2900	38.70
1103	CAUSTIC SODA	100.00	1.6100	161.00
4159	FLOAT SHOE AFU 5 1/2"	1.00	344.0000	344.00
4130	CENTRALIZER 5 1/2"	6.00	48.0000	288.00
4104	CEMENT BASKET 5 1/2"	1.00	229.0000	229.00
4454	5 1/2" LATCH DOWN PLUG	1.00	254.0000	254.00

Description	Hours	Unit Price	Total
WASH- WASH OR SWIVEL HEAD	1.00	100.00	100.00
485 CEMENT PUMP	1.00	1030.00	1030.00
485 EQUIPMENT MILEAGE (ONE WAY)	30.00	4.00	120.00
611 MIN. BULK DELIVERY	1.00	350.00	350.00

Parts:	4098.20	Freight:	.00	Tax:	299.17	AR	5997.37
Labor:	.00	Misc:	.00	Total:	5997.37		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 37796

LOCATION Eureka

FOREMAN Steve Mead

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT APR 15 11:20 2013

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
8-19-12	7842	Rossillon #7	25	215	10E	Lyons
CUSTOMER <u>Trimble & MacLuskey Oil LLC</u>			TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRESS <u>P.O. Box 171</u>			<u>485</u>	<u>Alan M</u>		
CITY <u>Gridley</u>			<u>611</u>	<u>Joey</u>		
STATE <u>KS</u>		ZIP CODE <u>66852</u>				

JOB TYPE Long string HOLE SIZE 7 7/8 HOLE DEPTH 2660' CASING SIZE & WEIGHT 5 1/2 15.50*
 CASING DEPTH 2657' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 17.6* SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 83.6bbls DISPLACEMENT PSI 600* Bump plug 1100* RATE _____


REMARKS: Safety Meeting. Rig up to 5 1/2 casing Rotating head. Break circulation w/ 5bbls Fresh water. Pump 100# Caustic Soda preflush w/ 10bbls Fresh water. * 5bbls water spacer. Mix 120 sks Thick set Cement w/ 5# Kol-Seal, 1/4" Pheno-Seal per/sk. Wash out Pump + lines. Release Latch down Plug. Displace with 63bbls Fresh water. Final pumping pressure 600# Bump Plug 1100#, wait 2min Release Pressure Plug held. Job Complete Rig down
Thank you

(20 sks Plug Rathole)
Centralizers on Joints 1, 2, 3, 5, 10, & 15 Basket on 8 Joints.

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1030.00	1030.00
5406	30	MILEAGE	4.00	120.00
1126A	130 sks	Thick Set Cement	19.20	2496.00
1119A	625*	Kol-Seal 5# per/sk	.46	287.50
1107A	30*	Pheno Seal 1/4" per/sk	1.29	38.70
1103	100*	Caustic Soda pre Flush	1.61	161.00
5407	6.87	Ton Mileage Bulk Truck	n/c	350.00
4159	1	5 1/2 Float Shoe AFU	344.00	344.00
4130	6	5 1/2 Centralizer	48.00	288.00
4104	1	5 1/2 Cement Basket	229.00	229.00
4454	1	5 1/2 Latch down Plug	254.00	254.00
5611	1	Rotating Head Rental	100.00	100.00
			Sub Total	5698.20
			SALES TAX 2.3%	299.17
			ESTIMATED TOTAL	5997.37

RAVIN 3737 050031
 AUTHORIZATION [Signature] TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE

Invoice # 252228

Invoice Date: 08/22/2012 Terms:

Page 1

TRIMBLE & MACLASKEY OIL LLC
BOX 171
GRIDLEY KS 66852
() -



ROSSILLION #7
37833
25-21S-10E
08-15-12
KS

Part Number	Description	Qty	Unit Price	Total
1104S	CLASS "A" CEMENT (SALE)	90.00	14.9500	1345.50
1102	CALCIUM CHLORIDE (50#)	255.00	.7400	188.70
1118B	PREMIUM GEL / BENTONITE	170.00	.2100	35.70
1107	FLO-SEAL (25#)	22.00	2.3500	51.70

Description	Hours	Unit Price	Total
445 CEMENT PUMP (SURFACE)	1.00	825.00	825.00
445 EQUIPMENT MILEAGE (ONE WAY)	30.00	4.00	120.00
611 MIN. BULK DELIVERY	1.00	350.00	350.00

Parts:	1621.60	Freight:	.00	Tax:	118.38	AR	3034.98
Labor:	.00	Misc:	.00	Total:	3034.98		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 37833

LOCATION Eureka, KS

FOREMAN Shannon Felt

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT API # 15-111-20451

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
8-15-12	7842	Rossillon #7	25	215	10E	Lyon
CUSTOMER Trimble + Madaskey Oil LLC			Gulick			
MAILING ADDRESS P.O. Box 171			Drlg			
CITY Gridley			Rig #1			
STATE KS		ZIP CODE 66852				
TRUCK #		DRIVER		TRUCK #		DRIVER
445		Dave G				
611		Joey K				

JOB TYPE Surface HOLE SIZE 12 1/4 HOLE DEPTH 120' CASING SIZE & WEIGHT 8 5/8"
 CASING DEPTH 107 G.L. DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 4.5 SLURRY VOL 22 Bbl WATER gal/sk 6.7 CEMENT LEFT in CASING 15'
 DISPLACEMENT 6.6 Bbl DISPLACEMENT PSI 50 MIX PSI 50 RATE 5 BPM

REMARKS: Safety Meeting, Rig up to 8 5/8" casing, Break circulation w/ 3 Bbl water, mixed 90 SKS Class A cement with 3% calcium, 2% gel + 1/4# Flo-tele/sk @ 14.5-15#/gal. Displace with 6.6 Bbl water + Shut well in! Good circulation @ all times, 7 Bbl slurry to pit. Job complete.

"Thanks Shannon + Crew"

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
54015	1	PUMP CHARGE	825.00	825.00
5406	30	MILEAGE	4.00	120.00
11045	90 SKS	Class "A" cement	14.95	1345.50
1102	255 #	Calcium @ 3%	.74	188.70
1118 B	170 #	Gel @ 2%	.21	35.70
1107	22 #	Flo-tele @ 1/4#/sk	2.35	51.70
5407	4.23 Tons	Ton mileage Bulk Truck	m/c	350.00
			Sub Total	2916.60
			SALES TAX 7.3%	118.38
			ESTIMATED TOTAL	3034.98

AUTHORIZATION [Signature] TITLE Tool Pusher DATE 8-15-12

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.