Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1105933

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
SWD Permit #: ENHR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

	Page Two	
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		Log Formation (Top), Depth and Datum			Sample
Samples Sent to Geolog	ical Survey	Yes No	Na	ne		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c		lew Used termediate, product	iion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SC	UEEZE RECORD		·	
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Protect Casing							
Plug Off Zone							

Did you perform a hydraulic fracturing treatment on this well?	
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	[
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	1

 Yes
 No
 (If No, skip questions 2

 Yes
 No
 (If No, skip question 3)

 Yes
 No
 (If No, fill out Page Three)
 No (If No, skip questions 2 and 3)

No (If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Depth				
TUBING RECORD:	Siz	re:	Set At:		Packer	At:	Liner R	un:	No	
Date of First, Resumed	Producti	on, SWD or ENHF	} .	Producing N	/lethod:	oing	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	S.	Gas	Mcf	Wat	ər	Bbls.	Gas-Oil Ratio	Gravity
									I	
DISPOSITION OF GAS:				_	PRODUCTION IN	TERVAL:				
			Illy Comp. Commingled (Submit ACO-4)							
(If vented, Submit ACO-18.)			,	(Submit ACO-4)						

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

December 27, 2012

Christian Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25591-00-00 Simons Bros. Farms 4-IW NW/4 Sec.27-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Christian Martin



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG Tailwater, inc. Simons Bros. Farms 4-IW API#15-003-25,591 November 30 - December 3, 2012

Paola, KS 66071

Thickness of Strata	Formation	Total
6	soil & clay	6
3	clay & gravel	9
66	shale	75
30	lime	105
60	shale	165
10	lime	175
6	shale	181
34	lime	215
10	shale	225
22	lime	247
3	shale	250
23	lime	273 base of the Kansas City
170	shale	443
3	lime	446
16	shale	462
7	lime	469 oil show
12	shale	481
6	oil sand	487 green, good bleeding
29	shale	516
1	coal	517
7	shale	524
6	lime	530
15	shale	545
8	lime	553
33	shale	586
7	lime	593
31	shale	624
5	broken sand	629 brown & green, ok bleeding
34	shale	663
1	lime shells	664
6	oil sand	670 brown, good bleeding
4	shale	674 black, no oil
3	sand	677
110	shale	787
6	silty shale	793
13	sand	806
50	shale	856 TD

Simons Bros Farms #4-IW

Page 2

.

.

Drilled a 9 7/8" hole to 21.5' Drilled a 5 5/8" hole to 856'

Set 21.5' of 7" surface casing cemented with 6 sacks of cement. Set 845.7' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

GE CONSOLIE GIII Welli Servi	(cqs, LLC			TICKET NUME LOCATION	Hann, KS	247
PO Box 884, Chanute, KS 66 620-431-9210 or 800-467-86		CEMEN		ORT	·	
DATE CUSTOMER			SECTION	TOWNSHIP	RANGE	COUNTY
12/4/12 7806	Simon Bros #	4-IW	NW A7	20	20	41)
CUSTOMER						
	nc		TRUCK #	DRIVER	TRUCK#	DRIVER
MAILING ADDRESS	DC-LDD		481	Casken	/ Latery M	leating
16421 Avondale	Dr, Suite 212 ISTATE IZIP CODE		Leleto	GarMoo	V '	
			510	Sot lice	V	
Oklahowa City	OK 73116	·	370	Wes Ira	V	
JOB TYPE longstring	HOLE SIZE 53/8-"	HOLE DEPT	H <u>856</u>	CASING SIZE & V	VEIGHT_27/8	
CASING DEPTH	DRILL PIPE				OTHER	
SLURRY WEIGHT	SLURRY VOL	WATER gal/s	sk	CEMENT LEFT in	CASING	
DISPLACEMENT 4.9 bbds	DISPLACEMENT PSI			RATE 4.5	6pm	i
REMARKS: held setely	neeting, establishe	d. circula	tion, mixe	rdt pumpa	100 + A.	emier
Gel followed by "	0 65/c fresh wate	C, mixed	+ pumped	12'5 Je	5%50 R	Szilink
cement in 200	selper sk, cem	ent to.	surface of	Weshed our	p clean.	ajunad
212 subber plus to	o cosing TD w/	4.9645	tresh, wat	er pressur	ed to 80	D PSI
well held pressure	2 for 30 min h	11T, rele	eased pres	sire, shot	in casing	
1	·····			-	-	<u> </u>
	· · · · · · · · · · · · · · · · · · ·					
······					$\rightarrow \neq \uparrow$	
	·	· · · · · · · · · · · · · · · · · · ·		\	/'	
ACCOUNT QUANIT	TY or UNITS D	ESCRIPTION 0	f SERVICES or PR	орист		TOTAL

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRO	рист	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE			1030.00
5406	25 mj	MILEAGE			100.00
5402	8410'	casing tootage			
5407	Zaminimum_	ton miloage			175,00
5502C	2 hrs	80 Vac			180.00
					i
1124	125 sks	50/50 Poemix coment			1368.75
1118B	310 #	Premium Cael		• •.	(05.10
4402	1	21/2" rubber dun	-		28,00
X					
			x	<u> </u>	
					· · · · · ·
				·	
					·····
			7.8%		1400
Ravin 3737			T.0 (0	SALES TAX	114.02
	-tun	>		TOTAL	3060.87
AUTHORIZTION	1 www.	TITIF		DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



1