## ACKARMAN HARDWARE and LUMBER $\stackrel{\circ}{\text{CO}}^{-1}$ 160 EAST MAIN STREET SEDAN, KS -67361

## PHONE: (620) 725-3103

THANKS FOR YOUR BUSINESS!!

Cu	st No Joh 253636	No Pu	rchase	Order BB 6-9	Reference KANSAS ENERGY	NET 10T	Terms H	Clerk GC	Date 11/12/	
	Sold To: JONES & I P. O. BOX		OPMENT		то:	TA	x : 001	TERM# KANSAS SALE	#553 ** * **	C# 222403 DUPLICATE** INVOICE *
LN	SHIPPED	ORDERED	UM	SKU	DESCRIPTION		SUGG	UNITS	PRICE/PER	EXTENSION
1	8		EA	RM44816	PORTLAND CEMENT 92.6#			8	10.95 /EA	87.60 *
5					** AMOUNT CHARGED T	O STORE AC	X V	TI TO	AXABLE ON-TAXABLE UBTOTAL  AX AMOUNT OTAL AMOUNT  COLUMN  COLU	87.60 0.00 87.60 8.58 96.18

## CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	JBD	State, County	Chautaugua , Kan	sas Cement Type		CLASS A
Job Type	Long String	Section	6	Excess (%)		30
Customer Acct #		TWP	348	Density		13.8
Well No.	BP KEC 6-9	RGE	12E	Water Required		
Mailing Address		Formation		Yeild		1.77
City & State		Hole Size	6 3/4	Slurry Weight		
Zip Code		Hole Depth	1111	Slurry Volume		
Contact		Casing Size	4 1/2INCH, J-55 (10.5	LBS) Displacement		
Email		Casing Depth	1111	Displacement PSI		
Cell		Drill Pipe		MIX PSI		
Dispatch Location	BARTLESVILLE	Tubing		Rate	<b></b>	
Code	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,030.00	\$	1,030.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	50	PER MILE	\$4.00	\$	200.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$	350.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	•
0			0	\$0.00	\$	
5402	FOOTAGE	1,111	PER FOOT	0.22	\$	244.42
				EQUIPMENT TOTAL	\$	1,824.42
	Cement, Chemicals and Water					
1126A	THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIDE	115	0	\$19.20	\$	2,208.00
1107A	PHENOSEAL	80	0	\$1.29	\$	103.20
1110A	KOL SEAL (50 # SK)	600	0	\$0.46	\$	276.00
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.21	\$	42.00
1123	CITY WATER (PER 1000 GAL)	4.6	0	\$16.50	\$	75.90
0	<u> </u>	PROPERTY.	0	\$0.00	\$	<u> </u>
0			0	\$0.00	\$	<u> </u>
0			0	\$0.00 \$0.00	\$	<u>-</u>
0			0	\$0.00	\$	<u> </u>
0			0	\$0.00	\$	
<u> </u>			1 0	CHEMICAL TOTAL	\$	2,705.10
	Water Transport			CHEMICAL TOTAL	Φ	2,700.10
5501C	WATER TRANSPORT (CEMENT)	3	TER TRANSPORT (C	CEME \$112.00	\$	336.00
0	WATER TRANSPORT (CEMENT)	3	0	\$0.00	\$	- 330.00
0			0	\$0.00	\$	
			5.4.41 - 20 - 10 2 2 2 2 2		\$	336.00
	Cement Floating Equipment (TAXABLE)					
	Cement Basket	Property and the second				
0			0	\$0.00	\$	<u>-</u>
	Centralizer					
0			0	\$0.00	\$	
0			0	\$0.00	\$	
	Float Shoe					
0			0	\$0.00	\$	
	Float Collars					
0			0	\$0.00	\$	
	Guide Shoes	<del>                                     </del>				
0		L	1 0	\$0.00	\$	-
	Baffle and Flapper Plates					
0			0	\$0.00	\$	•
	Packer Shoes			T		
0	DV Tools		1 0	\$0.00	\$	<u>-</u>
0	DV Tools		0	\$0.00	\$	
	Ball Valves, Swedges, Clamps, Misc.		U		Ψ	-
0		T	0	\$0.00	\$	
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
	Plugs and Ball Sealers		· ·	, <b>, , , , , , , , , , , , , , , , , , </b>		
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$45.00	\$	45.00
	Downhole Tools					
0			0	\$0.00	\$	
			CEMENT FLOATI	NG EQUIPMENT TOTAL		45.00
TRUCK#	DRIVER NAME			SUB TOTAL	\$	4,910.52
		1	8	SALES IAX	\$	200.58
518	Aaron S.	1		15% (-DISCOUNT)	\$	5,111.10 766.66
415/T64	Tyler W.	1		7		4,344.43
		1		DISCOUNTED TOTAL	4	7,077,73
656 419 518	John Wade James Ness Aaron S.			3.30% SALES TAX TOTAL	S	5.

AUTHORIZATION TITLE FOREMAN FOREMAN FOREMAN



## CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Customer Acct #	Long String	Section	6	Excess (%)	30
Well No.	0	TWP	348	Density	13.8
Mailing Address	BP KEC 6-9	RGE	12E	Water Required	0
City & State	0	Formation	0	Yeild	1.77
Zip Code	0	Hole Size	6 3/4	Slurry Weight	0
Contact	0	Hole Depth	1111	Slurry Volume	0
Email	0	Casing Size	4 1/2 NCH, J-55 (10.5 LBS	Displacement	17.6
Cell	0	Casing Depth	1111	Displacement PSI	500
Office	0	Drill Pipe	0	MIX PSI	300
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	4.5

Ran 200# gel sweep to establish cir. Ran 115 sacks thick set cement. Shut down and washed pump and lines . Droped plug and displaced 17.6bbl water to land plug at 1200psi and plug held. Cement to surface. Thank you.

SAFTY MEETING	