





**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

Hess Oil Co  
PO Box 1009  
Mcperson, KS 67460  
ATTN: Bill Stout

**26-18S-1E Marion**  
**Scully 1-26**  
Job Ticket: 49690      **DST#: 3**  
Test Start: 2012.10.15 @ 11:59:40

### Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	18000 ppm
Viscosity: 49.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.79 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 1300.00 ppm			
Filter Cake: 0.02 inches			

### Recovery Information

Recovery Table

Length ft	Description	Volume bbl
210.00	Water	1.033
124.00	MCW 10%m 90%w	1.193
94.00	w cm 30%w 70%m	1.319

Total Length: 428.00 ft      Total Volume: 3.545 bbl  
Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:  
Laboratory Name:      Laboratory Location:  
Recovery Comments: rw WAS .33 @ 80 degrees

### Pressure vs. Time

