STEPHENS TRUST 25-1

1 NAME & UPPER & LOWER LIMIT OF EACH PRODUCTION INTERVAL TO BE COMMINGLED

FORMATION:	RIVERTON	(PERFS):	1034	-	1036
FORMATION:	BARTLESVILLE	(PERFS):	868	-	872
FORMATION:	BARTLESVILLE	(PERFS):	876	-	880
FORMATION:		(PERFS):		-	
FORMATION:		(PERFS):		-	
FORMATION:		(PERFS):		-	
FORMATION:		(PERFS):		-	
FORMATION:		(PERFS):		-	
FORMATION:		(PERFS):		-	
FORMATION:		(PERFS):		-	
FORMATION:		(PERFS):		-	
FORMATION:		(PERFS):		-	

2 ESTIMATED AMOUNT OF FLUID PRODUCTION TO BE COMMINGLED FROM EACH INTERVAL

FORMATION:	RIVERTON	BOPD:	0	MCFPD:	0 0	BWPD:	0
FORMATION:	BARTLESVILLE	BOPD:	1.5	MCFPD:	0	BWPD:	10
FORMATION:	BARTLESVILLE	BOPD:	1.5	MCFPD:	0	BWPD:	10
FORMATION:	0	BOPD:		MCFPD:		BWPD:	
FORMATION:	0	BOPD:		MCFPD:		BWPD:	
FORMATION:	0	BOPD:		MCFPD:		BWPD:	
FORMATION:	0	BOPD:		MCFPD:		BWPD:	
FORMATION:	0	BOPD:		MCFPD:		BWPD:	
FORMATION:	0	BOPD:		MCFPD:		BWPD:	
FORMATION:	0	BOPD:		MCFPD:		BWPD:	
FORMATION:	0	BOPD:		MCFPD:		BWPD:	
FORMATION:	0	BOPD:		MCFPD:		BWPD:	