

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1107679

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW	Amount of Surface Pipe Set and Cemented at: Fee
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used?
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Defilie a Field Management Disc
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec Twp S. R East Wes
GSW Permit #:	County: Permit #:
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Side Two	1107679
Operator Name:	Lease Name:	Well #:
Sec TwpS. R □ East □ West	County:	

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional She	eets)	Yes	No]Log	Formatior	n (Top), Depth and		Sample
Samples Sent to Geolog	gical Survey	Yes	No	ING	ame			Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted E (If no, Submit Copy)	Electronically	Yes	No No No						
List All E. Logs Run:									
			CASING F	RECORD	New	Used			
		Report all st	rings set-co	onductor, surface,	intermedia	ate, productio	on, etc.		1
Purpose of String	Size Hole Drilled	Size Casir Set (In O.I		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot		PERFORATION Specify For		RD - Bridge P Each Interval I)e			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed I	Product	ion, SWD or ENHF	λ .	Producing N	1ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
						1				
DISPOSITIC	ON OF C	BAS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Sold		Jsed on Lease		Open Hole	Perf.	Dually (Submit)	Comp. ACO-5)	Commingled (Submit ACO-4)		
(If vented, Sub	omit ACC)-18.)		Other (Specify)						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Invoice #	Page
24934	001
Invoice Dat	e
11/03/2012	

True Enterprise 1326 North Main Street LeRoy, KS 66857

(620) 964-2514 SOLD TO: Scott Owens Scott Owens 1274 202 Road Yates Center, KS 66783

Please Remit To: True Enterprise, 1326 North Main, LeRoy, KS 66857

1	Slm.	Cust.#	Sld.By	Туре	Order #	P.O.#		it lo: erms	Te
	Store	O36070	DWT	House	24934	Gar 49		/ onth	0th Next M
Extended Price	Price			Description		Item #		UM	Quantity
200.0	10.00				DRTLAND CE		CL203	EA	20.000
200.0 14.6 0.0	Taxable: Tax: Non-Tax:					_			omment:
214.6	Total:	bryson				7)~	BI		eceived b

Ticket Number_100178

Madison Location Brad Butter Foreman

Hurricane Services, Inc. 3613 A Y Road Madison, KS 66860 Office # 620-437-2661 Brad Cell # 620-437-6765

Contraction of the owner	Cement Service ticket			
stomer #	Well Name & Number	Sec./T	ownship/Range	County
	Garberson # 49			Woodson
	Mailing Address	City	State	Zip
	tomer #	Garberson # 49 Mailing Address	Garberson 49 Mailing Address City	Garberson 49 Mailing Address City

Job Type:	LONGSTRING		Truck #	Driver
	J		201	Kelly «
lole Size: 57/8"	Casing Size:	Displacement: 6.3 BU12	202	Cody .
lole Depth: //15-	Casing Weight:	Displacement PSI: 450	106	David
Bridge Plug:	Tubing: 2%"	Cement Left in Casing: 0-		Austin
Packer:	PBTD: 1102 -			
Quantity Or Units	Description	of Servcies or Product	Pump charge	790.00
30	Mileage		\$3.25/Mile	97.50
153 SACKS	70/20 0		11.110	101111.2-
		ex1	11.40	1,744.20
			,30	80.70
50 /bs	Flocile	, 	1.85	92.50
200 Ibs.	Gel > Flush A	thead	,30	60.00
3½ Hrs.	Water Truck		84.00	294.00
2900 GAL	water		13.00 pm/1000	37.70
30 miles	T			11
30 miks	Truck #290		1.50	45.00
	Witchie Services		50.00	N/C
7 Tons	Bulk Truck > minimum	charga	\$1.15/Mile	250.00
2	Plugs 27/8" Top Rubb	ю <i>т</i>	25.00	50.00
			Subtotal	3541.60
			Sales Tax	150.75
			Estimated Tota	

Remarks: Rig up to 278" Tubing, Break circulation with 10 Bbls water, 10 Bbl. Gel Flush, circulated Gel around To Condition Hole. Mixed 153 sks. 70/30 Pozonie coment of chemicals, shut down - wash out fum & Lines. Release 2 - Pluss - Displaced Pluss with 614 Bbk water, Final Pumping at 500 BST

Bumpers Plugs To 1100 PSI close Tubing in my 1100 PSI

Good CEMENT FETURAS WITH 5 Bbl. Slorry

"Thank you"

witnessed by Scott

(Rev. 1-2011)

Customer Signature