

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:  |    |   |
|------------|-------|----|---|
| Effective  | Date: |    | - |
| District # | !     |    | - |
| SGA?       | Yes   | No |   |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| month day year   | Spot Description:   |
|--|---|
|  | SecTwpS. RBEW   |
| PERATOR: License#  | feet from N / S Line of Section   |
| ame:   |   |
| ddress 1:  |   |
| ddress 2:  |   |
| ity: State: Zip: +   | County  |
| ontact Person:hone:  | Lease Name: Well #:   |
| none.  | Field Name:   |
| ONTRACTOR: License#  | Is this a Prorated / Spaced Field? Yes No   |
| lame:  | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):   |
| Oil Enh Rec Infield Mud Rotary   | Ground Surface Elevation:feet MS  |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:   |
| Disposal Wildcat Cable   | Public water supply well within one mile:   |
| Seismic ;# of Holes Other  | Depth to bottom of fresh water:   |
| Other:   | Depth to bottom of usable water:  |
| If OWWO: old well information as follows:  | Surface Pipe by Alternate: III  |
| II OvvvvO. Old well information as follows:  | Length of Surface Pipe Planned to be set:   |
| Operator:  |   |
| Well Name:   | Projected Total Depth:  |
| Original Completion Date: Original Total Depth:  |   |
| Directional, Deviated or Horizontal wellbore?  | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal wellbore?  Yes \ Y |   |
| Bottom Hole Location:  | DWK Pelilii #   |
| KCC DKT #:   | (Note: Apply 1617 Chille Wild DVV   |
|  | Will Cores be taken? Yes No   |
|  | ii ies, proposed zone.  |
|  | AFFIDAVIT   |
| The undersigned hereby affirms that the drilling, completion and eventual  | al plugging of this well will comply with K.S.A. 55 et. seq.  |
| t is agreed that the following minimum requirements will be met:   |   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well;  |   |
| 2. A copy of the approved notice of intent to drill <b>shall be</b> posted on  | each drilling rig;  |
|  | set by circulating coment to the top; in all cases surface nine shall be set  |
| 3. The minimum amount of surface pipe as specified below shall be  |   |
| <ol><li>The minimum amount of surface pipe as specified below shall be<br/>through all unconsolidated materials plus a minimum of 20 feet int</li></ol>  | o the underlying formation.   |
| <ul><li>3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int</li><li>4. If the well is dry hole, an agreement between the operator and the</li></ul>  | o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>   |
| <ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> </ol>  | o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> blugged or production casing is cemented in;  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem</li> </ol>   | to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date.   |
| <ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>   | o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in;  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemor pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>  | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is a specific to the SCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>   | to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> solugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>   | to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> solugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>   | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within <i>120 DAYS</i> of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>   | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically  For KCC Use ONLY  | o the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification  |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Libmitted Electronically**  **For KCC Use ONLY**  API # 15   | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe  | o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;   |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe  | o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either process. If an ALTERNATE II COMPLETION, production pipe shall be come. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either process. The appropriate and the appropriate is either process. The approp  | contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Jubmitted Electronically**  For KCC Use ONLY  API # 15   | contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either personant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Description**  **Des  | contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;   |

\_ Agent: .



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 1100 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |   |  | License Number:  |  |
|---|---|--|--|--|
| Operator Address:   |   |  |  |  |
| Contact Person:   |   |  | Phone Number:  |  |
| Lease Name & Well No.:  |   |  | Pit Location (QQQQ):   |  |
| Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  | Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls) |  | SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes  | No   | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)                             |  |
| Is the bottom below ground level?   |   |  | How is the pit lined if a plastic liner is not used?   |  |
| Pit dimensions (all but working pits):  | Length (fee   | et)  | Width (feet) N/A: Steel Pits   |  |
| Depth from ground level to deepest point:   |   |  | dures for periodic maintenance and determining   |  |
| Distance to nearest water well within one-mile of pit:  |   | Depth to shallo<br>Source of infor   | west fresh water feet. mation:   |  |
| feet Depth of water wellfeet  |   | measured   | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically |   | Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date. |  |  |
|   | KCC   | OFFICE USE O   | NLY  |  |
| Date Received: Permit Num   | ber:  |  | Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No  |  |



1107923

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C  | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |
|--|--|
| OPERATOR: License #  | Well Location:   |
| Name:  | SecTwpS. R   |
| Address 1:   | County:  |
| Address 2:   | Lease Name: Well #:  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |
| Contact Person:  | the lease below:   |
| Phone: ( ) Fax: ( )  |  |
| Email Address:   |  |
| Surface Owner Information:   |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional   |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.   |
| City: State: Zip:+   |  |
| the KCC with a plat showing the predicted locations of lease roads, tank   | dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| Select one of the following:   |  |
| owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this   |
| task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-   | fee with this form. If the fee is not received with this form, the KSONA-1   |
| Submitted Electronically   | _  |

| API No. 15  |   |  | Location of Well: County   | Bather                                   |
|---|---|--|--|--|
| Operator: F.G. Holl   | Company, L.L.C.   | 2 761  | 1100   | feet from N / S Line of Section          |
|   | mitt family   | y Trust  | 7200   | feet from E / W Line of Section          |
| Vell Number:  | 1-15  | 1  | Sec. 15 Twp. 2   | S. R. S East West                        |
| Field: M  | Cst   |  |  |  |
| Number of Acres at  | tributable to well:   |  | Is Section: 🗸 Regula   | r or Irregular                           |
| QTR/QTR/QTRo  | ~ 10  | SE. SN   | If Section is Irregular I  | ocate well from nearest corner boundary. |
|   | 8   |  | Section corner used:   |  |
|   |   |  |  |  |
|   |   |  |  |  |
|   |   | PL   | AT   |  |
|   | (Show location of   | of the well and shade attribu  |  | or spaced wells.)                        |
|   |   | Show footage to the nearest  |  |  |
|   |   |  |  |  |
|   |   | 9 9  | 2.63   |  |
|   |   | 36 G   | 200  |  |
|   | aaa eesses nii  | * # 930 0 0 0 0 0  | 98 8888  |  |
|   |   |  |  |  |
|   | er et t.<br>Angga saksawa Arr   |  |  |  |
|   | 6 E B   | 25 89  | 100  |  |
|   | 8 8 9<br>9 9 4  | 285 J.87   | 180  |  |
|   |   |  | 88   |  |
|   | - «<br>2 % «  | 91 W   |  |  |
|   | я в я<br>в ў я  | 11 N N N   | . E  | XAMPLE                                   |
|   |   | -15  | · ·  | 67 (46) 580<br>87 (46) 580               |
|   |   |  | 74.5<br>74.5   |  |
|   |   | FR 3 3 3 3 5 5 5   |  | 1980                                     |
|   | a a 8   |  |  |  |
|   | a a a<br>Agga aga agan  |  |  |  |
| 200   |   | and the second of the second o |  | 3390'                                    |
| dd00  | : -: - ;-   | 0  | *  |  |
| 1888  |   | 10 - 10 - The Party of the Part |  |  |
|   | : lead line >   |  | 500  |  |
| · fa  | nkbatter 1000 8   | 3 _ : :  | · s  | SEWARD CO.                               |
| NOTE: I   |   | pot of the proposed drillin  | g locaton.   |  |
| NOTE: H   |   | o ann ann ann an an an an an an an an an   | ♥anetAcetalick   |  |
|   | 11/44   | 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |  | <del></del>                              |
| 1   | The Late  | The Think  | BENE   |  |
| M   | 3 42.   | 1 1 1  | The state of the s | 8/ Boring                                |
| 164   | 8 2   | Manal State State Line   | a - 1005   | and the second                           |
| . ln d  | 3 3 1 A   | APORT SEE  |  |  |
|   |   |  |  | 7.0                                      |
| ! } ]   | 1230  | Air par  |  | <u> </u>                                 |
| 111   |   | Indee BARK NELL  | E 2  | 0 8 9                                    |
| 1   |   |  |  | . 18                                     |
| -   | awnee 150 kgs   |  | / PAS 081   28R  |  |
|   | Rock 158 55   |  |  | <del></del>                              |
|   | , ,   |  |  | 21                                       |
| 31 FASE 4   |   | 7  |  | X 965                                    |
| icto is based upon the bes  | t maps and photographs available  | to us and upon a regular   |  | 1  |
| action lines were determined the store of Konsos. The   | ned using the normal standard of<br>section corners, which establish  | core of olifield surveyors   |  | 1  |
| ssarily located, and the discretion of therefore, the operation of thereon operate to hold in | red using the normal standard of<br>section corners, which establish<br>exact location of the drillstor<br>r securing this service and accel-<br>tantral foresce Slittle & Services<br>ets and expenses and said entities | oring this plot and all other<br>inc. its officers and<br>is released from any 1700111ty   | July   | 12. 2012                                 |
| etund from kertimon) Sanda  | tic Vertical Datum  |  | Date   |  |
| CEA   | TRAL KANSAS C   | ILFIELD SERVICES   | , INC. (620)792-197  | 7  |

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

January 16, 2013

Loveness Mpanje F. G. Holl Company L.L.C. 9431 E CENTRAL STE 100 WICHITA, KS 67206-2563

Re: Drilling Pit Application SCHMITT FAMILY TRUST 1-15 SW/4 Sec.15-20S-15W Barton County, Kansas

### Dear Loveness Mpanje:

District staff has inspected the above referenced location and has determined that the reserve pit shall be kept away from draw/drainage, constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.