

Kansas Corporation Commission Oil & Gas Conservation Division

1112132

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
☐ Oil ☐ WSW ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	·
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Conv. to ENHR	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Date:

Side Two

1112132

Operator Name:				Lease N	lame:			Well #:		
Sec Twp	S. R	East] West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rat line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures st, along with	s, whether s final chart(s	hut-in press	ure reach	ed static level,	hydrostatic pres	ssures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional		Yes	☐ No		Log	g Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	d Electronically	☐ Yes ☐ Yes ☐ Yes	No No No							
List All E. Logs Run:										
		Report a		RECORD	New	Used	on, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In	asing	Weig Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	, ,,	and Percent additives
		<u> </u> 	DDITIONAL	CEMENTIN	IG / SQUE	EZE RECORD				
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Cement	# Sacks	Used		Type and	Percent Additives				
Shots Per Foot	PERFORATI Specify	ON RECORD - Footage of Each	Bridge Plug n Interval Peri	s Set/Type forated			cture, Shot, Ceme mount and Kind of N	nt Squeeze Record Material Used)	d 	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
							Yes N	0		
Date of First, Resumed	Production, SWD or EN	IHR. Pr	oducing Meth	nod:	g 🗌 G	as Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	BI	ols.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:		N	METHOD OF	COMPLET	TION:		PRODUCTIO	ON INTER	VAL:
Vented Solo	Used on Lease		n Hole	Perf.	Dually (nmingled mit ACO-4)			
(11 verneu, 3u	10./	Othe	r (Specify)				I —			

DRILLERS LOG

	API NO: 15 - 001	- 30569 - (00 - 00 🗸		•			-	S. 9	T. 24	R. 18	<u>E.</u>	W.
O	PERATOR: COLTEN	NERGY, INC	; · · · ,						LC	CATION:	SE NW	NW SE	
					•				1	COUNTY:	ALLEN		
,	ADDRESS: P.O. BOX	388. IOLA.	KS 66749						Ì	ELEV. GR.:	1006		
•									· ·	DF:		КВ:	
	WELL#: 10 - 9		LEASE	NAME:	KIRK							_	
FOC	DTAGE LOCATION:	2170	. FEET	FROM	(N)	<u>(\$)</u>	LINE	2020	FEET	FROM	<u>(E)</u>	(W)	LINE
	CONTRACTOR:	FINNEY D	RILLING CO	MPANY				GEO	LOGIST:	REX ASH	LOCK		
	SPUD DATE:	12/17	//2012					TOTA	L DEPTH:	1154		P.B.T.D.	
	DATE COMPLETED:	12/29	/2012					OIL PUR	CHASER:	COFFEY	ILLE RES	OURCES	
				C/	ASING	RECOF	RD						
	REPORT OF ALL ST	RINGS - SU	IRFACE, INT	ERMEDIA	TE, PROD	UCTION, E	TC.	-					
	PURPOSE OF STRING	SIZE HOLE DRILLED	SIZE CASING O.D.	, ,	WEIGHT LBS/FT	SETTING	DEPTH	TYPE CEMENT	SACKS	TYPE	AND % ADI	DITIVES	
	SURFACE:	12:2500	8.625	50 ·	18	20.	60	ı	- 10	SERVICE (COMPANY	1]
	PRODUCTION:	6.7500			PLI	JG WE	LL						1

WELL LOG

CORES: #1 - 943 - 951 RAN.
RECOVERED:

RECOVERED: ACTUAL CORING TIME:

LIME	FORMATION	TOP	воттом
SHALE 24 76 LIME 76 77 SHALE 77 96 LIME 96 144 SHALE 144 164 LIME 164 165 SHALE 165 167 LIME 167 174 SHALE 174 225 LIME 282 284 SHALE 282 284 LIME 283 313 SHALE 293 313 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 548 601 LIME	TOP SOIL	0	2
LIME 76 77 SHALE 77 96 LIME 96 144 SHALE 144 164 LIME 164 165 SHALE 165 167 LIME 167 174 SHALE 174 225 LIME 225 282 LIME 225 282 LIME 225 282 LIME 289 293 LIME 289 293 LIME 293 313 SHALE 315 338 SHALE 315 338 SHALE 3356 357 SAND & SHALE 511 529 LIME 529 536 SHALE 540 541 SHALE 540 541 SHALE 548 601 LIME 540 541 SHALE 548 601 LIME 540 664 SAND & SHALE 662 LIME 664 668 LIME 664 6691 SAND & SHALE 665 SHALE 665 SHALE 665 SHALE 665 SHALE 6665 SHALE 6665 SHALE 6666 SHALE 6666 SHALE 667 SAND & SHALE 6691 SHALE 6695 SAND & SHALE 6995 SAND & SHALE 725 728	LIME	2	24
SHALE 77 96 LIME 96 144 SHALE 144 164 LIME 164 165 SHALE 165 167 LIME 167 174 SHALE 174 225 LIME 225 282 SHALE 289 293 LIME 284 289 SHALE 289 293 LIME 313 315 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 357 508 LIME 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 511 529 LIME 540 541 SHALE 540 541 LIME 540 541 SHALE	SHALE	24	76
LIME 96 144 SHALE 144 164 LIME 164 165 SHALE 165 167 LIME 167 174 SHALE 174 225 LIME 225 282 SHALE 289 293 LIME 289 293 LIME 313 315 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 511 529 LIME 529 536 SHALE 540 541 LIME 540 541 SHALE 548 601 LIME 604 608 SHALE	LIME	76	77
SHALE 144 164 LIME 164 165 SHALE 165 167 LIME 167 174 SHALE 174 225 LIME 225 282 SHALE 284 289 LIME 289 293 LIME 293 313 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 357 508 LIME 357 508 LIME 508 511 SHALE 511 529 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 540 541 SHALE 540 541 SHALE 548 601 LIME 604 608 SHALE 604 608 LIME <	SHALE	77	96
LIME 164 165 SHALE 165 167 LIME 167 174 SHALE 174 225 LIME 225 282 SHALE 284 289 LIME 289 293 LIME 293 313 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 529 536 SHALE 541 548 SAND & SHALE 541 548 SAND & SHALE 604 604 SAND & SHALE 604 608 LIME 647 662 SHALE 662 664	LIME	96	144
SHALE 165 167 LIME 167 174 SHALE 174 225 LIME 225 282 SHALE 282 284 LIME 284 289 SHALE 289 293 LIME 293 313 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME	SHALE	144	164
SHALE 165 167 LIME 167 174 SHALE 174 225 LIME 225 282 SHALE 282 284 LIME 284 289 SHALE 289 293 LIME 313 315 SHALE 313 315 LIME 313 315 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME	LIME	164	165
SHALE 174 225 LIME 225 282 SHALE 284 289 LIME 284 289 SHALE 289 293 LIME 313 315 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 LIME 604 608 LIME 647 662 SHALE 662 664 LIME 664 691 SHALE 662 664 LIME<		165	167
LIME 225 282 SHALE 282 284 LIME 284 289 SHALE 289 293 LIME 313 315 SHALE 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 LIME 604 608 LIME 604 608 LIME 604 608 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 <td< td=""><td>LIME</td><td>167</td><td>174</td></td<>	LIME	167	174
LIME 225 282 SHALE 282 284 LIME 284 289 SHALE 289 293 LIME 313 315 SHALE 315 338 LIME 315 338 SHALE 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 SAND & SHALE 604 608 LIME 604 608 SHALE 662 664 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695	SHALE	174	225
LIME 284 289 SHALE 289 293 LIME 313 315 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 SAND & SHALE 604 608 LIME 604 608 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 <td></td> <td>225</td> <td>282</td>		225	282
SHALE 289 293 LIME 293 313 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 604 608 LIME 607 662 SHALE 662 664 LIME 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 <td>SHALE</td> <td>282</td> <td>284</td>	SHALE	282	284
LIME 293 313 SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 662 664 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 <td>LIME</td> <td>284</td> <td>289</td>	LIME	284	289
SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 662 664 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 </td <td>SHALE</td> <td>289</td> <td>293</td>	SHALE	289	293
SHALE 313 315 LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 662 664 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 </td <td>LIME</td> <td>293</td> <td>313</td>	LIME	293	313
LIME 315 338 SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752	SHALE		
SHALE 338 356 LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		315	338
LIME 356 357 SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		338	356
SAND & SHALE 357 508 LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		356	
LIME 508 511 SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		357	508
SHALE 511 529 LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752			511
LIME 529 536 SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 604 608 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		511	
SHALE 536 540 LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752			536
LIME 540 541 SHALE 541 548 SAND & SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752			540
SHALE 541 548 SAND & SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		540	541
SAND & SHALE 548 601 LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		541	548
LIME 601 604 SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		548	601
SAND & SHALE 604 608 LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752	The state of the s	601	604
LIME 608 633 SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		604	608
SHALE 633 647 LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752			633
LIME 647 662 SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		633	647
SHALE 662 664 LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752		647	662
LIME 664 691 SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752			664
SAND & SHALE 691 695 GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752			
GAS OIL SAND 695 713 SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752			
SAND & SHALE 713 725 LIME 725 728 SHALE 728 750 LIME 750 752			
LIME 725 728 SHALE 728 750 LIME 750 752			
SHALE 728 750 LIME 750 752			
LIME 750 752			
	SHALE	752	906

•		
FORMATION	TOP	воттом
LIME & SAND	906	915
SAND & SHALE	915	940
SAND ·	940	1078
SAND & SHALE	1078	1109
MISSISSIPPI	1109	1154 T.D.
LOST CIRCULATION		
		1
3	†	
	†	
	·	
	-	
	-	
	 	
		
	 	
	 	
	 	
		
	· · · · · · · · · · · · · · · · · · ·	
	<u> </u>	
	 	
	 	<u> </u>
	_	
	<u> </u>	
		
	ļ	





TICKET NUMBER 38390

LOCATION EUCK9

FOREMAN RICK Ledford

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT APIH 15-001-30569

20-431-3210	01 000-407-007	9		CEMEIA	1 // -	, , <u>, , , , , , , , , , , , , , , , , </u>		
DATE	CUSTOMER#	WEL	L NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
1-2-13	1828	Hirk	# 10-	9	9	24	18 E	AL
CUSTOMER.	<u> </u>							
Co	It Energy	Toc			TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	ESS 3/				520	John		
6.0	. Box 38	8			467	Chais B.		
CITY		STATE	ZIP CODE					
Ial	la	125	(4,749					
	T.A 6	HOLE SIZE_	63/4	HOLE DEPTH	1154	CASING SIZE & W	/EIGHT	
CASING DEPTH		DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH	HT / 4 #	SLURRY VOL		WATER gal/s	k <u>7.</u> 6	CEMENT LEFT in	CASING	
						RATE		
						s as follow		
	11277 1.11.11	''3 ''')	Υ	79	33. 3			
			50 sks	@ 1154'				
			15 525					
				© 250' to	Sulface			
			05 242 (200	2 20.15.5			

' THANK YOU'

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PROD	UCT	UNIT PRICE	TOTAL
SYOSA	1	PUMP CHARGE		1030.00	1030.00
5406	50	MILEAGE		4.60	200.00
1131	150 343	LOD/40 Poznin connt		12.55	1882.50
11123	515#	420 961		. 21	108.15
5407A	6.45	ton mileage bulk trk		1.39	432.15
11188	400 *	gel-flosh (spaces)		. 2)	84.00
			7.55%	SALES TAX	3736.80
avin 3737	Po 1	1/1 255836	1 16	ESTIMATED	156.64 3893.45

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TITLE___