

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 6203

|                                    |          |      |    |            |    |       |    |  |       |                                 |    |             |  |        |            |
|------------------------------------|----------|------|----|------------|----|-------|----|--|-------|---------------------------------|----|-------------|--|--------|------------|
| Date                               | 11-14-12 | Sec. | 14 | Twp.       | 11 | Range | 17 | County   | Ellis | State                           | KS | On Location |  | Finish | 11:30 A.M. |
| Lease                              |          |      |    |            |    |       |    | Well No.   |       | Location                        |    |             |  |        |            |
| Danzweiler                         |          |      |    |            |    |       |    | 2  |       | Catalpa River Road 1/2 S E into |    |             |  |        |            |
| Contractor                         |          |      |    |            |    |       |    | Owner  |       |                                 |    |             |  |        |            |
| G.O. Tools                         |          |      |    |            |    |       |    | To Quality Oilwell Cementing, Inc.<br>You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |       |                                 |    |             |  |        |            |
| Type Job                           |          |      |    |            |    |       |    | Charge To  |       |                                 |    |             |  |        |            |
| Port Collar                        |          |      |    |            |    |       |    | Cattlemens Oil   |       |                                 |    |             |  |        |            |
| Hole Size                          |          |      |    | T.D.       |    |       |    | Street   |       |                                 |    |             |  |        |            |
| 7 7/8                              |          |      |    |            |    |       |    |  |       |                                 |    |             |  |        |            |
| Csg.                               |          |      |    | Depth      |    |       |    | City   |       |                                 |    |             |  |        |            |
| 5 1/2                              |          |      |    |            |    |       |    | State  |       |                                 |    |             |  |        |            |
| Tbg. Size                          |          |      |    | Depth      |    |       |    | The above was done to satisfaction and supervision of owner agent or contractor.   |       |                                 |    |             |  |        |            |
| 2 7/8                              |          |      |    |            |    |       |    |  |       |                                 |    |             |  |        |            |
| Tool                               |          |      |    | Depth      |    |       |    | Cement Amount Ordered  |       |                                 |    |             |  |        |            |
| Port Collar                        |          |      |    | 1461       |    |       |    | 225 Qms C 1/4 #10  |       |                                 |    |             |  |        |            |
| Cement Left in Csg.                |          |      |    | Shoe Joint |    |       |    |  |       |                                 |    |             |  |        |            |
| Meas Line                          |          |      |    | Displace   |    |       |    | USED 210 SK  |       |                                 |    |             |  |        |            |
|                                    |          |      |    | 34         |    |       |    |  |       |                                 |    |             |  |        |            |
| EQUIPMENT                          |          |      |    |            |    |       |    | Common   |       |                                 |    |             |  |        |            |
| Pumptrk 9                          |          |      |    |            |    |       |    | 210  |       |                                 |    |             |  |        |            |
| No. Cementer                       |          |      |    |            |    |       |    | Poz. Mix   |       |                                 |    |             |  |        |            |
| Craig                              |          |      |    |            |    |       |    |  |       |                                 |    |             |  |        |            |
| Bulktrk                            |          |      |    |            |    |       |    | Gel.   |       |                                 |    |             |  |        |            |
| No. Driver                         |          |      |    |            |    |       |    | Calcium  |       |                                 |    |             |  |        |            |
| Cody                               |          |      |    |            |    |       |    |  |       |                                 |    |             |  |        |            |
| Bulktrk 12                         |          |      |    |            |    |       |    | Hulls  |       |                                 |    |             |  |        |            |
| No. Driver                         |          |      |    |            |    |       |    | Salt   |       |                                 |    |             |  |        |            |
| Doug, Billy                        |          |      |    |            |    |       |    | Flowseal 50#   |       |                                 |    |             |  |        |            |
| No. Driver                         |          |      |    |            |    |       |    | Kol-Seal   |       |                                 |    |             |  |        |            |
|                                    |          |      |    |            |    |       |    | Mud CLR 48   |       |                                 |    |             |  |        |            |
| JOB SERVICES & REMARKS             |          |      |    |            |    |       |    | CFL-117 or CD110 CAF 38  |       |                                 |    |             |  |        |            |
| Remarks:                           |          |      |    |            |    |       |    | Sand   |       |                                 |    |             |  |        |            |
| Rat Hole                           |          |      |    |            |    |       |    | Handling 225   |       |                                 |    |             |  |        |            |
| Mouse Hole                         |          |      |    |            |    |       |    | Mileage  |       |                                 |    |             |  |        |            |
| Centralizers                       |          |      |    |            |    |       |    | FLOAT EQUIPMENT  |       |                                 |    |             |  |        |            |
| Baskets                            |          |      |    |            |    |       |    | Guide Shoe   |       |                                 |    |             |  |        |            |
| D/V or Port Collar                 |          |      |    |            |    |       |    | Centralizer  |       |                                 |    |             |  |        |            |
| Test 5 1/2 to 1000# Open Tool +    |          |      |    |            |    |       |    | Baskets  |       |                                 |    |             |  |        |            |
| Est Circulation. Mix 210 SK Cement |          |      |    |            |    |       |    | AFU Inserts  |       |                                 |    |             |  |        |            |
| Circulated. Displace 72. Close     |          |      |    |            |    |       |    | Float Shoe   |       |                                 |    |             |  |        |            |
| Tool Pressure to 800#. Release     |          |      |    |            |    |       |    | Latch Down   |       |                                 |    |             |  |        |            |
| Pressure Run 5 joints + Wash       |          |      |    |            |    |       |    |  |       |                                 |    |             |  |        |            |
| Clean                              |          |      |    |            |    |       |    | Pumptrk Charge port collar   |       |                                 |    |             |  |        |            |
|                                    |          |      |    |            |    |       |    | Mileage 19   |       |                                 |    |             |  |        |            |
|                                    |          |      |    |            |    |       |    | Tax  |       |                                 |    |             |  |        |            |
|                                    |          |      |    |            |    |       |    | Discount   |       |                                 |    |             |  |        |            |
|                                    |          |      |    |            |    |       |    | Total Charge   |       |                                 |    |             |  |        |            |
| X Signature                        |          |      |    |            |    |       |    |  |       |                                 |    |             |  |        |            |

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 6174

|      |          |      |    |      |    |       |    |        |       |       |        |             |  |        |         |
|------|----------|------|----|------|----|-------|----|--------|-------|-------|--------|-------------|--|--------|---------|
| Date | 11-12-12 | Sec. | 14 | Twp. | 11 | Range | 17 | County | ELLIS | State | KANSAS | On Location |  | Finish | 7:15 AM |
|------|----------|------|----|------|----|-------|----|--------|-------|-------|--------|-------------|--|--------|---------|

Location VICTORIA RD TO CATHERINE RD - W TO CORNELL RD - N TO R.R. E/INT

|                     |                       |  |                |  |   |
|---------------------|-----------------------|--|----------------|--|---|
| Lease               | <u>DOERZWIETZ "D"</u> | Well No.   | <u>#2</u>      | Owner  | <u>CATTLEMAN'S OIL</u>                    |
| Contractor          | <u>D.D #4</u>         | To Quality Oilwell Cementing, Inc.<br>You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |                |  |   |
| Type Job            | <u>Prod. string</u>   |  |                |  |   |
| Hole Size           | <u>7 7/8"</u>         | T.D.   | <u>3,475'</u>  | Charge To  | <u>CATTLEMAN'S OIL</u>                    |
| Csg.                | <u>5 1/2"</u>         | Depth  | <u>3,469'</u>  | Street   | <u>2260 CATHERINE RD.</u>                 |
| Tbg. Size           |                       | Depth  |                | City   | <u>Hays</u> State <u>KS</u> <u>677601</u> |
| Tool                | <u>PORT COLLAR</u>    | Depth  | <u>1392</u>    | The above was done to satisfaction and supervision of owner agent or contractor. |   |
| Cement Left in Csg. |                       | Shoe Joint   | <u>34' 32"</u> | Cement Amount Ordered <u>235 com - 10% SALT</u>                                  |   |
| Meas Line           |                       | Displace   | <u>84 Bbls</u> |  |   |

**EQUIPMENT**

|             |     |          |                 |          |            |
|-------------|-----|----------|-----------------|----------|------------|
| Pumptrk #15 | No. | Cementer |                 | Common   | <u>235</u> |
|             |     | Helper   | <u>NICK W.</u>  | Poz. Mix |            |
| Bulktrk #17 | No. | Driver   |                 | Gel.     |            |
|             |     | Driver   | <u>LOWME W.</u> | Calcium  |            |
| Bulktrk P/U | No. | Driver   |                 | Hulls    |            |
|             |     | Driver   | <u>CISCO W.</u> | Salt     | <u>20</u>  |

**JOB SERVICES & REMARKS**

|  |                        |                         |                        |
|--|------------------------|-------------------------|------------------------|
| Remarks:   |                        | Salt                    | <u>20</u>              |
| Rat Hole   | <u>30 SKS</u>          | Flowseal                |                        |
| Mouse Hole                                       | <u>15 SKS</u>          | Kol-Seal                |                        |
| Centralizers                                     | <u>1, 2, 7, 10, 48</u> | Mud CLR 48              | <u>500 gal.</u>        |
| Baskets  | <u>2, 3, 49</u>        | CFL-117 or CD110 CAF 38 |                        |
| D/V or Port Collar                               | <u>#49</u>             | Sand                    |                        |
| <u>DROPPED BALL - BROKE CIRCULATION</u>          |                        | Handling                | <u>255</u>             |
| <u>CIRCULATED ON BOTTOM MIN - PUMPED</u>         |                        | Mileage                 |                        |
| <u>500 GAL. MUD CLR 48 - PLUGGED RATHOLE 30</u>  |                        | <b>FLOAT EQUIPMENT</b>  |                        |
| <u>SKS. PLUGGED MOUSEHOLE 15 SKS - MIXED</u>     |                        | Guide Shoe              | <u>1-5 1/2"</u>        |
| <u>PLUGGED 190 SKS DOWN 5 1/2" - DECOMPLETED</u> |                        | Centralizer             | <u>5-5 1/2" CENT.</u>  |
| <u>DROPPED PLUG &amp; WASHED UP PUMP TRUCK</u>   |                        | Baskets                 | <u>3-5 1/2"</u>        |
| <u>MADE CONNECTION &amp; DISPLACED PLUG -</u>    |                        | AFU Inserts             | <u>1-5 1/2" w/PLUG</u> |
| <u>LANDED &amp; HELD</u>                         |                        | Float Shoe              |                        |
| <u>LIFT PRESSURE @ 1,000</u>                     |                        | Latch Down              | <u>1 port Collar</u>   |
| <u>PLUG LANDED @ 84 Bbls &amp; 1,400 LBS.</u>    |                        |                         |                        |

THANK YOU.

|                |                         |              |  |
|----------------|-------------------------|--------------|--|
| Pumptrk Charge | <u>Prod Long String</u> | Tax          |  |
| Mileage        | <u>23</u>               | Discount     |  |
|                |                         | Total Charge |  |

X Signature [Signature]

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 6147

|         |      |      |       |        |       |             |         |
|---------|------|------|-------|--------|-------|-------------|---------|
| Date    | Sec. | Twp. | Range | County | State | On Location | Finish  |
| 11-7-12 | 14   | 11   | 17    | Ellis  | KS    |             | 9:30 AM |

Location *Codell & River Road 1/2 S Einto*

|                                |                              |  |  |
|--------------------------------|------------------------------|--|--|
| Lease                          | Well No                      | Owner  |  |
| <i>Dorzweiler</i>              | <i>2</i>                     | To Quality Oilwell Cementing, Inc.<br>You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |  |
| Contractor                     | Type Job                     | Charge To  |  |
| <i>D's govern / #4</i>         | <i>Surface</i>               | <i>Cattlemans Oil</i>  |  |
| Hole Size                      | T.D.                         | Street   |  |
| <i>12 1/4</i>                  | <i>242</i>                   |  |  |
| Csg.                           | Depth                        | City   |  |
| <i>8 5/8</i>                   | <i>262</i>                   | State  |  |
| Tbg. Size                      | Depth                        | The above was done to satisfaction and supervision of owner agent or contractor.   |  |
|                                |                              | Cement Amount Ordered <i>175 com 30% acc 70% bel</i>   |  |
| Cement Left in Csg. <i>15'</i> | Shoe Joint <i>15 1/2 B C</i> |  |  |

| EQUIPMENT |     |                 | Common           |
|-----------|-----|-----------------|------------------|
| Pumptrk   | No. | Cementer Helper | <i>175</i>       |
|           |     | <i>Craig</i>    |                  |
| Bulktrk   | No. | Driver          | Poz. Mix         |
|           |     | <i>Cody</i>     |                  |
| Bulktrk   | No. | Driver          | Gel. <i>3</i>    |
|           |     | <i>Doug</i>     | Calcium <i>6</i> |

| JOB SERVICES & REMARKS                    |  | Hulls                   |
|---|--|-------------------------|
| Remarks:                                  |  | Salt                    |
| Rat Hole                                  |  | Flowseal                |
| Mouse Hole                                |  | Kol-Seal                |
| Centralizers                              |  | Mud CLR 48              |
| Baskets                                   |  | CFL-117 or CD110 CAF 38 |
| D/V or Port Collar                        |  | Sand                    |
| <i>8 5/8 on bottom. Est. Circulation.</i> |  | Handling <i>184</i>     |
| <i>Mix 125 gal + Displace.</i>            |  | Mileage                 |

| FLOAT EQUIPMENT           |             |
|---------------------------|-------------|
| <i>Cement Circulated!</i> | Guide Shoe  |
|                           | Centralizer |
|                           | Baskets     |
|                           | AFU Inserts |
|                           | Float Shoe  |
|                           | Latch Down  |

|                              |                |              |
|------------------------------|----------------|--------------|
| Pumptrk Charge               | <i>Surface</i> | Tax          |
| Mileage                      | <i>23</i>      | Discount     |
| Signature <i>[Signature]</i> |                | Total Charge |